RALPH LAUREN

LIGHTING

TABLE OF CONTENTS

TABLE 02

FLOOR 34

CEILING 56

WALL 130

OUTDOOR 188

INDEX 192

EU INDEX 198

SEYDOU
KEITA

TABLE LAMPS

RL3633BC-WP
Halifax Small Table Lamp in Blue Ceramic with White Paper Shade

RL3633BC-WP-EU
(European Wiring)

RL3633ICO-WP
Halifax Small Table Lamp in Coconut with White Paper Shade
Height: 27.5″
Width: 19″
Base: 10.75″ Round

Finishes:
BC, BLK, ICO
Shade Treatments: WP
Shade Details:
14″ x 19″ x 13″

Socket: E26 Dimmer
Bulb: 100 A19

RL3633ICO-WP-EU
(European Wiring)

RL3633BLK-WP
Halifax Small Table Lamp in Black Ceramic with White Paper Shade

RL3633BLK-WP-EU
(European Wiring)

RL3634ICO-WP
Halifax Large Table Lamp in Coconut with White Paper Shade
Height: 36.25″
Width: 25″
Base: 14″ Round

Finishes:
BLC, BLK, ICO
Shade Treatments: WP
Shade Details:
19″ x 25″ x 18″

Socket: E26 Dimmer
Bulb: 150 A21

RL3634ICO-WP-EU
(European Wiring)

RL3634BLK-WP
Halifax Large Table Lamp in Black Ceramic with White Paper Shade

RL3634BLK-WP-EU
(European Wiring)

RL3625BLK-WP
Carter Small Table Lamp in Black Porcelain with White Paper Shade

RL3625BLK-WP-EU
(European Wiring)

RL3625WT-WP
Carter Small Table Lamp in White Porcelain with White Paper Shade
Height: 25″
Width: 19″
Base: 7″ Round

Finishes: BLK, WHT
Shade Treatments: WP
Shade Details:
14″ x 19″ x 13″

Socket: E26 Dimmer
Bulb: 150 A21

RL3625WT-WP-EU
(European Wiring)

RL3625BLK-WP
Carter Small Table Lamp in Black Porcelain with White Paper Shade

RL3625BLK-WP-EU
(European Wiring)

RL3627WT-WP
Carter Large Table Lamp in White Porcelain with White Paper Shade
Height: 36.5″
Width: 22″
Base: 12″ Round

Finishes: BLK, WHT
Shade Treatments: WP
Shade Details:
19″ x 22″ x 15″

Socket: E26 Dimmer
Bulb: 150 A21

RL3627WT-WP-EU
(European Wiring)

RL3627BLK-WP
Carter Large Table Lamp in Black Porcelain with White Paper Shade

RL3627BLK-WP-EU
(European Wiring)

RL 3677WHT-L
Ilona Medium Table Lamp in White with Linen Shade
Height: 24.5″
Width: 18″
Base: 7″ Square

Finishes: BLK, WHT
Shade Treatments: L
Shade Details:
14.5″ x 18″ x 12″

Socket: E26 Dimmer
Bulb: 100 A19

RL 3677WHT-L-EU
(European Wiring)

RL 3677BLK-L
Ilona Medium Table Lamp in Black with Linen Shade

RL 3677BLK-L-EU
(European Wiring)

RL3622WLC-L
Isla Small Table Lamp in White Leather Ceramic with Linen Shade
Height: 28″
Width: 19″
Base: 7.5″ Square

Finishes: CBZ, WLC
Shade Treatments: L
Shade Details:
17″ x 19″ x 12″

Socket: E26 Dimmer
Bulb: 150 A21

RL3622WLC-L-EU
(European Wiring)

RL3622CBZ-L
Isla Small Table Lamp in Crystal Bronze Ceramic with Linen Shade

RL3622CBZ-L-EU
(European Wiring)

RL3542BRT-WP
Lohan Medium Table Lamp in Black Rattan with White Paper Shade
Height: 27″
Width: 21″
Base: 8.75″ Round

Finishes: BRT
Shade Treatments: WP
Shade Details: 16″ x 21″ x 15″ Closed Top

Socket: E26 Dimmer
Bulb: 100 A19

RL3542BRT-WP-EU
(European Wiring)

RL3593MHG-SBP
Tisdale Large Table Lamp in Mahogany with Silk Box Pleat Shade
Height: 31″
Width: 22″
Base: 9″ Round

Finishes: MHG
Shade Treatments: SP
Shade Details: 9″ x 22″ x 15.25″

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3593MHG-SBP-EU
(European Wiring)

RL3660MBZ-L
Monterey Large Table Lamp in Matte Bronze with Linen Shade
Height: 32″
Width: 21.5″
Base: 6.75″ Round

Finishes: LTS, MBZ
Shade Treatments: L
Shade Details: 16.5″ x 21.5″ x 14″

Socket: E26 Dimmer
Bulb: 100 A19

Note:
Reactive Ceramic Glazes Will Vary in Color and Texture

RL3660MBZ-L-EU
(European Wiring)

RL3660LTS-L
Monterey Large Table Lamp in Light Silt with Linen Shade

RL3660LTS-L-EU
(European Wiring)

RL15032BKP
Gable Table Lamp in Black and Gold Porcelain with Silk Shade
Height: 34″
Width: 21″
Base: 9.75″ Round

Finishes: BLK
Shade Treatments: S
Shade Details:
10″ x 21″ x 13″

Socket: E26 3-Way
Bulb: 150 A21

RL15032BKP-EU
(European Wiring)

RL3649BW-S
Foo Dog Medium Table Lamp in Blue and White Porcelain with Silk Shade

RL3649BW-S-EU
(European Wiring)

RL3649BW-S
Foo Dog Medium Table Lamp in Blue and White Porcelain with Silk Shade
Height: 28″
Width: 21″
Base: 9″ Round

Finishes: BLW
Shade Treatments: S
Shade Details:
7″ x 21″ x 13″

Socket:
2 - E26 Pull Chain
Bulb: 2 - 75 A19

RL3649BW-S-EU
(European Wiring)

RL3653BW-S
Sydnee Large Gourd Table Lamp in Blue and White Porcelain with Silk Pleated Shade
Height: 33.5″
Width: 19.25″
Base: 7.75″ Round

Finishes: BW
Shade Treatments: S
Shade Details:
9.75″ x 19.25″ x 15″

Socket: E26 Dimmer
Bulb: 100 A19

RL3653BW-S-EU
(European Wiring)

RL3651BW-S
Blythe Medium Table Lamp in Blue and White Porcelain with Silk Pleated Shade
Height: 28″
Width: 16.75″
Base: 8.5″ Round

Finishes: BW
Shade Treatments: S
Shade Details:
8.5″ x 16.75″ x 13″

Socket: E26 Dimmer
Bulb: 100 A19

RL3651BW-S-EU
(European Wiring)

RL3652BW-S
Blythe Large Table Lamp in Blue and White Porcelain with Silk Pleated Shade
Height: 36.75″
Width: 21.75″
Base: 10.25″ Round

Finishes: BW
Shade Treatments: S
Shade Details:
11.75″ x 21.75″ x 16″

Socket: E26 Dimmer
Bulb: 100 A19

RL3652BW-S-EU
(European Wiring)

RL14040PN-S
Daniela Table Lamp in Crystal with Silk Shade
Height: 29.5″
Width: 21″
Base: 7″ Round

Finishes: CG
Shade Treatments: S
Shade Details:
10″ x 21″ x 13.25″

Socket: E26 Dimmer
Bulb: 150 A21

Note:
French Wired

RL14040PN-S-EU
(European Wiring)

RL3920CG-WP
Brookings Large Table Lamp in Crystal and Polished Nickel with White Paper Shade
Height: 29″
Width: 18″
Base: 12″ Round

Finishes: CG
Shade Treatments: WP
Shade Details: 17″ x 18″ x 10.5″

Socket: 2 - E26 Pull Chain
Bulb: 2 - 60 A19

RL3920CG-WP-EU
(European Wiring)

RL3936CG-S
Metropolis Table Lamp in Clear Glass with Silk Shade
Height: 29″
Width: 21″
Base: 8″ Round

Finishes: CG
Shade Treatments: S
Shade Details: 7″ x 21″ x 13″

Socket: E26 Dimmer
Bulb: 100 A19

RL3936CG-S-EU
(European Wiring)

RL11167BN-P
Modern Table Lamp in Natural Brass with White Paper Shade
Height: 30″
Width: 26″
Base: 9.25″ Round

Finishes: BZ, NB, PS
Shade Treatments: WP
Shade Details: 7″ x 26″ x 14.5″

Socket: E26 3-Way
Bulb: 150 A21

RL11167BN-P-EU
(European Wiring)

RL11167PS-P
Modern Table Lamp in Polished Silver with White Paper Shade

RL11167PS-P-EU
(European Wiring)

RL3965NB/Q-P
Ellis Bedside Lamp in Natural Brass and Quartz with Percale Shade
Height: 22.5″
Width: 15″
Base: 6.5″ x 9.5″ Rec.

Finishes: NB, PN
Shade Treatments: P
Shade Details:
14″ x 15″ x 10″ Rec.

Socket: E26 Dimmer
Bulb: 75 A19

RL3965NB/Q-P-EU
(European Wiring)

RL3966PN/Q-P
Ellis Table Lamp in Polished Nickel and Quartz with Percale Shade
Height: 30.5″
Width: 17″
Base: 6″ Square

Finishes: NB, PN
Shade Treatments: P
Shade Details:
16″ x 17″ x 12″ Square

Socket: E26 Dimmer
Bulb: 75 A19

RL3966PN/Q-P-EU
(European Wiring)

RL3082NB-WP
Allen Table Lamp in Natural Brass and Glass Rods with White Paper Shade
Height: 30″
Width: 18″
Base: 8.5″ Round

Finishes: NB, PN
Shade Treatments: WP
Shade Details:
16″ x 18″ x 12″

Socket: E26 Dimmer
Bulb: 100 A19

RL3082NB-WP-EU
(European Wiring)

RL3082PN-WP
Allen Table Lamp in Polished Nickel and Glass Rods with White Paper Shade

RL3082PN-WP-EU
(European Wiring)

RL3082PN-WP
Allen Table Lamp in Polished Nickel and Glass Rods with White Paper Shade

RL3082PN-WP-EU
(European Wiring)

RL3094PN-L
Barrett Medium Knurled Table Lamp in Polished Nickel with Linen Shade

RL3094PN-L-EU
(European Wiring)

RL3346NB
Barrett Mini Desk Lamp in Natural Brass
Height: 13.25" - 15.5"
Width: 5.75"
Extension: 7.25" - 9.5"
Base: 5" Round

Finishes: NB, PN

Socket:
Dedicated LED w/Dimmer
Bulb: 9w (900lm)

RL3346NB-EU
(European Wiring)

RL3346PN
Barrett Mini Desk Lamp in Polished Nickel

RL3346PN-EU
(European Wiring)

RL3094NB-L
Barrett Medium Knurled Table Lamp in Natural Brass with Linen Shade
Height: 28.5"
Width: 17.5"
Base: 9" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
16.75" x 17.5" x 11.25"
Closed Top

Socket:
2 - E26 Pull Chain
Bulb: 2 - 60 A19

RL3094NB-L-EU
(European Wiring)

RL3094PN-L
Barrett Medium Knurled Table Lamp in Polished Nickel with Linen Shade

RL3094PN-L-EU
(European Wiring)

RL3031PN/EC-PN
Barton Desk Lamp in Polished Nickel and Etched Crystal with Polished Nickel Shade

RL3031PN/EC-PN-EU
(European Wiring)

RL3560NB/TK-WG
Northport Small Table Lantern in Natural Brass and Teak with White Glass
Height: 13.5″
Width: 6″
Base: 5″ Square

Finishes:
BZ/TK, NB/TK, PN/TK
Glass Options: WG

Socket:
Dedicated LED
Bulb: 20w (1600lm)

RL3560NB/TK-WG-EU
(European Wiring)

RL3560BZ/TK-WG
Northport Small Table Lantern in Bronze and Teak with White Glass

RL3560BZ/TK-WG-EU
(European Wiring)

RL3560PN/TK-WG
Northport Small Table Lantern in Polished Nickel and Teak with White Glass

RL3560PN/TK-WG-EU
(European Wiring)

RL3031NB/EC-NB
Barton Desk Lamp in Natural Brass and Etched Crystal with Natural Brass Shade
Height: 20.25″
Width: 15.5″
Base: 8″ Round

Finishes: BZ, NB, PN
Shade Treatments:
BZ, NB, PN
Shade Details:
15.5″ x 15.5″ x 7.5″

Socket:
Dedicated LED
Bulb: 9w (1000lm)

RL3031NB/EC-NB-EU
(European Wiring)

RL3031BZ/EC-BZ
Barton Desk Lamp in Bronze and Etched Crystal with Bronze Shade

RL3031BZ/EC-BZ-EU
(European Wiring)

RL 3040NB-PW
Cara Sculpted Table Lamp in Natural Brass with Plaster White Shade

RL 3040NB-PW-EU
(European Wiring)

RL 3040NB-PW
Cara Sculpted Table Lamp in Natural Brass with Plaster White Shade
Height: 21″
Width: 18″
Base: 8″ Round

Finishes:
BZ, NB, PN
Shade Treatments:
PW

Socket:
Dedicated LED w/Line Switch
Bulb: 12w (1100lm)

RL 3040NB-PW-EU
(European Wiring)

RL 3040PN-PW
Cara Sculpted Table Lamp in Polished Nickel with Plaster White Shade

RL 3040PN-PW-EU
(European Wiring)

RL3183NB-L
Westbury Table Lamp in Natural Brass with Linen Shade
Height: 25.5″
Width: 16.75″
Base: 6.5″ x 10″ Oval

Finishes: NB, PN
Shade Treatments: L
Shade Details:
15″ x 16.75″ x 10.5″ Oval

Socket: E26 Dimmer
Bulb: 150 A21

RL3183NB-L-EU
(European Wiring)

RL3183PN-L
Westbury Table Lamp in Polished Nickel with Linen Shade

RL3183PN-L-EU
(European Wiring)

RL 3533NB/SDL-L
Cody Medium Table Lamp in Natural Brass and Saddle Leather with Linen Shade
Height: 28.5″
Width: 19″
Base: 9″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
17″ x 19″ x 12″

Socket: E26 Dimmer
Bulb: 100 A19

RL 3533NB/SDL-L-EU
(European Wiring)

RL 3533PN/CHC-L
Cody Medium Table Lamp in Polished Nickel and Chocolate Leather with Linen Shade

RL 3533PN/CHC-L-EU
(European Wiring)

RL3491NB/NVY-P
Garner Table Lamp in Natural Brass and Navy Leather with Percale Shade
Height: 30″
Width: 20″
Base: 7.5″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: P
Shade Details:
6″ x 20″ x 11.25″

Socket:
2 - E26 Keyless w/Pull Chain
Bulb: 2 - 40 B11

RL3491NB/NVY-P-EU
(European Wiring)

RL3491PN/CHC-P
Garner Table Lamp in Polished Nickel and Chocolate Leather with Percale Shade

RL3491PN/CHC-P-EU
(European Wiring)

RL14042PN-L
Beckford Table Lamp in Saddle Leather with Linen Shade
Height: 24″
Width: 15″
Base: 8.5″ Round

Finishes:
BK, CHC, SDL
Shade Treatments: L
Shade Details:
14″ x 15″ x 10″
Closed Top

Socket: E26 Dimmer
Bulb: 150 A21

RL14042PN-L-EU
(European Wiring)

RL14042BK-L
Beckford Table Lamp in Black Faux Croc with Linen Shade

RL14042BK-L-EU
(European Wiring)

RL3493NB/NVY-L
Riley Medium Table Lamp in Natural Brass and Navy with Leather Trimmed Linen Shade
Height: 28.75″
Width: 19″
Base: 9″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
17″ x 19″ x 12.25″

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3493NB/NVY-L-EU
(European Wiring)

RL3493PN/CHC-L
Riley Medium Table Lamp in Polished Nickel and Chocolate Leather with Leather Trimmed Linen Shade

RL3493PN/CHC-L-EU
(European Wiring)

RL3728NB-WP
Kolber Medium Table Lamp in Natural Brass with White Paper Shade
Height: 26.5″
Width: 19″
Base: 6.5″ Round

Finishes: BS, NB
Shade Treatments: WP
Shade Details:
14″ x 19″ x 13″

Socket:
E26 Dimmer
Bulb: 15 LED A19

RL3728NB-WP-EU
(European Wiring)

RL3728BS-WP
Kolber Medium Table Lamp in Butler's Silver with White Paper Shade

RL3728BS-WP-EU
(European Wiring)

RL3522NB-SBP
Downing Large Table Lamp in Natural Brass with Silk Box Pleat Shade
Height: 31″
Width: 17.5″
Base: 9″ Round

Finishes: BS, NB
Shade Treatments: SP
Shade Details:
16.75″ x 17.5″ x 11.25″

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3522NB-SBP-EU
(European Wiring)

RL3522BS-SBP
Downing Large Table Lamp in Butler's Silver with Silk Box Pleat Shade

RL3522BS-SBP-EU
(European Wiring)

RL3127NB-SBP
Doris Medium Table Lamp in Natural Brass with Silk Box Pleat Shade
Height: 25″
Width: 12″
Base: 5.5″ Round

Finishes: BS, NB
Shade Treatments: SP
Shade Details:
8″ x 12″ x 9″

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3127NB-SBP-EU
(European Wiring)

RL3127BS-SBP
Doris Medium Table Lamp in Butler's Silver with Silk Box Pleat Shade

RL3127BS-SBP-EU
(European Wiring)

RL3092NB-SBP
Hammett Large Table Lamp in Natural Brass with Silk Box Pleat Shade
Height: 33.75″
Width: 22″
Base: 9.25″ Round

Finishes: BS, NB
Shade Treatments: SP
Shade Details:
9″ x 22″ x 15.25″

Socket: E26 Dimmer
Bulb: 15 LED A19

RL3092NB-SBP-EU
(European Wiring)

RL3092BS-SBP
Hammett Large Table Lamp in Butler's Silver with Silk Box Pleat Shade

RL3092BS-SBP-EU
(European Wiring)

RL3682WB/NB-NB
Dalfern Desk Lamp in Waxed Bamboo and Natural Brass with Natural Brass Shade
Height: 26.5″
Width: 8.25″
Base: 5.5″ Round

Finishes:
WB/NB, WB/PN
Shade Treatments:
NB, PN, WP
Shade Details:
3.25″ x 8.25″ x 6.5″

Socket:
E12 Candelabra
w/Line Switch
Bulb: 6.5 LED B11

RL3682WB/NB-NB-EU
(European Wiring)

RL3682WB/PN-PN
Dalfern Desk Lamp in Waxed Bamboo and Polished Nickel with Polished Nickel Shade

RL3682WB/PN-PN-EU
(European Wiring)

RL3805NB
Carthage Mini Lamp in Natural Brass
Height: 16.25″ - 20.25″
Width: 8.75″
Base: 4.75″ Round

Finishes: NB, PN

Socket:
E12 Candelabra
w/Dimmer on Base
Bulb: 60 B11

RL3805NB-EU
(European Wiring)

RL11094PN
Carthage Table Lamp in Polished Nickel
Height: 23″ - 30″
Width: 12.25″
Base: 7″ Round

Finishes: NB, PN

Socket: E26 3-Way
Bulb: 100 A19

RL11094PN-EU
(European Wiring)

RL11094BN
Carthage Table Lamp in Natural Brass

RL11094BN-EU
(European Wiring)

RL3450NB-SDL
Benton Adjustable Desk Lamp in Natural Brass with Saddle Leather Shade

RL3450NB-SDL-EU
(European Wiring)

RL3450NB-NVY
Benton Adjustable Desk Lamp in Natural Brass with Navy Leather Shade
Height: 19" - 29.25"
Width: 7"
Extension: 17" - 23"
Base: 7" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL3450NB-NVY-EU
(European Wiring)

RL3450PN-CHC
Benton Adjustable Desk Lamp in Polished Nickel with Chocolate Leather Shade

RL3450PN-CHC-EU
(European Wiring)

RL 3345NB
Barrett Knurled Boom Arm Desk Light in Natural Brass
Height: 17"-30"
Width: 9"
Extension: 36"
Base: 9" Round

Finishes: NB, PN

Socket:
Dedicated LED w/Dimmer
Bulb: 24w (1850lm)

RL 3345NB-EU
(European Wiring)

RL 3345PN
Barrett Knurled Boom Arm Desk Light in Polished Nickel

RL 3345PN-EU
(European Wiring)

RL14030PN
RL '67 Boom Arm Desk Lamp in Polished Nickel

RL14030PN-EU
(European Wiring)

RL14030BN
RL '67 Boom Arm Desk Lamp in Natural Brass
Height: 35″
Width: 8″
Extension: 28″
Base: 8″ Round

Finishes:
BZ, NB, PN

Socket: E26 On-Off
Bulb: 60 A19

RL14030BN-EU
(European Wiring)

RL14030BZ
RL '67 Boom Arm Desk Lamp in Bronze

RL14030BZ-EU
(European Wiring)

RL11173BLK
Equilibrium Table Lamp in Black Nickel
Height: 45″
Width: 8″
Extension: 38″
Base: 8″ Round

Finishes: BLK, PN

Socket:
E26 Keyless w/Dimmer
Bulb: 75 A19

RL11173BLK-EU
(European Wiring)

FLOOR LAMPS

RL1250NB
Anette Floor Lamp
in Natural Brass

RL1250NB-EU
(European Wiring)

RL1250NB
Anette Floor Lamp
in Natural Brass
Height: 53"- 63"
Width: 8"
Extension: 6.5- 11"
Base: 8" Round

Finishes: NB, PN

Socket:
E12 Candelabra
w/Foot Switch
Bulb: 40 B11

RL1250NB-EU
(European Wiring)



RL1250PN
Anette Floor Lamp
in Polished Nickel

RL1250PN-EU
(European Wiring)



RL11165PN
Fairfield Pharmacy Floor Lamp in Polished Nickel

RL11165PN-EU
(European Wiring)

RL11165BN
Fairfield Pharmacy Floor Lamp in Natural Brass
Height: 41" - 56"
Width: 10"
Extension: 15"
Base: 10" Round

Finishes: NB, PN

Socket: E26 On-Off
Bulb: 60 A19

RL11165BN-EU
(European Wiring)

RL11165PN
Fairfield Pharmacy Floor Lamp in Polished Nickel

RL11165PN-EU
(European Wiring)



RL14028PN
RL '67 Boom
Arm Floor Lamp
in Polished Nickel

RL14028PN-EU
(European Wiring)

RL14028BN
RL '67 Boom Arm Floor Lamp in Natural Brass
Height: 44.5"-66.5"
Width: 10"
Extension: 30.5"
Base: 10" Round

Finishes: BZ, NB, PN

Socket: E26 On-Off
Bulb: 60 A19

RL14028BN-EU
(European Wiring)

RL14028BZ
RL '67 Boom Arm Floor Lamp in Bronze

RL14028BZ-EU
(European Wiring)

RL11170PN
Equilibrium Floor Lamp in Polished Nickel

RL11170PN-EU
(European Wiring)

RL11170BLK
Equilibrium Floor Lamp in Black Nickel
Height: 44" - 66"
Width: 11.25"
Extension: 33"
Base: 11.25" Round

Finishes: BLK, PN

Socket:
E26 Dimmer
Bulb: 75 A19

RL11170BLK-EU
(European Wiring)

RL11170PN
Equilibrium Floor Lamp in Polished Nickel

RL11170PN-EU
(European Wiring)

RL1450NB-SDL
Benton Adjustable Floor Lamp in Natural Brass with Saddle Leather Shade
Height: 53.25″
Width: 10″
Extension: 17″ - 20″
Base: 10″ Round

Finishes: NB, PN
Shade Treatments: CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL1450NB-SDL-EU
(European Wiring)

RL1450PN-CHC
Benton Adjustable Floor Lamp in Polished Nickel with Chocolate Leather Shade

RL1450PN-CHC-EU
(European Wiring)

RL1320NB-CA
Daley Adjustable Floor Lamp in Natural Brass with Clear Acrylic
Height: 44.25" - 57.25"
Width: 11"
Extension: 26.5"
Base: 11" Round

Finishes: NB, PN
Glass Options: CA

Socket:
Dedicated LED w/Memory Dimmer Switch
Bulb: 9w (720lm)

RL1320NB-CA-EU
(European Wiring)

RL1320PN-CA
Daley Adjustable Floor Lamp in Polished Nickel with Clear Acrylic

RL1320PN-CA-EU
(European Wiring)

RL11180PN
Montauk Search Light Floor Lamp in Mahogany and Polished Nickel
Height: 65" - 77.5"
Width: 24"
Base: 24" Tripod

Finishes: EBO, MHG
Glass Options: CG

Socket: E26 Dimmer
Bulb: 100 A19

RL11180PN-EU
(European Wiring)

RL1702NO-WP
Holloway XL Tripod Floor Lamp in Natural Oak with White Parchment Shade
Height: 72.5"
Width: 28"
Base: 24.25" Tri-Leg

Finishes: NO, NRO
Shade Treatments: WP
Shade Details:
27" x 28" x 17.25"

Socket:
2 - E26 Pull Chain
Bulb: 2 - 15 LED A

RL1702NO-WP-EU
(European Wiring)

RL1702NRO-WP
Holloway XL Tripod Floor Lamp in Natural Rift Oak with White Parchment Shade

RL1702NRO-WP-EU
(European Wiring)

RL 1533NB/NVY-L
Cody Large Floor Lamp in Natural Brass and Navy Leather with Linen Shade
Height: 64″
Width: 22″
Base: 12″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
20″ x 22″ x 13.25″

Socket:
2 - E26 Keyless w/Pull Chain
Bulb: 2 - 60 A19

RL 1533NB/NVY-L-EU
(European Wiring)

RL 1533PN/CHC-L
Cody Large Floor Lamp in Polished Nickel and Chocolate Leather with Linen Shade

RL 1533PN/CHC-L-EU
(European Wiring)

RL1493NB/SDL-L
Riley Large Floor Lamp in Natural Brass and Saddle Leather with Leather Trimmed Linen Shade
Height: 66″
Width: 22″
Base: 11″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
20″ x 22″ x 13.5″

Socket:
E26 Dimmer
Bulb: 15 LED A19

RL1493NB/SDL-L-EU
(European Wiring)



RL1493PN/CHC-L
Riley Large Floor Lamp in Polished Nickel and Chocolate Leather with Leather Trimmed Linen Shade

RL1493PN/CHC-L-EU
(European Wiring)



RL1491NB/SDL-P
Garner Floor Lamp in Natural Brass and Saddle Leather with Percale Shade
Height: 54" - 70"
Width: 22"
Base: 10" Square

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: P
Shade Details:
6.75" x 22" x 12.25"

Socket:
2 - E26 Keyless w/Pull Chain
Bulb: 2 - 40 B11

RL1491NB/SDL-P-EU
(European Wiring)



RL1491PN/CHC-P
Garner Floor Lamp in Polished Nickel and Chocolate Leather with Percale Shade

RL1491PN/CHC-P-EU
(European Wiring)

RL1680WB/NB-WP
Dalfern Petite Reading Floor Lamp in Waxed Bamboo and Natural Brass with White Parchment Shade
Height: 53.25″
Width: 10.25″
Base: 8″ Round

Finishes:
WB/NB, WB/PN
Shade Treatments:
NB, PN, WP
Shade Details:
3.75″ x 10.25″ x 8.25″

Socket:
E12 Candelabra w/Line Switch
Bulb: 6.5 LED B11

RL1680WB/NB-WP-EU
(European Wiring)

RL1680WB/PN-WP
Dalfern Petite Reading Floor Lamp in Waxed Bamboo and Polished Nickel with White Parchment Shade

RL1680WB/PN-WP-EU
(European Wiring)

RL1522NB-SBP
Downing Large Floor Lamp in Natural Brass with Silk Box Pleat Shade
Height: 66″
Width: 21″
Base: 12″ Round

Finishes: NB, BS

Shade Details:
20″ x 21″ x 13.5″

Socket:
E26 Dimmer
Bulb: 15 LED A19

RL1522NB-SBP-EU
(European Wiring)

RL1522BS-SBP
Downing Large Floor Lamp in Butler's Silver with Silk Box Pleat Shade

RL1522BS-SBP-EU
(European Wiring)



RL1090NB-L
Barrett Large
Knurled Floor Lamp
in Natural Brass
with Linen Shade
Height: 64"
Width: 21"
Base: 12" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
20" x 21" x 13.5"
Closed Top

Socket:
2 - E26 Pull Chain
Bulb: 2 - 60 A19

RL1090NB-L-EU
(European Wiring)

RL1090PN-L
Barrett Large
Knurled Floor Lamp
in Polished Nickel
with Linen Shade

RL1090PN-L-EU
(European Wiring)

RL1560NB/TK-WG
Northport Floor Lantern in Natural Brass and Teak with White Glass
Height: 35.5″
Width: 7″
Base: 6.25″ Square

Finishes:
BZ/TK, NB/TK, PN/TK
Glass Options: WG

Socket:
Dedicated LED
Bulb: 40w (3200lm)

RL1560NB/TK-WG-EU
(European Wiring)

RL1560BZ/TK-WG
Northport Floor Lantern in Bronze and Teak with White Glass

RL1560BZ/TK-WG-EU
(European Wiring)

RL1560PN/TK-WG
Northport Floor Lantern in Polished Nickel and Teak with White Glass

RL1560PN/TK-WG-EU
(European Wiring)

RL1388NB
Langham Display Floor Lamp in Natural Brass
Height: 72″
Width: 24″
Extension: 15.75″ - 18″
Base: 14″ x 24″ Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED w/Dimmer on Cord
Bulb: 9w (900lm)

RL1388NB-EU
(European Wiring)

RL1388PN
Langham Display Floor Lamp in Polished Nickel

RL1388PN-EU
(European Wiring)



CEILING

RL5133NB
Roark 50" Modular Ring Chandelier in Natural Brass
Height: 31.5"
Width: 50"
Canopy: 6.5" Round

Finishes: AI, NB, PN

Socket:
24 - E26 Keyless
Bulb: 24 - 40 ST18

Note:
Bulb Sold Separately

RL5133NB-EU
(European Wiring)

RL5133PN
Roark 50" Modular Ring Chandelier in Polished Nickel

RL5133PN-EU
(European Wiring)

RL5132NB
Roark 40" Modular Ring Chandelier in Natural Brass
Height: 24.5"
Width: 40"
Canopy: 6.5" Round

Finishes: AI, NB, PN

Socket:
20 - E26 Keyless
Bulb: 20 - 40 ST18

Note:
Bulb Sold Separately

RL5132NB-EU
(European Wiring)

RL5131AI
Roark 30" Modular Ring Chandelier in Aged Iron
Height: 21.5"
Width: 30"
Canopy: 6.5" Round

Finishes: AI, NB, PN

Socket:
16 - E26 Keyless
Bulb: 16 - 40 ST18

Note:
Bulb Sold Separately

RL5131AI-EU
(European Wiring)

RL5131PN
Roark 30" Modular Ring Chandelier in Polished Nickel

RL5131PN-EU
(European Wiring)

RL 5673NB
Paxton 48" Ring Chandelier in Natural Brass
Height: 20" - 123"
Width: 48"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 95w (7600lm)

RL 5673NB-EU
(European Wiring)

RL 5672PN
Paxton 40" Ring Chandelier in Polished Nickel
Height: 20" - 123"
Width: 40"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 85w (6800lm)

RL 5672PN-EU
(European Wiring)

RL 5671NB
Paxton 32" Ring Chandelier in Natural Brass
Height: 20" - 123"
Width: 32"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 65w (5200lm)

RL 5671NB-EU
(European Wiring)

RL 5671PN
Paxton 32" Ring Chandelier in Polished Nickel

RL 5671PN-EU
(European Wiring)

RL 5670NB
Paxton 24" Ring Chandelier in Natural Brass
Height: 20" - 123"
Width: 24"
Canopy: 6.75" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 55w (4400lm)

RL 5670NB-EU
(European Wiring)

RL 5670PN
Paxton 24" Ring Chandelier in Polished Nickel

RL 5670PN-EU
(European Wiring)

RL5322NB-CA
Daley Medium Six Light Chandelier in Natural Brass with Clear Acrylic
O/A Height: 53.5"
Fixture Height: 16"
Min. Custom Height: 26"
Width: 40"
Canopy: 8" Round

Finishes: NB, PN
Glass Options: CA

Socket:
Dedicated LED
Bulb: 27w (2160lm)

Note:
Custom Height Available; Requires Special Assembly and Installation

RL5322NB-CA-EU
(European Wiring)

RL 5321PN-CA
Daley Large Six Light Chandelier in Polished Nickel with Clear Acrylic
O/A Height: 49.75"
Fixture Height: 12.25"
Min. Custom Height: 22"
Width: 55"
Canopy: 8" Round

Finishes: NB, PN
Glass Options: CA

Socket:
Dedicated LED
Bulb: 30w (2400lm)

RL 5321PN-CA-EU
(European Wiring)

RL5470NB-WG
McCarren Single Tier Chandelier in Natural Brass with White Glass
O/A Height: 55.25″
Fixture Height: 29.5″
Min. Custom Height: 39″
Width: 36″
Canopy: 5.5″ Round

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
5 - E26 Keyless
Bulb: 5 - 60 A19

Note:
Custom Height Available; Requires A-15 Bulb

RL5470NB-WG-EU
(European Wiring)

RL5470BZ-WG
McCarren Single Tier Chandelier in Bronze with White Glass

RL5470BZ-WG-EU
(European Wiring)

RL5470PN-WG
McCarren Single Tier Chandelier in Polished Nickel with White Glass

RL5470PN-WG-EU
(European Wiring)

RL5685WB/NB-NB
Dalfern Large Chandelier in Waxed Bamboo and Natural Brass with Natural Brass Shades
Height: 23″
Width: 47.25″
Canopy: 5″ Round

Finishes:
WB/NB, WB/PN
Shade Treatments:
NB, PN, WP
Shade Details:
3.25″ x 8.25″ x 6.5″

Socket:
5 - E12 Candelabra
Bulb: 5 - 6.5 LED B11

RL5685WB/NB-NB-EU
(European Wiring)

RL5685WB/PN-PN
Dalfern Large Chandelier in Waxed Bamboo and Polished Nickel with Polished Nickel Shades

RL5685WB/PN-PN-EU
(European Wiring)

RL5685WB/NB-WP
Dalfern Large Chandelier in Waxed Bamboo and Natural Brass with White Parchment Shades

RL5685WB/NB-WP-EU
(European Wiring)

RL5685WB/PN-WP
Dalfern Large Chandelier in Waxed Bamboo and Polished Nickel with White Parchment Shades

RL5685WB/PN-WP-EU
(European Wiring)

RL 5572NB/NRO-L
Radford Large Two Tier Chandelier in Natural Brass and Natural Rift Oak with Linen Shades
Height: 28″
Width: 41.25″
Canopy: 5.5″ Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3″ x 7.75″ x 4.75″

Socket:
12 - E12 Candelabra
Bulb: 12 - 25 B11

RL 5572NB/NRO-L-EU
(European Wiring)

RL 5571NB/NRO-L
Radford Medium Chandelier in Natural Brass and Natural Rift Oak with Linen Shades
Height: 24″
Width: 30″
Canopy: 5.5″ Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3″ x 7.75″ x 4.75″

Socket:
6 - E12 Candelabra
Bulb: 6 - 25 B11

RL 5571NB/NRO-L-EU
(European Wiring)



RL 5571PN/BKE-L
Radford Medium Chandelier in Polished Nickel and Black Ebony with Linen Shades

RL 5571PN/BKE-L-EU
(European Wiring)

RL5224NB-NB
Barrett Medium Knurled Chandelier in Natural Brass with Natural Brass Shades
O/A Height: 47″
Fixture Height: 19.5″
Min. Custom Height: 30″
Width: 37″
Canopy: 6″ Round

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5″ x 7″ x 4.75″

Socket:
9 - E12 Candelabra
Bulb: 9 - 40 T6

Note:
Custom Height Available

RL5224NB-NB-EU
(European Wiring)

RL5224PN-PN
Barrett Medium Knurled Chandelier in Polished Nickel with Polished Nickel Shades

RL5224PN-PN-EU
(European Wiring)

RL5224NB
Barrett Medium Knurled Chandelier in Natural Brass
O/A Height: 47″
Fixture Height: 15.5″
Min. Custom Height: 30″
Width: 31″
Canopy: 6″ Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
9 - E12 Candelabra
Bulb: 9 - 40 T6

Note:
Custom Height Available

RL5224NB-EU
(European Wiring)



RL5224PN
Barrett Medium Knurled Chandelier in Polished Nickel

RL5224PN-EU
(European Wiring)



RL 5225PN-PN
Barrett Large Knurled Chandelier in Polished Nickel with Polished Nickel Shades

RL 5225PN-PN-EU
(European Wiring)

RL 5225NB-NB
Barrett Large Knurled Chandelier in Natural Brass with Natural Brass Shades
O/A Height: 46.75″
Fixture Height: 19.5″
Min. Custom Height: 30″

Finishes: NB, PN
Shade Treatments:
NB, PN
Shade Details:
2.5″ x 7″ x 4.75″

Width: 43.5″
Canopy: 6″ Round
Socket:
15 - E12 Candelabra
Bulb: 15 - 40 T6

Note:
Custom Height Available

RL 5225NB-NB-EU
(European Wiring)

RL 5225PN
Barrett Large Knurled Chandelier in Polished Nickel
O/A Height: 46.75″
Fixture Height: 15″
Min. Custom Height: 30″
Width: 37.75″
Canopy: 6″ Round

Finishes: NB, PN
Shade Treatments:
NB, PN

Socket:
15 - E12 Candelabra
Bulb: 15 - 40 T6

Note:
Custom Height Available

RL 5225PN-EU
(European Wiring)

RL5614NB/NVY-L
Riley Large Two Tier Chandelier in Natural Brass and Navy Leather with Leather Trimmed Linen Shades
Height: 54″
Width: 48″
Canopy: 6.5″ Round

Finishes:
NB/CHC, NB/NVY, NB/SDL
Shade Treatments: L
Shade Details:
4″ x 6″ x 5.75″

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5614NB/NVY-L-EU
(European Wiring)

RL5614PN/CHC-L
Riley Large Two Tier Chandelier in Nickel and Chocolate Leather with Leather Trimmed Linen Shades

RL5614PN/CHC-L-EU
(European Wiring)

RL5612NB/NVY-L
Riley Large Ring Chandelier in Natural Brass and Navy Leather with Leather Trimmed Linen Shades
Height: 40″
Width: 47.75″
Canopy: 6.5″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
4″ x 6″ x 5.75″

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 B11

RL5612NB/NVY-L-EU
(European Wiring)

RL5610NB/NVY-L
Riley Medium Ring Chandelier in Natural Brass and Navy Leather with Leather Trimmed Linen Shades
Height: 32″
Width: 36″
Canopy: 6.5″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
4″ x 6″ x 5.75″

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 B11

RL5610NB/NVY-L-EU
(European Wiring)

RL5612NB/SDL-L
Riley Large Ring Chandelier in Natural Brass and Saddle Leather with Leather Trimmed Linen Shades

RL5612NB/SDL-L-EU
(European Wiring)

RL5610NB/SDL-L
Riley Medium Ring Chandelier in Natural Brass and Saddle Leather with Leather Trimmed Linen Shades

RL5610NB/SDL-L-EU
(European Wiring)

RL5184NB-L
Westbury Triple Tier Chandelier in Natural Brass and Saddle Leather with Linen Shades
Height: 57″
Width: 57″
Canopy: 6.5″ Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3″ x 6″ x 5″

Socket:
24 - E12 Candelabra
Bulb: 24 - 40 B11

RL5184NB-L-EU
(European Wiring)

RL5183NB-L
Westbury Double Tier Chandelier in Natural Brass and Saddle Leather with Linen Shades
Height: 45″
Width: 43″
Canopy: 6.5″ Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3″ x 6″ x 5″

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5183NB-L-EU
(European Wiring)

RL5181NB-L
Westbury Chandelier in Natural Brass and Saddle Leather with Linen Shades
Height: 31″
Width: 30.25″
Canopy: 6.5″ Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
3″ x 6″ x 5″

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 B11

RL5181NB-L-EU
(European Wiring)

RL5183PN-L
Westbury Double Tier Chandelier in Polished Nickel and Chocolate Leather with Linen Shades

RL5183PN-L-EU
(European Wiring)

RL5181PN-L
Westbury Chandelier in Polished Nickel and Chocolate Leather with Linen Shades

RL5181PN-L-EU
(European Wiring)

RL 5341NB/PW-CG
Hailee Medium Sculpted Chandelier in Natural Brass and Plaster White with Crystal
Height: 58.5″
Width: 32″
Canopy: 10.5″ Round

Finishes:
NB/PW, PN/PW
Trim Options: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 T6

RL 5341NB/PW-CG-EU
(European Wiring)

RL 5341PN/PW-CG
Hailee Medium Sculpted Chandelier in Polished Nickel and Plaster White with Crystal

RL 5341PN/PW-CG-EU
(European Wiring)

RL5114BS
Evalina Chandelier
in Butler's Silver
Height: 47.5″
Width: 36″
Canopy: 4″ Round

Finishes: BS
Trim Options: CG

Socket:
12 - E12 Candelabra
Bulb: 12 - 60 C11

RL5114BS-EU
(European Wiring)

RL5233GI-S
Adrianna Large Chandelier in Gilded Iron and Crystal with Silk Shades
Height: 54″
Width: 44″
Canopy: 6.75″ Round

Finishes: AG, ASL, GI
Shade Treatments: S
Shade Details:
3″ x 5″ x 4″

Socket:
24 - E12 Candelabra
Bulb: 24 - 40 B11

RL5233GI-S-EU
(European Wiring)

RL5233ASL-S
Adrianna Large Chandelier in Antique Silver Leaf and Crystal with Silk Shades

RL5233ASL-S-EU
(European Wiring)

RL5231GI-S
Adrianna Medium Chandelier in Gilded Iron and Crystal with Silk Shades
Height: 44″
Width: 37.75″
Canopy: 6.75″ Round

Finishes: AG, ASL, GI
Shade Treatments: S
Shade Details:
3″ x 5″ x 4″

Socket:
18 - E12 Candelabra
Bulb: 18 - 40 B11

RL5231GI-S-EU
(European Wiring)

RL5231ASL-S
Adrianna Medium Chandelier in Antique Silver Leaf and Crystal with Silk Shades

RL5231ASL-S-EU
(European Wiring)

RL5262CG-L
Alexandra Large Chandelier in Crystal Glass and Natural Brass with Linen Shades

RL5262CG-L-EU
(European Wiring)

RL5311NB
Antoinette Medium Chandelier in Natural Brass and Crystal
Height: 37.75″
Width: 35″
Canopy: 5″ Round

Finishes: NB
Trim Options: CG

Socket:
18 - E12 Candelabra
Bulb: 18 - 40 B11

Note:
Shades Sold Separately

RL5311NB-EU
(European Wiring)

RL5262CG-L
Alexandra Large Chandelier in Crystal Glass and Natural Brass with Linen Shades
Height: 40″
Width: 41.25″
Canopy: 5.75″ Round

Finishes: CG
Shade Treatments: L
Shade Details:
4″ x 6″ x 5.5″

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 B11

RL5262CG-L-EU
(European Wiring)

RL5010CG
Daniela Twenty Four-Light Chandelier in Crystal
Height: 60.5″
Width: 50″
Canopy: 7.5″ Round

Finishes: CG

Socket:
24 - E12 Candelabra
Bulb: 24 - 40 B11

RL5010CG-EU
(European Wiring)

RL5008CG
Daniela Two-Tier Chandelier in Crystal
Height: 50.25″
Width: 45.5″
Canopy: 7.5″ Round

Finishes: CG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5008CG-EU
(European Wiring)

RL5007CG
Daniela Wide Chandelier in Crystal
Height: 41"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 C11

RL5007CG-EU
(European Wiring)

RL5005CG
Daniela Medium One-Tier Chandelier in Crystal
Height: 41"
Width: 27.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 C11

RL5005CG-EU
(European Wiring)

RL5006CG
Daniela Medium Two-Tier Chandelier in Crystal
Height: 50.25"
Width: 31.25"
Canopy: 7.5" Round

Finishes: CG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 C11

RL5006CG-EU
(European Wiring)



RL5094NB
Falaise Grande Two Tier Chandelier in Natural Brass
Height: 58.25″
Width: 66″
Canopy: 6″ Round

Finishes: BS, NB

Socket:
24 - E12 Candelabra
Bulb: 24 - 5.5 LED C11

RL5094NB-EU
(European Wiring)

RL5205NB
Lillianne Single Tier Chandelier in Natural Brass
Height: 34.5"
Width: 44"
Canopy: 6.5" Round

Finishes: BS, NB

Socket:
8 - E12 Candelabra
Bulb: 8 - 40 C11

Note:
SH3X6X5NS Sold Separately; Use 40 Watt Frosted Type "B" with Clip On Shade

RL5205NB-EU
(European Wiring)

RL5205BS
Lillianne Single Tier Chandelier in Butler's Silver

RL5205BS-EU
(European Wiring)

RL5528BN-CG
Straton Single Tier Chandelier in Natural Bone with Antiqued Crystal

RL5528BN-CG-EU
(European Wiring)

RL5528BN
Straton Single Tier Chandelier in Natural Bone
Height: 36″
Width: 36″
Canopy: 6.75″ Round

Finishes: BN
Trim Options: ACG

Socket:
8 - E12 Candelabra
Bulb: 8 - 60 C11

RL5528BN-EU
(European Wiring)

RL5529BN
Straton Double Tier Chandelier in Natural Bone
Height: 44″
Width: 42″
Canopy: 6.75″ Round

Finishes: BN
Trim Options: ACG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 C11

RL5529BN-EU
(European Wiring)

RL5531BN
Straton Wide Chandelier in Natural Bone
Height: 35″
Width: 57″
Canopy: 6.75″ Round

Finishes: BN
Trim Options: ACG

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 C11

RL5531BN-EU
(European Wiring)

RL5531BN-CG
Straton Wide Chandelier in Natural Bone with Antiqued Crystal

RL5531BN-CG-EU
(European Wiring)

RL5530BN-CG
Straton Triple Tier Chandelier in Natural Bone with Antiqued Crystal
Height: 56″
Width: 53″
Canopy: 6.75″ Round

Finishes: BN
Trim Options: ACG

Socket:
18 - E12 Candelabra
Bulb: 18 - 40 C11

RL5530BN-CG-EU
(European Wiring)

RL5728AI
Allegra Small Chandelier in Aged Iron
Height: 26.25″
Width: 33.25″
Canopy: 7.5″ Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 B11

RL5728AI-EU
(European Wiring)

RL5729AI
Allegra Medium Chandelier in Aged Iron
Height: 35″
Width: 44″
Canopy: 7.5″ Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 40 B11

RL5729AI-EU
(European Wiring)

RL5730AI
Allegra Large Two-Tiered Chandelier in Aged Iron
Height: 37.5″
Width: 69″
Canopy: 7.5″ Round

Finishes: AI

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5730AI-EU
(European Wiring)

RL5752AI
Branson Medium Two-Tiered Ring Torch Chandelier in Aged Iron
Height: 54.5″
Width: 48.5″
Canopy: 7.5″ Round

Finishes: AI

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5752AI-EU
(European Wiring)

RL5753AI
Branson Large One-Tier Ring Torch Chandelier in Aged Iron
Height: 38.25″
Width: 68.25″
Canopy: 7.5″ Round

Finishes: AI

Socket:
12 - E12 Candelabra
Bulb: 12 - 40 B11

RL5753AI-EU
(European Wiring)

RL5540NR
Robertson Single Tier Chandelier in Natural Rust
Height: 27.5″
Width: 43″
Canopy: 8″ Octagon

Finishes: NR

Socket:
8 - E12 Candelabra
Bulb: 8 - 60 C11

RL5540NR-EU
(European Wiring)

RL5542NR
Robertson Double Tier Chandelier in Natural Rust
Height: 40.25″
Width: 65.75″
Canopy: 8″ Octagon

Finishes: NR

Socket:
16 - E12 Candelabra
Bulb: 16 - 60 C11

RL5542NR-EU
(European Wiring)

RL5545NR
Robertson Linear Chandelier in Natural Rust
Height: 26″
Width: 54″
Canopy: 7.5″ Octogon

Finishes: NR

Socket:
10 - E12 Candelabra
Bulb: 10 - 40 B11

RL5545NR-EU
(European Wiring)

RL5790NB/AI
Ancram Large Empire Chandelier in Natural Brass and Aged Iron
O/A Height: 48.5″
Fixture Height: 9.5″
Width: 34″
Canopy: 5″ Round

Finishes: NB/AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 5.5 LED B11

RL5790NB/AI-EU
(European Wiring)

RL5785NB/AI
Ancram Medium Uplight Chandelier in Natural Brass and Aged Iron
O/A Height: 48.75″
Fixture Height: 10.25″
Width: 24.75″
Canopy: 5″ Round

Finishes: NB/AI

Socket:
6 - E26 Keyless
Bulb: 6 - 12 LED A19

RL5785NB/AI-EU
(European Wiring)



RL5792NB/AI
Ancram XL Chandelier in Natural Brass and Aged Iron
O/A Height: 58.25"
Fixture Height: 14.25"
Width: 41.25"
Canopy: 5.25" Round

Finishes: NB/AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 5.5 LED B11

RL5792NB/AI-EU
(European Wiring)

RL5788NB/AI
Ancram Large Uplight Chandelier in Natural Brass and Aged Iron
O/A Height: 48"
Fixture Height: 11.5"
Width: 34.75"
Canopy: 5" Round

Finishes: NB/AI

Socket:
8 - E26 Keyless
Bulb: 8 - 12 LED A19

RL5788NB/AI-EU
(European Wiring)

RL5742GI-RG
Beatrice Large Lantern in Gilded Iron with Restoration Glass
Height: 41.5″
Width: 24″
Canopy: 8″ Round

Finishes: AI, GI
Glass Options: RG

Socket:
4 - E12 Candelabra
Bulb: 4 - 40 B11

RL5742GI-RG-EU
(European Wiring)

RL5742AI-RG
Beatrice Large Lantern in Aged Iron with Restoration Glass

RL5742AI-RG-EU
(European Wiring)

RL5781AI
Ancaster Medium Blacksmith Lantern in Aged Iron
Height: 31″
Width: 17.25″
Canopy: 5.75″ Round

Finishes: AI

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5781AI-EU
(European Wiring)

RL5782AI
Ancaster Large Blacksmith Lantern in Aged Iron
Height: 41″
Width: 23″
Canopy: 5.75″ Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

RL5782AI-EU
(European Wiring)

RL5783AI
Ancaster Grande Blacksmith Lantern in Aged Iron
Height: 61″
Width: 34.75″
Canopy: 9″ Round

Finishes: AI

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

Note:
Special Installation Required

RL5783AI-EU
(European Wiring)

RL5098NB-CG
Falaise Large Lantern
in Natural Brass
with Clear Glass
Height: 55″
Width: 29.75″
Canopy: 6″ Round

Finishes: BS, NB
Glass Options: CG

Socket:
5 - E12 Candelabra
Bulb: 5 - 5.5 LED C11

RL5098NB-CG-EU
(European Wiring)

RL5098BS-CG
Falaise Large Lantern
in Butler's Silver
with Clear Glass

RL5098BS-CG-EU
(European Wiring)

RL5060BZ-WG
Cannes Pendant in Bronze with White Glass
Height: 30.5″
Width: 22″
Canopy: 6″ Octagon

Finishes: BZ, PN
Glass Options: AM, WG

Socket:
4 - E26 Keyless
Bulb: 4 - 40 A19

RL5060BZ-WG-EU
(European Wiring)

RL5060PN-WG
Cannes Pendant in Polished Nickel with White Glass

RL5060PN-WG-EU
(European Wiring)

RL5642NB-CG
Edmund Medium Lantern in Natural Brass with Clear Beveled Glass
Height: 35″
Width: 23.75″
Canopy: 6.5″ Octagon

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5642NB-CG-EU
(European Wiring)

RL5643PN-CG
Edmund Large Lantern in Polished Nickel with Clear Beveled Glass
Height: 43″
Width: 30.5″
Canopy: 6.5″ Octagon

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

RL5643PN-CG-EU
(European Wiring)

RL5064BZ-AM
Rivington Medium Eight-Paneled Chandelier in Bronze with Antiqued Ribbed Mirror

RL5064BZ-AM-EU
(European Wiring)

RL5064NB-CG
Rivington Medium Eight-Paneled Chandelier in Natural Brass with Clear Glass
O/A Height: 37.5″
Fixture Height: 12.5″
Min. Custom Height: 29″
Width: 31.75″
Canopy: 7″ Round

Finishes: BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket:
8 - E26 Keyless
Bulb: 8 - 40 ST18

RL5064NB-CG-EU
(European Wiring)

RL5064BZ-CG
Rivington Medium Eight-Paneled Chandelier in Bronze with Clear Ribbed Glass

RL5064BZ-CG-EU
(European Wiring)

RL5064NB-WG
Rivington Medium Eight-Paneled Chandelier in Natural Brass with White Glass

RL5064NB-WG-EU
(European Wiring)

RL5064PN-MG
Rivington Medium Eight-Paneled Chandelier in Polished Nickel with Ribbed Mirror

RL5064PN-MG-EU
(European Wiring)



RL5067BZ-WG
Rivington Large Billiard Chandelier in Bronze with White Glass

RL5067BZ-WG-EU
(European Wiring)

RL5067NB-AM
Rivington Large Billiard Chandelier in Natural Brass with Antiqued Ribbed Mirror
O/A Height: 46.5″
Fixture Height: 23.5″
Min. Custom Height: 35″
Width: 56.25″
Canopy:
7.5″ x 30.25″ Rec.

Finishes: BZ, NB, PN
Glass Options:
AM, CG, MG, WG

Socket:
7 - E26 Keyless
Bulb: 7 - 40 ST18

RL5067NB-AM-EU
(European Wiring)

RL5067PN-CG
Rivington Large Billiard Chandelier in Polished Nickel with Clear Ribbed Glass

RL5067PN-CG-EU
(European Wiring)

RL5089NB
Allen Medium Linear Pendant in Natural Brass and Glass Rods
O/A Height: 42"
Fixture Height: 8"
Min. Custom Height: 10.5"
Width: 48.25" x 8"
Canopy:
4.5" x 20.25" Oval

Finishes: NB, PN

Socket:
6 - E26 Keyless
Bulb: 6 - 40 T10

Note:
Custom Height Available; Requires Special Assembly and Installation

RL5089NB-EU
(European Wiring)

RL5089PN
Allen Medium Linear Pendant in Polished Nickel and Glass Rods

RL5089PN-EU
(European Wiring)

RL5724NB
Perren Large Linear Chandelier in Natural Brass
O/A Height: 41.75″
Fixture Height: 6.5″
Min. Custom Height: 13.75″
Width: 49.25″ x 6″
Canopy:
4.5″ x 28.5″ Oval

Finishes: BZ, NB, PN

Socket:
Dedicated LED
Bulb: 50w (4000lm)

Note:
Custom Height Available

RL5724NB-EU
(European Wiring)

RL5724PN
Perren Large Linear Chandelier in Polished Nickel

RL5724PN-EU
(European Wiring)

RL5086NB
Allen Large Tiered Chandelier in Natural Brass and Glass Rods
O/A Height: 48.25"
Fixture Height: 13"
Min. Custom Height: 21"
Width: 32"
Canopy: 12.25" Round

Finishes: NB, PN
Glass Options: CG

Socket:
20 - E17 Keyless
Bulb: 20 - 25 T6.5

Note:
Custom Height Available

RL5086NB-EU
(European Wiring)

RL5086PN
Allen Large Tiered Chandelier in Polished Nickel and Glass Rods

RL5086PN-EU
(European Wiring)

RL5082NB
Allen Large Chandelier in Natural Brass and Glass Rods
O/A Height: 44"
Fixture Height: 16"
Min. Custom Height: 21"
Width: 18"
Canopy: 4.5" Round

Finishes: NB, PN
Glass Options: CG

Socket:
8 - E26 Keyless
Bulb: 8 - 40 A19

Note:
Custom Height Available

RL5082NB-EU
(European Wiring)

RL5080NB
Allen Mini Pendant in Natural Brass and Glass Rods
O/A Height: 45"
Fixture Height: 11"
Min. Custom Height: 17"
Width: 3.25"
Canopy: 4.5" Round

Finishes: NB, PN

Socket: E26 Keyless
Bulb: 40 T10

Note:
Custom Height Available

RL5080NB-EU
(European Wiring)

RL5080PN
Allen Mini Pendant in Polished Nickel and Glass Rods

RL5080PN-EU
(European Wiring)

RL5722NB
Perren 10" Pendant in Natural Brass and Glass Rods
O/A Height: 59"
Fixture Height: 23"
Min. Custom Height: 30"
Width: 10"
Canopy: 4.5" Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 45w (3600lm)

Note:
Custom Height Available

RL5722NB-EU
(European Wiring)

RL5722PN
Perren 10" Pendant in Polished Nickel and Glass Rods

RL5722PN-EU
(European Wiring)

RL5175NB
Modern Small Lantern in Natural Brass
O/A Height: 55.25"
Fixture Height: 17"
Min. Custom Height: 23"
Width: 9"
Canopy: 6" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 C11

Note:
Custom Height Available

RL5175NB-EU
(European Wiring)

RL5175BZ
Modern Small Lantern in Bronze

RL5175BZ-EU
(European Wiring)

RL5175PN
Modern Small Lantern in Polished Nickel

RL5175PN-EU
(European Wiring)

RL5177NB
Modern Large Lantern in Natural Brass
O/A Height: 71.5"
Fixture Height: 31"
Min. Custom Height: 39"
Width: 15.25"
Canopy: 7" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

Note:
Custom Height Available

RL5177NB-EU
(European Wiring)

RL5177BZ
Modern Large Lantern in Bronze

RL5177BZ-EU
(European Wiring)

RL5177PN
Modern Large Lantern in Polished Nickel

RL5177PN-EU
(European Wiring)

RL5180NB
Westbury Lantern in Natural Brass and Saddle Leather
Height: 36″
Width: 16″
Canopy: 7.5″ Round

Finishes: NB, PN
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5180NB-EU
(European Wiring)

RL5180PN
Westbury Lantern in Polished Nickel and Chocolate Leather

RL5180PN-EU
(European Wiring)

RL5652NB/SDL-CG
Julian Medium Lantern in Natural Brass and Saddle Leather with Clear Glass
Height: 25.75″
Width: 14″
Canopy: 6″ Round

Finishes:
NB/SDL, PN/CHC
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 B11

RL5652NB/SDL-CG-EU
(European Wiring)

RL5652PN/CHC-CG
Julian Medium Lantern in Polished Nickel and Chocolate Leather with Clear Glass

RL5652PN/CHC-CG-EU
(European Wiring)

RL5653NB/SDL-CG
Julian Large Lantern in Natural Brass and Saddle Leather with Clear Glass
Height: 33.5″
Width: 18.5″
Canopy: 6″ Round

Finishes:
NB/SDL, PN/CHC
Glass Options: CG

Socket:
3 - E26 Keyless
Bulb: 3 - 60 T10

RL5653NB/SDL-CG-EU
(European Wiring)

RL5653PN/CHC-CG
Julian Large Lantern in Polished Nickel and Chocolate Leather with Clear Glass

RL5653PN/CHC-CG-EU
(European Wiring)

RL5147NB-CG
Chatham Small Lantern in Natural Brass with Clear Glass
O/A Height: 44"
Fixture Height: 12.75"
Min. Custom Height: 27"
Width: 13.25"
Canopy: 5.75" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless

RL5147NB-CG-EU
(European Wiring)

RL5147PN-CG
Chatham Small Lantern in Polished Nickel with Clear Glass

RL5147PN-CG-EU
(European Wiring)

RL5148BZ-CG
Chatham Large Lantern in Bronze with Clear Glass
O/A Height: 44"
Fixture Height: 17"
Min. Custom Height: 32"
Width: 18.5"
Canopy: 7" Round

Finishes: BZ, NB, PN
Glass Options: CG

Socket: E26 Keyless
Bulb: 60 T10

RL5148BZ-CG-EU
(European Wiring)

RL5148PN-CG
Chatham Large Lantern in Polished Nickel with Clear Glass

RL5148PN-CG-EU
(European Wiring)

RL5220NB-CG
Barrett Medium Knurled Pendant in Natural Brass with Clear Glass
O/A Height: 56.5″
Fixture Height: 20.25″
Min. Custom Height: 30″
Width: 13″
Canopy: 6″ Round

Finishes: NB, PN
Glass Options: CG

Socket: E26 Keyless
Bulb: 60 T10

Note:
Custom Height Available

RL5220NB-CG-EU
(European Wiring)

RL5220PN-CG
Barrett Medium Knurled Pendant in Polished Nickel with Clear Glass

RL5220PN-CG-EU
(European Wiring)

RL5156BZ
Upton Large Lantern in Bronze with Clear and White Glass
O/A Height: 36″ - 78″
Fixture Height: 28.5″
Width: 14″
Canopy: 8″ Round

Finishes: BZ, PN

Socket: E26 Keyless
Bulb: 60 T10

RL5156BZ-EU
(European Wiring)

RL5156PN
Upton Large Lantern in Polished Nickel with Clear and White Glass

RL5156PN-EU
(European Wiring)

RL5810BZ-CG
Ollie Medium
Lantern in Bronze
with Clear Glass
Height: 28″
Width: 12″
Canopy: 5.75″ Round

Finishes: BZ
Glass Options: CG

Socket:
Dedicated LED
Bulb: 18w (1500lm)

RL5148BZ-CG-EU
(European Wiring)

RL5811BZ-CG
Ollie Large
Lantern in Bronze
with Clear Glass
Height: 35.5″
Width: 18.25″
Canopy: 5.75″ Round

Finishes: BZ
Glass Options: CG

Socket:
Dedicated LED
Bulb: 30w (2400lm)

RL5148BZ-CG-EU
(European Wiring)

RL5770AI/ALB
Michaela Small Wide Chandelier in Aged Iron and Alabaster
Height: 20.5″
Width: 18″
Canopy: 6″ Square

Finishes: AI/ALB

Socket:
Dedicated LED
Bulb: 27w (2200lm)

RL5770AI/ALB-EU
(European Wiring)

RL5773AI/ALB
Michaela Large Chandelier in Aged Iron and Alabaster
Height: 39.25″
Width: 28″
Canopy: 6″ Square

Finishes: AI/ALB

Socket:
Dedicated LED
Bulb: 36w (2800lm)

RL5773AI/ALB-EU
(European Wiring)

RL 5042BZ-PW
Cara Large Sculpted Pendant in Bronze with Plaster White Shade
O/A Height: 47.75"
Min. Custom Height: 31"
Width: 40"
Canopy: 7" Round

Finishes: BZ, NB, PN
Shade Treatments: PW

Socket:
Dedicated LED
Bulb: 18w (1500lm)

Note:
Cannot Be Modified in the Field; Customization is Available

RL 5042BZ-PW-EU
(European Wiring)

RL 5041NB-PW
Cara Medium Sculpted Pendant in Natural Brass with Plaster White Shade
O/A Height: 34"
Min. Custom Height: 23"
Width: 28"
Canopy: 6.25" Round

Finishes: BZ, NB, PN
Shade Treatments: PW

Socket:
Dedicated LED
Bulb: 18w (1500lm)

Note:
Cannot Be Modified in the Field; Customization is Available

RL 5041NB-PW-EU
(European Wiring)

RL 5041PN-PW
Cara Medium Sculpted Pendant in Polished Nickel with Plaster White Shade

RL 5041PN-PW-EU
(European Wiring)

RL5252BZ-SP
Windsor Large Hanging Shade in Bronze with Boxpleat Silk Shade
Height: 43″
Min. Custom Height: 28″
Width: 30″
Canopy: 7″ Octagon

Finishes: BZ, NB, PN
Shade Treatments: SP

Socket:
8 - E12 Candelabra
Bulb: 8 - 60 B11

RL5252BZ-SP-EU
(European Wiring)

RL5252NB-SP
Windsor Large Hanging Shade in Natural Brass with Boxpleat Silk Shade

RL5252NB-SP-EU
(European Wiring)

RL5252PN-SP
Windsor Large Hanging Shade in Polished Nickel with Boxpleat Silk Shade

RL5252PN-SP-EU
(European Wiring)

RL5532PN-CHC
Karlie Large Hanging Shade in Polished Nickel with Chocolate Leather Shade and Acrylic Diffuser
Height: 51″
Min. Custom Height: 34.5″
Width: 30.25″
Canopy: 5.75″ Round

Finishes:
NB/SDL, PN/CHC

Socket:
3 - E26 Keyless
Bulb: 3 - 60 B11

RL5532PN-CHC-EU
(European Wiring)

RL5532NB-SDL
Karlie Large Hanging Shade in Natural Brass with Saddle Leather and Acrylic Diffuser

RL5532NB-SDL-EU
(European Wiring)

RL5534PN/CHC-L/CHC
Cody Large Hanging Shade in Polished Nickel with Linen Shade and Chocolate Leather Trim
Height: 20.75″
Min. Custom Height: 25″
Width: 32″
Canopy: 6.5″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
30″ x 32″ x 14.75″

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

Note: Custom Height Available; Chain Available

RL5534PN/CHC-L/CHC-EU
(European Wiring)

RL5533NB/SDL-L/SDL
Cody Medium Hanging Shade in Natural Brass with Linen Shade and Saddle Leather Trim
O/A Height: 41.5″
Min. Custom Height: 26″
Width: 24″
Canopy: 6.5″ Round

Finishes:
NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details:
22.5″ x 24″ x 12″

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

Note:
Custom Height Available; Chain Available

RL5533NB/SDL-L/SDL-EU
(European Wiring)

RL5533NB/NVY-L/NVY
Cody Medium Hanging Shade in Natural Brass with Linen Shade and Navy Leather Trim

RL5533NB/NVY-L/NVY-EU
(European Wiring)

RL5162PN-L
Broomfield Large Hanging Shade in Polished Nickel and Chocolate Leather with Linen Shade
Height: 28.25"
Width: 32"
Canopy: 7.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
32" x 32" x 14"

Socket:
4 - E26 Keyless
Bulb: 4 - 60 A19

RL5162PN-L-EU
(European Wiring)

RL5161NB-L
Broomfield Small Hanging Shade in Natural Brass and Saddle Leather with Linen Shade
Height: 22.25"
Width: 24"
Canopy: 7.5" Round

Finishes: NB, PN
Shade Treatments: L
Shade Details:
24" x 24" x 11"

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

RL5161NB-L-EU
(European Wiring)

RL5161PN-L
Broomfield Small Hanging Shade in Polished Nickel and Chocolate Leather with Linen Shade

RL5161PN-L-EU
(European Wiring)

RL5122IS-BK
Fulton Large Pendant in Industrial Steel with Black Enamel Shade
O/A Height: 62.25″
Fixture Height: 23.5″
Min. Custom Height: 34.5″
Width: 22″
Canopy: 6.25″ Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height Available

RL5122IS-BK-EU
(European Wiring)

RL5120IS-IS
Fulton Small Pendant in Industrial Steel
O/A Height: 52.25"
Fixture Height: 13"
Min. Custom Height: 19.25"
Width: 13"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height Available

RL5120IS-IS-EU
(European Wiring)

RL5120PN-PN
Fulton Small Pendant in Polished Nickel

RL5120PN-PN-EU
(European Wiring)

RL5120PN-WT
Fulton Small Pendant in Polished Nickel with White Enamel Shade

RL5120PN-WT-EU
(European Wiring)

RL5121IS-IS
Fulton Medium Pendant in Industrial Steel
O/A Height: 56.75"
Fixture Height: 18.5"
Min. Custom Height: 29"
Width: 17"
Canopy: 6.25" Round

Finishes: IS, PN
Shade Treatments:
BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height Available

RL5121IS-IS-EU
(European Wiring)



RL5121PN-PN
Fulton Medium Pendant in Polished Nickel

RL5121PN-PN-EU
(European Wiring)

RL5121PN-WT
Fulton Medium Pendant in Polished Nickel with White Enamel Shade

RL5121PN-WT-EU
(European Wiring)

RL5101NB-CG
Cambridge Medium Smoke Bell Lantern in Natural Brass with Clear Glass

RL5101NB-CG-EU
(European Wiring)

RL5101NB-CG
Cambridge Medium Smoke Bell Lantern in Natural Brass with Clear Glass
Height: 30.5″
Width: 14.25″
Canopy: 5″ Round

Finishes: BS, NB
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 C11

RL5101NB-CG-EU
(European Wiring)

RL5101BS-CG
Cambridge Medium Smoke Bell Lantern in Butler's Silver with Clear Glass

RL5101BS-CG-EU
(European Wiring)

RL5103NB-CG
Cambridge Large Smoke Bell Lantern in Natural Brass with Clear Glass
Height: 38.5″
Width: 19.25″
Canopy: 7″ Round

Finishes: BS, NB
Glass Options: CG

Socket:
6 - E12 Candelabra
Bulb: 6 - 60 C11

RL5103NB-CG-EU
(European Wiring)

RL5103BS-CG
Cambridge Large Smoke Bell Lantern in Butler's Silver with Clear Glass

RL5103BS-CG-EU
(European Wiring)

RL5415BZ-WG
Xavier Small Pendant in Bronze with White Glass
Height: 23.5″
Width: 14″
Canopy: 4.75″ Round

Finishes: BS, BZ, NB
Glass Options: WG

Socket: E26 Keyless
Bulb: 40 A19

RL5415BZ-WG-EU
(European Wiring)

RL5415NB-WG
Xavier Small Pendant in Natural Brass with White Glass

RL5415NB-WG-EU
(European Wiring)

RL5415BS-WG
Xavier Small Pendant in Butler's Silver with White Glass

RL5415BS-WG-EU
(European Wiring)

RL5400NB-WG
Hendricks Small Globe Pendant in Natural Brass with White Glass
O/A Height: 49″
Fixture Height: 16.5″
Min. Custom Height: 21″
Width: 12″
Canopy: 6.75″ Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

Note:
Custom Height Available

RL5400NB-WG-EU
(European Wiring)

RL5402PN-WG
Hendricks Large Globe Pendant in Polished Nickel with White Glass
O/A Height: 55″
Fixture Height: 23″
Min. Custom Height: 27″
Width: 18″
Canopy: 6.75″ Round

Finishes: NB, PN
Glass Options: WG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

Note:
Custom Height Available

RL5402PN-WG-EU
(European Wiring)

RL5461NB-WG
McCarren Large Globe Pendant in Natural Brass with White Glass
O/A Height: 50.25″
Fixture Height: 21.5″
Min. Custom Height: 31″
Width: 16.25″
Canopy: 5.5″ Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 75 A19

Note:
Custom Height Available; Requires A-15 Bulb

RL5461NB-WG-EU
(European Wiring)

RL5461PN-WG
McCarren Large Globe Pendant in Polished Nickel with White Glass

RL5461PN-WG-EU
(European Wiring)

RL4462NB-WG
McCarren Large Flush Mount in Natural Brass with White Glass
Height: 20.75″
Width: 16.25″
Canopy: 7.75″ Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 60 A19

Note:
Requires A-15 Bulb

RL4462NB-WG-EU
(European Wiring)

RL4462PN-WG
McCarren Large Flush Mount in Polished Nickel with White Glass

RL4462PN-WG-EU
(European Wiring)

RL4461NB-WG
McCarren Medium Flush Mount in Natural Brass with White Glass
Height: 16″
Width: 12″
Canopy: 6″ Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 60 A19

Note:
Requires A-15 Bulb

RL4461NB-WG-EU
(European Wiring)

RL4461PN-WG
McCarren Medium Flush Mount in Polished Nickel with White Glass

RL4461PN-WG-EU
(European Wiring)

RL4460NB-WG
McCarren Small Flush Mount in Natural Brass with White Glass
Height: 11.75″
Width: 8″
Canopy: 6″ Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket: E26 Keyless
Bulb: 60 A19

Note:
Requires A-15 Bulb

RL4460NB-WG-EU
(European Wiring)

RL4460PN-WG
McCarren Small Flush Mount in Polished Nickel with White Glass

RL4460PN-WG-EU
(European Wiring)

RL19024BN
Marine Porthole Large Flush Mount in Natural Brass with White Glass
Height: 5.5″
Width: 16″

Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL19024BN-EU
(European Wiring)

RL19024PN
Marine Porthole Large Flush Mount in Polished Nickel with White Glass

RL19024PN-EU
(European Wiring)

RL19025BN
Marine Porthole Medium Flush Mount in Natural Brass with White Glass
Height: 5″
Width: 12.5″

Finishes: NB, PN
Glass Options: FG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL19025BN-EU
(European Wiring)

RL19025PN
Marine Porthole Medium Flush Mount in Polished Nickel with White Glass

RL19025PN-EU
(European Wiring)

RL19026BN
Marine Porthole Small Flush Mount in Natural Brass with White Glass
Height: 4.5″
Width: 9.5″

Finishes: NB, PN
Glass Options: FG

Socket:
E26 Keyless
Bulb: 60 A19

RL19026BN-EU
(European Wiring)

RL19026PN
Marine Porthole Small Flush Mount in Polished Nickel with White Glass

RL19026PN-EU
(European Wiring)

RL4800NB
Allen Medium Round Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 7.5″
Width: 12.25″

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Bulb: 3 - 40 A19

RL4800NB-EU
(European Wiring)

RL4800PN
Allen Medium Round Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4800PN-EU
(European Wiring)

RL4802NB
Allen Large Round Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 7″
Width: 18″

Finishes: NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Bulb: 3 - 60 T10

RL4802NB-EU
(European Wiring)

RL4802PN
Allen Large Round Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4802PN-EU
(European Wiring)

RL4804PN
Allen Grande Flush Mount in Polished Nickel and Glass Rods with White Glass
Height: 9.25″
Width: 24″

Finishes: NB, PN
Glass Options: WG

Socket:
6 - E26 Keyless
Bulb: 6 - 40 T10

Note:
Requires Special Assembly and Installation

RL4804PN-EU
(European Wiring)

RL4801NB
Allen Small Round Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 4.5″
Width: 12″

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 40 B11

RL4801NB-EU
(European Wiring)

RL4801PN
Allen Small Round Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4801PN-EU
(European Wiring)

RL4803NB
Allen Square Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 4.5″
Width: 12.25″

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 T10

RL4803NB-EU
(European Wiring)

RL4803PN
Allen Square Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4803PN-EU
(European Wiring)

RL4072NB-FA
Perry Large Flush Mount in Natural Brass and Glass Rods with White Glass
Height: 4″
Width: 14″

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

RL4072NB-FA-EU
(European Wiring)

RL4072PN-FA
Perry Large Flush Mount in Polished Nickel and Glass Rods with White Glass

RL4072PN-FA-EU
(European Wiring)



RL4721NB
Perren 18" Flush Mount in Natural Brass and Glass Rods
Height: 6.25"
Width: 18"

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 36w (2800lm)

RL4721NB-EU
(European Wiring)

RL4720PN
Perren 12" Flush Mount in Polished Nickel and Glass Rods
Height: 6.25"
Width: 12"

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 18w (1500lm)

RL4720PN-EU
(European Wiring)

RL4722NB
Perren 24" Flush Mount in Natural Brass and Glass Rods
Height: 6.25"
Width: 24"

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 60w (4800lm)

RL4722NB-EU
(European Wiring)

RL4090NB-WG
Ella Woven Small Flush Mount in Natural Brass with White Glass
Height: 6"
Width: 14"

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL4090NB-WG-EU
(European Wiring)

RL4090PN-WG
Ella Woven Small Flush Mount in Polished Nickel with White Glass

RL4090PN-WG-EU
(European Wiring)

RL4128NB
Grant 6.25" Solitaire Flush Mount in Natural Brass
Height: 1.75"
Width: 6.25"
Canopy: 6.25" Round

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 15w (1300lm)

RL4128NB-EU
(European Wiring)

RL4127PN
Grant 4.5" Solitaire Flush Mount in Polished Nickel
Height: 1.5"
Width: 4.5"
Canopy: 4.5" Round

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 12w (1100lm)

RL4127PN-EU
(European Wiring)

RL4967NB/Q
Ellis 5" Solitaire Flush Mount in Natural Brass and Natural Quartz
Height: 3"
Width: 5"

Finishes: NB, PN
Glass Options: Q

Socket:
Dedicated LED
Bulb: 13w (1000lm)

RL4967NB/Q-EU
(European Wiring)

RL4967PN/Q
Ellis 5" Solitaire Flush Mount in Polished Nickel and Natural Quartz

RL4967PN/Q-EU
(European Wiring)

RL19023PN
Berling Large Flush Mount in Polished Nickel with Frosted Glass
Height: 4.5"
Width: 18"

Finishes: PN
Glass Options: FG

Socket:
3 - E26 Keyless
Bulb: 3 - 60 A19

RL19023PN-EU
(European Wiring)

RL19022PN
Berling Small Flush Mount in Polished Nickel with Frosted Glass
Height: 4.25"
Width: 12.75"

Finishes: PN
Glass Options: FG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A19

RL19022PN-EU
(European Wiring)

WALL

RL2005CG
Daniela Medium Double Sconce in Crystal
Height: 23.5"
Width: 18.5"
Extension: 12.5"
Backplate:
5.5" Round

Finishes: CG

Socket:
2 - E12 Candelabra
Bulb: 2 - 60 C11

RL2005CG-EU
(European Wiring)

RL2280GI-CG
Alessandra Large Chandelier Sconce in Gilded Iron with Crystal
Height: 24.25″
Width: 12.5″
Extension: 8″
Backplate: 5″ Round

Finishes: AG, ASL, GI
Trim Options: CG

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2280GI-CG-EU
(European Wiring)

RL2280ASL-CG
Alessandra Large Chandelier Sconce in Antique Silver Leaf with Crystal

RL2280ASL-CG-EU
(European Wiring)

RL2231GI-S
Adrianna Double Sconce in Gilded Iron and Crystal with Silk Shades
Height: 25″
Width: 14″
Extension: 10″
Backplate:
5.5″ x 7.5″ Oval

Finishes:
AG, ASL, GI
Shade Treatments: S
Shade Details:
3″ x 5″ x 4″

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2231GI-S-EU
(European Wiring)

RL2231ASL-S
Adrianna Double Sconce in Antique Silver Leaf and Crystal with Silk Shades

RL2231ASL-S-EU
(European Wiring)

RL2008NB
Falaise Single Sconce
in Natural Brass
Height: 11.75″
Width: 5.25″
Extension: 9.75″
Backplate:
4.75″ x 8″ Rec.

Finishes: BS, NB

Socket:
E12 Candelabra
Bulb: 5.5 LED C11

RL2008NB-EU
(European Wiring)

RL2008BS
Falaise Single Sconce
in Butler's Silver

RL2008BS-EU
(European Wiring)

RL2009NB
Falaise Double Sconce
in Natural Brass
Height: 12.25″
Width: 13.5″
Extension: 9″
Backplate:
5″ x 7.5″ Rec.

Finishes: BS, NB

Socket:
2 - E12 Candelabra
Bulb:
2 - 5.5 LED C11

RL2009NB-EU
(European Wiring)

RL2009BS
Falaise Double Sconce
in Butler's Silver

RL2009BS-EU
(European Wiring)

RL14021BN
Payson Sconce in Natural Brass with Silk Shade
Height: 11″
Width: 6″
Extension: 7″
Backplate:
2.5″ x 5″ Rec.

Finishes: BZ, NB, PN
Shade Treatments: S
Shade Details:
4″ x 6″ x 5.25″

Socket:
E12 Candelabra
Bulb: 40 B11

Note:
Requires Smaller Outlet Box

RL14021BN-EU
(European Wiring)

RL14021PN
Payson Sconce in Polished Nickel with Silk Shade

RL14021PN-EU
(European Wiring)

RL2330CG/NB-L
Sable Tail Sconce in Crystal and Natural Brass with Linen Shade
Height: 15.25″
Width: 5″
Extension: 7″
Backplate:
4.5″ Round

Finishes:
CG/NB, CG/PN
Shade Treatments: L
Shade Details:
3.75″ x 5″ x 4.75″

Socket:
E12 Candelabra
Bulb: 40 B11

RL2330CG/NB-L-EU
(European Wiring)

RL2330CG/PN-L
Sable Tail Sconce in Crystal and Polished Nickel with Linen Shade

RL2330CG/PN-L-EU
(European Wiring)

RL2007NB-P
Evans Double Arm Sconce in Natural Brass with Percale Shade
Height: 9.5″
Width: 12.75″
Extension: 6.75″
Backplate: 4.25″ Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3″ x 5″ x 4.5″

Socket:
2 - E12 Candelabra
Bulb: 2 - 25 B11

RL2007NB-P-EU
(European Wiring)

RL2004NB-P
Evans Library Sconce in Natural Brass with Percale Shade
Height: 9.5″
Width: 5″
Extension: 7.25″
Backplate:
2.5″ x 4.25″ Rec.

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3″ x 5″ x 4.5″

Socket: E12 Candelabra
Bulb: 25 B11

Note:
Requires Smaller Outlet Box

RL2004NB-P-EU
(European Wiring)

RL2004PN-P
Evans Library Sconce in Polished Nickel with Percale Shade

RL2004PN-P-EU
(European Wiring)

RL2003NB-P
Evans Single Arm Sconce in Natural Brass with Percale Shade
Height: 9.5″
Width: 5″
Extension: 7.25″
Backplate:
4.25″ Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
3″ x 5″ x 5″

Socket: E12 Candelabra
Bulb: 25 B11

Note:
Requires Smaller Outlet Box

RL2003NB-P-EU
(European Wiring)

RL2003AN-P
Evans Single Arm Sconce in Antique Nickel with Percale Shade

RL2003AN-P-EU
(European Wiring)

RL2010NB-P
Evans Swing Arm Sconce in Natural Brass with Percale Shade
Height: 12.75″
Width: 10″
Extension: 11-19.5″
Backplate:
4.25″ Square

Finishes:
AN, BZ, NB, PN
Shade Treatments: P
Shade Details:
8″ x 10″ x 7.5″ Nordy

Socket:
E26 Dimmer
Bulb: 60 A19

Note: Cord Cover Included

RL2010NB-P-EU
(European Wiring)

RL2010BZ-P
Evans Swing Arm Sconce in Bronze with Percale Shade

RL2010BZ-P-EU
(European Wiring)

RL2220NB
Barrett Small Single Knurled Sconce in Natural Brass
Height: 8″
Width: 4.5″
Extension: 5″
Backplate:
4.5″ x 1″ Round

Finishes: NB, PN
Shade Treatments:
N/A, NB, PN

Socket:
E12 Candelabra
Bulb: 40 T6

RL2220NB-EU
(European Wiring)

RL2220PN
Barrett Small Single Knurled Sconce in Polished Nickel

RL2220PN-EU
(European Wiring)

RL2220NB-NB
Barrett Small Single Knurled Sconce in Natural Brass with Natural Brass Shades
Height: 12.5″
Width: 7″
Extension: 9″
Backplate:
4.5″ x 1″ Round

Finishes: NB, PN
Shade Treatments:
N/A, NB, PN
Shade Details:
2.5″ x 7″ x 4.75″

Socket:
E12 Candelabra
Bulb: 40 T6

RL2220NB-NB-EU
(European Wiring)

RL2220PN-PN
Barrett Small Single Knurled Sconce in Polished Nickel with Polished Nickel Shades

RL2220PN-PN-EU
(European Wiring)

RL2729NB
Barrett Mini Bed Light in Natural Brass
Height: 5.5" - 7.75"
Width: 3"
Extension: 8.25" - 8.75"
Backplate: 3" x 4.75" Rec.

Finishes: NB, PN

Socket: Dedicated LED w/Dimmer
Bulb: 9w (900lm)

RL2729NB-EU
(European Wiring)

RL2729PN
Barrett Mini Bed Light in Polished Nickel

RL2729PN-EU
(European Wiring)

RL2721NB
Barrett Mini Double Arm Bed Light in Natural Brass
Height: 5.5" - 9.75"
Width: 3"
Extension: 10.75" - 16.75"
Backplate: 3" x 4.75" Rec.

Finishes: NB, PN

Socket: Dedicated LED w/Dimmer
Bulb: 9w (900lm)

RL2721NB-EU
(European Wiring)

RL2721PN
Barrett Mini Double Arm Bed Light in Polished Nickel

RL2721PN-EU
(European Wiring)

RL2250NB
Anette Single Sconce in Natural Brass
Height: 10"
Width: 6.75"
Extension: 11.75 - 16.25"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Bulb: 40 B11

RL2250NB-EU
(European Wiring)

RL2250PN
Anette Single Sconce in Polished Nickel

RL2250PN-EU
(European Wiring)

RL2260NB
Anette Swing Arm Sconce in Natural Brass
Height: 10"
Width: 6.75"
Extension: 17.5 - 22"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Bulb: 40 B11

RL2260NB-EU
(European Wiring)

RL2260PN
Anette Swing Arm Sconce in Polished Nickel

RL2260PN-EU
(European Wiring)

RL2270NB
Anette Library Light
in Natural Brass
Height: 12"
Width: 6.75"
Extension: 15 - 27.25"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
E12 Candelabra
Bulb: 40 B11

RL2270NB-EU
(European Wiring)

RL2270PN
Anette Library Light
in Polished Nickel

RL2270PN-EU
(European Wiring)

RL2252NB
Anette Double Sconce
in Natural Brass
Height: 10"
Width: 15 - 18.5"
Extension: 7 - 10.25"
Backplate:
4.75" Round

Finishes: NB, PN

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2252NB-EU
(European Wiring)

RL2252PN
Anette Double Sconce
in Polished Nickel

RL2252PN-EU
(European Wiring)

RL14029PN
RL '67 Boom Arm Wall Lamp in Polished Nickel

RL14029PN-EU
(European Wiring)

RL2500NB-L
Brompton Extension Swing Arm in Natural Brass with Linen Shade
Height: 18.75"
Width: 14"
Extension: 22 - 36"
Backplate:
3" x 12" Rec.

Finishes: BZ, NB, PN
Shade Treatments: L
Shade Details:
6" x 14" x 9"

Socket: E26 Dimmer
Bulb: 100 A19

Note: Portable Only; Cannot be Hard-Wired

RL2500NB-L-EU
(European Wiring)

RL2500PN-L
Brompton Extension Swing Arm in Polished Nickel with Linen Shade

RL2500PN-L-EU
(European Wiring)

RL14029BN
RL '67 Boom Arm Wall Lamp in Natural Brass
Height: 9" - 17"
Width: 31"
Extension: 12 - 32"
Backplate: 5" Round

Finishes: BZ, NB, PN

Socket: E26 On-Off
Bulb: 60 A19

Note: Portable Only; Cannot be Hard-Wired

RL14029BN-EU
(European Wiring)

RL14029BZ
RL '67 Boom Arm Wall Lamp in Bronze

RL14029BZ-EU
(European Wiring)

RL2452NB-SDL
Benton Single Library Sconce in Natural Brass with Saddle Leather Shade
Height: 7" - 13.5"
Width: 5"
Extension: 14" - 18"
Backplate: 4.75" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL2452NB-SDL-EU
(European Wiring)

RL2452NB-NVY
Benton Single Library Sconce in Natural Brass with Navy Leather Shade

RL2452NB-NVY-EU
(European Wiring)

RL2454NB-SDL
Benton Double Library Sconce in Natural Brass with Saddle Leather Shade
Height: 7" - 14.5"
Width: 5"
Extension: 11" - 27.25"
Backplate: 4.75" Round

Finishes: NB, PN
Shade Treatments:
CHC, NVY, SDL

Socket: E26 On/Off
Bulb: 40 A19

RL2454NB-SDL-EU
(European Wiring)

RL2454PN-CHC
Benton Double Library Sconce in Polished Nickel with Chocolate Leather Shade

RL2454PN-CHC-EU
(European Wiring)

RL2611NB/SDL-L
Riley Single Sconce in Natural Brass and Saddle Leather with Leather Trimmed Linen Shades
Height: 12.25″
Width: 6″
Extension: 7.75″
Backplate: 5.25″ Round

Finishes: NB/NVY, NB/SDL, PN/CHC
Shade Treatments: L
Shade Details: 4″ x 6″ x 5.75″

Socket: E12 Candelabra
Bulb: 40 B11

RL2611NB/SDL-L-EU
(European Wiring)

RL2611NB/NVY-L
Riley Single Sconce in Natural Brass and Navy Leather with Leather Trimmed Linen Shades

RL2611NB/NVY-L-EU
(European Wiring)

RL 2170NB/NRO
Alaster Articulating Wall Light in Natural Brass and Natural Rift Oak
Height: 7″
Width: 7″ - 28.25″
Extension: 8.5″ - 27″
Backplate: 7″ Round

Finishes: NB/NRO, PN/BKE
Shade Treatments: NB, PN

Socket: Dedicated LED w/Dimmer on Backplate
Bulb: 15w (1600lm)

Note: Cord Cover Included

RL 2170NB/NRO-EU
(European Wiring)

RL 2170PN/BKE
Alaster Articulating Wall Light in Polished Nickel and Black Ebony

RL 2170PN/BKE-EU
(European Wiring)

RL2680WB/NB-NB
Dalfern Medium Single Sconce in Waxed Bamboo and Natural Brass with Natural Brass Shade
Height: 12″
Width: 8.25″
Extension: 12.5″
Backplate: 5″ Round

Finishes:
WB/NB, WB/PN
Shade Treatments: NB, PN, WP
Shade Details:
3.25″ x 8.25″ x 6.5″

Socket: E12 Candelabra
Bulb: 6.5 LED B11

RL2680WB/NB-NB-EU
(European Wiring)

RL2680WB/PN-PN
Dalfern Medium Single Sconce in Waxed Bamboo and Polished Nickel with Polished Nickel Shade

RL2680WB/PN-PN-EU
(European Wiring)

RL 2570NB/NRO-L
Radford Small Sconce in Natural Brass and Natural Rift Oak with Linen Shade
Height: 14″
Width: 7.75″
Extension: 8.5″
Backplate:
4.5″ Round

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
3″ x 7.75″ x 4.75″

Socket:
E12 Candelabra
Bulb: 25 B11

RL 2570NB/NRO-L-EU
(European Wiring)

RL 2570PN/BKE-L
Radford Small Sconce in Polished Nickel and Black Ebony with Linen Shade

RL 2570PN/BKE-L-EU
(European Wiring)

RL2590NB/NRO-L
Mitchell Tail Sconce
in Natural Brass
and Natural Rift Oak
with Linen Shade
Height: 30″
Width: 12.5″
Extension: 8″
Backplate:
4.25″ Square

Finishes:
NB/NRO, PN/BKE
Shade Treatments: L
Shade Details:
11.75″ x 12.5″ x 8.25″

Socket: E26 Keyless
Bulb: 40 A19

RL2590NB/NRO-L-EU
(European Wiring)

RL2590PN/BKE-L
Mitchell Tail Sconce
in Polished Nickel
and Black Ebony
with Linen Shade

RL2590PN/BKE-L-EU
(European Wiring)

RL2329AI-L
Allegra Medium Torch Tail Sconce in Aged Iron with Linen Shade
Height: 35"
Width: 13"
Extension: 7.75"
Backplate:
5" X 5.25" Rec.

Finishes: AI
Shade Treatments: L
Shade Details:
7.75" x 12.5" x 8.75"
Shield

Socket: E26 Keyless
Bulb: 40 A19

RL2329AI-L-EU
(European Wiring)

RL2790NB/AI
Ancram Small Single Sconce in Natural Brass and Aged Iron
Height: 10.75"
Width: 7.5"
Extension: 7"
Backplate:
7.5" x 10.5" Oval

Finishes: NB/AI

Socket:
E12 Candelabra
Bulb: 5.5 LED C11

RL2790NB/AI-EU
(European Wiring)

RL2791NB/AI
Ancram Small Double Sconce in Natural Brass and Aged Iron
Height: 12.5"
Width: 9.75"
Extension: 7"
Backplate:
9" x 12.5" Oval

Finishes: NB/AI

Socket:
2 - E12 Candelabra
Bulb: 2 - 5.5 LED C11

RL2791NB/AI-EU
(European Wiring)

RL2120IS-BK
Fulton Small Sconce in Industrial Steel with Black Enamel Shade
Height: 8.25″
Width: 6.75″
Extension: 9.25″
Backplate: 4.25″ Round

Finishes: IS, PN
Shade Treatments: BK, IS, PN, WT

Socket: E26 Keyless
Bulb: 75 A19

RL2120IS-BK-EU
(European Wiring)

RL2120IS-IS
Fulton Small Sconce in Industrial Steel

RL2120IS-IS-EU
(European Wiring)

RL2120PN-WT
Fulton Small Sconce in Polished Nickel with White Enamel Shade

RL2120PN-WT-EU
(European Wiring)

RL2370AI-CG
Cheyenne Medium Lantern in Aged Iron with Clear Glass
Height: 23″
Width: 9.5″
Extension: 11″
Backplate: 5″ Round

Finishes: AI
Glass Options: CG

Socket: E26 Keyless
Bulb: 60 T10

RL2370AI-CG-EU
(European Wiring)

RL2810BZ-CG
Ollie Small Wall Lantern in Bronze with Clear Glass
Height: 16.5″
Width: 8″
Extension: 8.75″
Backplate: 7″ x 15.5″ Rec.

Finishes: BZ
Glass Options: CG

Socket:
Dedicated LED
Bulb: 12w (1100lm)

RL2810BZ-CG-EU
(European Wiring)

RL2181BZ
Grant Large Sconce in Bronze with Industrial Prismatic Glass

RL2181BZ-EU
(European Wiring)

RL2181BZ
Grant Large Sconce in Bronze with Industrial Prismatic Glass
Height: 10.5″
Width: 7.5″
Extension: 6.25″
Backplate:
10″ x 7.5″ Triangle

Finishes:
BZ, NB, PN, WZ

Socket: E26 Keyless
Bulb: 60 A19

RL2181BZ-EU
(European Wiring)

RL2181WZ
Grant Large Sconce in Weathered Zinc with Industrial Prismatic Glass

RL2181WZ-EU
(European Wiring)

RL2180NB
Grant Small Sconce in Natural Brass with Industrial Prismatic Glass
Height: 7.5″
Width: 5.25″
Extension: 4.75″
Backplate:
5.25″ x 7″ Triangle

Finishes:
BZ, NB, PN, WZ

Socket:
E12 Candelabra
Bulb: 60 G16

RL2180NB-EU
(European Wiring)

RL2180PN
Grant Small Sconce in Polished Nickel with Industrial Prismatic Glass

RL2180PN-EU
(European Wiring)

RL2066BZ
Rivington Shield Sconce in Bronze with Antiqued Ribbed Mirror

RL2066BZ-EU
(European Wiring)

RL2066NB
Rivington Shield Sconce in Natural Brass with Ribbed Mirror
Height: 12.5″
Width: 6″
Extension: 7.5″
Backplate: 5″ Round

Finishes:
BZ, NB, PN
Glass Options:
AM, MG

Socket:
E26 Keyless
Bulb: 60 ST18

RL2066NB-EU
(European Wiring)

RL2066PN
Rivington Shield Sconce in Polished Nickel with Ribbed Mirror

RL2066PN-EU
(European Wiring)

RL2064NB
Rivington Small Round Sconce in Natural Brass with Ribbed Mirror
Height: 12.25″
Width: 10″
Extension: 5″
Backplate: 4.25″ Round

Finishes:
BZ, NB, PN
Glass Options:
AM, MG

Socket:
E26 Keyless
Bulb: 60 ST18

RL2064NB-EU
(European Wiring)

RL2064PN
Rivington Small Round Sconce in Polished Nickel with Ribbed Mirror

RL2064PN-EU
(European Wiring)

RL2530NB
Modern Hurricane Sconce in Natural Brass
Height: 13″
Width: 6″
Extension: 7.5″
Backplate: 4″ Round

Finishes: BZ, NB, PN
Glass Options: CG/WG

Socket: E26 Keyless
Bulb: 60 B11

RL2530NB-EU
(European Wiring)

RL2530BZ
Modern Hurricane Sconce in Bronze

RL2530BZ-EU
(European Wiring)

RL2530PN
Modern Hurricane Sconce in Polished Nickel

RL2530PN-EU
(European Wiring)

RL2162NB-WG
Westbury Double Sconce in Natural Brass with White Glass
Height: 12″
Width: 6″
Extension: 3.75″
Backplate: 4.5″ Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E12 Candelabra
Bulb: 2 - 40 B11

RL2162NB-WG-EU
(European Wiring)

RL2162BZ-WG
Westbury Double Sconce in Bronze with White Glass

RL2162BZ-WG-EU
(European Wiring)

RL2162PN-WG
Westbury Double Sconce in Polished Nickel with White Glass

RL2162PN-WG-EU
(European Wiring)

RL2551NB-WG
McCarren Single Sconce in Natural Brass with White Glass
Height: 15.25″
Width: 8″
Extension: 11″
Backplate: 5.25″ Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
E26 Keyless
Bulb: 60 A15

Note:
Requires A-15 Bulb

RL2551NB-WG-EU
(European Wiring)

RL2551BZ-WG
McCarren Single Sconce in Bronze with White Glass

RL2551BZ-WG-EU
(European Wiring)

RL2551PN-WG
McCarren Single Sconce in Polished Nickel with White Glass

RL2551PN-WG-EU
(European Wiring)

RL2550NB-WG
McCarren Double Sconce in Natural Brass with White Glass
Height: 20″
Width: 8″
Extension: 11″
Backplate: 5.25″ Round

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 A15

Note:
Requires A-15 Bulb

RL2550NB-WG-EU
(European Wiring)



RL2550PN-WG
McCarren Double Sconce in Polished Nickel with White Glass

RL2550PN-WG-EU
(European Wiring)

RL2566NB/TK-WG
Northport 32" Linear Sconce in Natural Brass and Teak with White Glass
Height: 32"
Width: 4"
Extension: 5.25"
Backplate:
3" x 4" Rec.

Finishes:
BZ/TK, NB/TK,
PN/TK
Glass Options: WG

Socket:
Dedicated LED
Bulb: 40w (3200lm)

Note:
Requires Smaller Outlet Box

RL2566NB/TK-WG-EU
(European Wiring)

RL2566BZ/TK-WG
Northport 32" Linear Sconce in Bronze and Teak with White Glass

RL2566BZ/TK-WG-EU
(European Wiring)

RL2566PN/TK-WG
Northport 32" Linear Sconce in Polished Nickel and Teak with White Glass

RL2566PN/TK-WG-EU
(European Wiring)



RL2560NB/TK-WG
Northport Medium Bracketed Wall Lantern in Natural Brass and Teak with White Glass
Height: 13.5″
Width: 5″
Extension: 6″
Backplate:
3″ x 4″ Rec.

Finishes:
BZ/TK, NB/TK,
PN/TK
Glass Options: WG

Socket:
Dedicated LED
Bulb: 25w (2000lm)

Note:
Requires Smaller
Outlet Box

RL2560NB/TK-WG-EU
(European Wiring)

RL2560BZ/TK-WG
Northport Medium Bracketed Wall Lantern in Bronze and Teak with White Glass

RL2560BZ/TK-WG-EU
(European Wiring)

RL2560PN/TK-WG
Northport Medium Bracketed Wall Lantern in Polished Nickel and Teak with White Glass

RL2560PN/TK-WG-EU
(European Wiring)

RL2565NB/TK-WG
Northport 24″ Linear Sconce in Natural Brass and Teak with White Glass
Height: 24″
Width: 4″
Extension: 5.25″
Backplate:
3″ x 4″ Rec.

Finishes:
BZ/TK, NB/TK,
PN/TK
Glass Options: WG

Socket:
Dedicated LED
Bulb: 35w (2800lm)

Note:
Requires Smaller
Outlet Box

RL2565NB/TK-WG-EU
(European Wiring)

RL2565PN/TK-WG
Northport 24″ Linear Sconce in Polished Nickel and Teak with White Glass

RL2565PN/TK-WG-EU
(European Wiring)



RL2165NB-WG
Keating Large Sconce in Natural Brass with White Glass
Height: 35.75″
Width: 5″
Extension: 5.5″
Backplate:
3.25″ x 33″ Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Bulb: 4 - 25 T10

Note:
Requires Smaller Outlet Box

RL2165NB-WG-EU
(European Wiring)

RL2165BZ-WG
Keating Large Sconce in Bronze with White Glass

RL2165BZ-WG-EU
(European Wiring)

RL2165PN-WG
Keating Large Sconce in Polished Nickel with White Glass

RL2165PN-WG-EU
(European Wiring)

RL2164NB-WG
Keating Medium Sconce in Natural Brass with White Glass
Height: 23.75″
Width: 5″
Extension: 5.5″
Backplate: 3.25″ x 21″ Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 60 T10

Note:
Requires Smaller Outlet Box

RL2164NB-WG-EU
(European Wiring)

RL2164BZ-WG
Keating Medium Sconce in Bronze with White Glass

RL2164BZ-WG-EU
(European Wiring)

RL2164PN-WG
Keating Medium Sconce in Polished Nickel with White Glass

RL2164PN-WG-EU
(European Wiring)

RL2027NB-WG
Geneva Large Sconce in Natural Brass with White Glass
Height: 34″
Width: 5″
Extension: 4″
Backplate:
4″ x 30.5″ Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
4 - E26 Keyless
Bulb: 4 - 60 B11

RL2027NB-WG-EU
(European Wiring)

RL2027BZ-WG
Geneva Large Sconce in Bronze with White Glass

RL2027BZ-WG-EU
(European Wiring)

RL2027PN-WG
Geneva Large Sconce in Polished Nickel with White Glass

RL2027PN-WG-EU
(European Wiring)

RL2026NB-WG
Geneva Medium Sconce in Natural Brass with White Glass
Height: 26″
Width: 5″
Extension: 4″
Backplate:
4″ x 22″ Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
3 - E26 Keyless
Bulb: 3 - 40 B11

RL2026NB-WG-EU
(European Wiring)

RL2026BZ-WG
Geneva Medium Sconce in Bronze with White Glass

RL2026BZ-WG-EU
(European Wiring)

RL2026PN-WG
Geneva Medium Sconce in Polished Nickel with White Glass

RL2026PN-WG-EU
(European Wiring)

RL2025NB-WG
Geneva Small Sconce in Natural Brass with White Glass
Height: 17″
Width: 5″
Extension: 4″
Backplate:
4″ x 13″ Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 40 B11

RL2025NB-WG-EU
(European Wiring)

RL2025BZ-WG
Geneva Small Sconce in Bronze with White Glass

RL2025BZ-WG-EU
(European Wiring)

RL2025PN-WG
Geneva Small Sconce in Polished Nickel with White Glass

RL2025PN-WG-EU
(European Wiring)

RL2535NB-WG
Bleeker Triple Bath Sconce in Natural Brass with White Glass
Height: 34.5″
Width: 5.25″
Extension: 4.5″
Backplate:
4″ x 34″ Rec.

Finishes: NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 36w (2600lm)

RL2535NB-WG-EU
(European Wiring)

RL2535PN-WG
Bleeker Triple Bath Sconce in Polished Nickel with White Glass

RL2535PN-WG-EU
(European Wiring)

RL2534NB-WG
Bleeker Double Bath Sconce in Natural Brass with White Glass
Height: 23.25"
Width: 5.25"
Extension: 4.5"
Backplate:
4" x 23.25" Rec.

Finishes: NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 23w (1750lm)

RL2534NB-WG-EU
(European Wiring)

RL2534PN-WG
Bleeker Double Bath Sconce in Polished Nickel with White Glass

RL2534PN-WG-EU
(European Wiring)

RL2042NB-WG
Jones Small Single Sconce in Natural Brass with White Glass
Height: 11.5″
Width: 5″
Extension: 4″
Backplate: 5″ Round

Finishes: NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 12w (1100lm)

RL2042NB-WG-EU
(European Wiring)

RL2042PN-WG
Jones Small Single Sconce in Polished Nickel with White Glass

RL2042PN-WG-EU
(European Wiring)

RL2043NB-WG
Jones Medium Double Sconce in Natural Brass with White Glass
Height: 18.25″
Width: 5″
Extension: 4″
Backplate: 5″ Round

Finishes: NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 18w (1900lm)

RL2043NB-WG-EU
(European Wiring)

RL2043PN-WG
Jones Medium Double Sconce in Polished Nickel with White Glass

RL2043PN-WG-EU
(European Wiring)

RL2092NB
Lichfield Single Sconce in Natural Brass
Height: 11.25″
Width: 4.5″
Extension: 5″
Backplate: 4.5″ Round

Finishes: NB, PN
Glass Options: WG

Socket:
E26 Keyless
Bulb: 40 T10

RL2092NB-EU
(European Wiring)

RL2092PN
Lichfield Single Sconce in Polished Nickel

RL2092PN-EU
(European Wiring)

RL2093NB
Lichfield Double Sconce in Natural Brass
Height: 17.75″
Width: 4.5″
Extension: 5″
Backplate: 4.5″ Round

Finishes: NB, PN
Glass Options: WG

Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

RL2093NB-EU
(European Wiring)



RL2093PN
Lichfield Double Sconce in Polished Nickel

RL2093PN-EU
(European Wiring)



RL2400NB
Ranier Single Bath Light in Natural Brass with Clear Glass Rods
Height: 10.5″
Width: 4.25″
Extension: 5″
Backplate: 4.25″ Round

Finishes: NB, PN

Socket: Dedicated LED
Bulb: 12w (1000lm)

RL2400NB-EU
(European Wiring)

RL2400PN
Ranier Single Bath Light in Polished Nickel with Clear Glass Rods

RL2400PN-EU
(European Wiring)

RL2401NB
Ranier Double Bath Light in Natural Brass with Clear Glass Rods
Height: 16.75″
Width: 4.25″
Extension: 5″
Backplate: 4.25″ Round

Finishes: NB, PN

Socket: Dedicated LED
Bulb: 18w (1500lm)

RL2401NB-EU
(European Wiring)

RL2401PN
Ranier Double Bath Light in Polished Nickel with Clear Glass Rods

RL2401PN-EU
(European Wiring)

RL2403NB
Ranier 30" Linear Bath Light in Natural Brass with Clear Glass Rods
Height: 30"
Width: 3.25"
Extension: 5"
Backplate:
2.5" x 30" Rec.

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 20w (1600lm)

Note:
Requires Smaller Outlet Box

RL2403NB-EU
(European Wiring)



RL2403PN
Ranier 30" Linear Bath Light in Polished Nickel with Clear Glass Rods

RL2403PN-EU
(European Wiring)



RL2080NB
Allen Single Sconce in Natural Brass and Glass Rods
Height: 11″
Width: 4.5″
Extension: 5″
Backplate: 4.5″ Round

Finishes: NB, PN

Socket: E26 Keyless
Bulb: 40 T10

RL2080NB-EU
(European Wiring)

RL2080PN
Allen Single Sconce in Polished Nickel and Glass Rods

RL2080PN-EU
(European Wiring)

RL2082NB
Allen Double Light Sconce in Natural Brass and Glass Rods
Height: 17.5″
Width: 4.5″
Extension: 5″
Backplate: 4.5″ Round

Finishes: NB, PN

Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

RL2082NB-EU
(European Wiring)



RL2082PN
Allen Double Light Sconce in Polished Nickel and Glass Rods

RL2082PN-EU
(European Wiring)



RL2084NB
Allen Small Linear Sconce in Natural Brass and Glass Rods
Height: 12″
Width: 6″
Extension: 5″
Backplate:
4.25″ x 11.5″ Rec.

Finishes: NB, PN

Socket: E26 Keyless
Bulb: 2 - 60 B11

RL2084NB-EU
(European Wiring)

RL2085PN
Allen Medium Linear Sconce in Polished Nickel and Glass Rods
Height: 18.5″
Width: 6″
Extension: 5″
Backplate:
4.25″ x 18″ Rec.

Finishes: NB, PN

Socket:
2 - E26 Keyless
Bulb: 2 - 60 B11

RL2085PN-EU
(European Wiring)

RL2086NB
Allen Large Linear Sconce in Natural Brass and Glass Rods
Height: 27.5″
Width: 6″
Extension: 5″
Backplate:
4.25″ x 21″ Rec.

Finishes: NB, PN

Socket:
3 - E26 Keyless
Bulb: 3 - 60 B11

RL2086NB-EU
(European Wiring)

RL2760BZ
Perren Small Wall in Bronze and Glass Rods

RL2760BZ-EU
(European Wiring)

RL2760NB
Perren Small Wall in Natural Brass and Glass Rods
Height: 14.75″
Width: 5.25″
Extension: 5.25″
Backplate:
4.25″ x 13.5″ Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 12w (960lm)

RL2760NB-EU
(European Wiring)



RL2761PN
Perren Medium Wall Sconce in Polished Nickel and Glass Rods
Height: 19.75″
Width: 5.25″
Extension: 5.25″
Backplate:
4.25″ x 18.5″ Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 18w (1500lm)

RL2761PN-EU
(European Wiring)

RL2762BZ
Perren Large Wall Sconce in Bronze and Glass Rods
Height: 27.75″
Width: 5.25″
Extension: 5.25″
Backplate:
4.25″ x 27.75″ Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 25w (2000lm)

RL2762BZ-EU
(European Wiring)



RL 2321NB-CG
Daley Medium Linear Sconce in Natural Brass with Crystal
Height: 18″
Width: 4.25″
Extension: 3.25″
Backplate:
4.25″ x 17.5″ Rec.

Finishes: NB, PN
Glass Options: CG

Socket:
Dedicated LED
Bulb: 12w (1920lm)

RL 2321NB-CG-EU
(European Wiring)

RL 2321PN-CG
Daley Medium Linear Sconce in Polished Nickel with Crystal

RL 2321PN-CG-EU
(European Wiring)

RL2969NB/Q
Ellis Medium Linear Sconce in Natural Brass and Natural Quartz
Height: 18.75"
Width: 5"
Extension: 3"
Backplate:
5" x 18.75" Rec.

Finishes: NB, PN
Glass Options: Q

Socket:
Dedicated LED
Bulb: 36w (2600lm)

RL2969NB/Q-EU
(European Wiring)

RL2969PN/Q
Ellis Medium Linear Sconce in Polished Nickel and Natural Quartz

RL2969PN/Q-EU
(European Wiring)

RL2817NB-WG
Hayles 34" Bath Light in Natural Brass with White Glass
Height: 34"
Width: 5"
Extension: 3.5"
Backplate: 4.5" x 31.5" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 31w (2500lm)

RL2817NB-WG-EU
(European Wiring)

RL2817BZ-WG
Hayles 34" Bath Light in Bronze with White Glass

RL2817BZ-WG-EU
(European Wiring)

RL2817PN-WG
Hayles 34" Bath Light in Polished Nickel with White Glass

RL2817PN-WG-EU
(European Wiring)

RL2815NB-WG
Hayles 17" Bath Light in Natural Brass with White Glass
Height: 17"
Width: 5"
Extension: 3.5"
Backplate:
4.5" x 14.5" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 13w (1000lm)

RL2815NB-WG-EU
(European Wiring)

RL2815BZ-WG
Hayles 17" Bath Light in Bronze with White Glass

RL2815BZ-WG-EU
(European Wiring)

RL2816PN-WG
Hayles 26" Bath Light in Polished Nickel with White Glass
Height: 26"
Width: 5"
Extension: 3.5"
Backplate:
4.5" x 23.5" Rec.

Finishes:
BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 18w (1800lm)

RL2816PN-WG-EU
(European Wiring)

RL2769NB-WG
Strever 32" Shielded Bath Light in Natural Brass with White Glass
Height: 32"
Width: 4.5"
Extension: 2.25"
Backplate:
4.5" x 32" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 28w (2100lm)

RL2769NB-WG-EU
(European Wiring)

RL2769BZ-WG
Strever 32" Shielded Bath Light in Bronze with White Glass

RL2769BZ-WG-EU
(European Wiring)

RL2769PN-WG
Strever 32" Shielded Bath Light in Polished Nickel with White Glass

RL2769PN-WG-EU
(European Wiring)



RL2768NB-WG
Strever 26" Shielded Bath Light in Natural Brass with White Glass
Height: 26"
Width: 4.5"
Extension: 2.25"
Backplate:
4.5" x 26" Rec.

Finishes: BZ, NB, PN
Glass Options: WG

Socket:
Dedicated LED
Bulb: 21w (1900lm)

RL2768NB-WG-EU
(European Wiring)

RL2768BZ-WG
Strever 26" Shielded Bath Light in Bronze with White Glass

RL2768BZ-WG-EU
(European Wiring)

RL2768PN-WG
Strever 26" Shielded Bath Light in Polished Nickel with White Glass

RL2768PN-WG-EU
(European Wiring)

RL2034NB-EC
Barton Grande Bath Sconce in Natural Brass with Etched Crystal
Height: 30″
Width: 2.75″
Extension: 4″
Backplate:
2.5″ x 26.25″ Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 30w (2900lm)

Note:
Requires Smaller Outlet Box

RL2034NB-EC-EU
(European Wiring)

RL2033BZ-EC
Barton Large Bath Sconce in Bronze with Etched Crystal
Height: 24″
Width: 2.75″
Extension: 4″
Backplate:
2.5″ x 20.75″ Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 24w (2600lm)

Note:
Requires Smaller Outlet Box

RL2033BZ-EC-EU
(European Wiring)

RL2033PN-EC
Barton Large Bath Sconce in Polished Nickel with Etched Crystal

RL2033PN-EC-EU
(European Wiring)

RL 2035NB-EC
Barton Single Arm Sconce in Natural Brass with Etched Crystal
Height: 13″
Width: 5″
Extension: 4″
Backplate: 5″ Round

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 9w (1000lm)

RL 2035NB-EC-EU
(European Wiring)

RL 2035BZ-EC
Barton Single Arm Sconce in Bronze with Etched Crystal

RL 2035BZ-EC-EU
(European Wiring)

RL 2035PN-EC
Barton Single Arm Sconce in Polished Nickel with Etched Crystal

RL 2035PN-EC-EU
(European Wiring)

RL2032NB-EC
Barton Medium Bath Sconce in Natural Brass with Etched Crystal
Height: 16″
Width: 2.75″
Extension: 4″
Backplate:
2.5″ x 13.25″ Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 18w (2000lm)

Note:
Requires Smaller Outlet Box

RL2032NB-EC-EU
(European Wiring)

RL2031BZ-EC
Barton Small Bath Sconce in Bronze with Etched Crystal
Height: 13″
Width: 2.75″
Extension: 4″
Backplate:
2.5″ x 9.75″ Rec.

Finishes: BZ, NB, PN
Glass Options: EC

Socket:
Dedicated LED
Bulb: 12w (1400lm)

Note:
Requires Smaller Outlet Box

RL2031BZ-EC-EU
(European Wiring)

RL2031PN-EC
Barton Small Bath Sconce in Polished Nickel with Etched Crystal

RL2031PN-EC-EU
(European Wiring)

RL2783NB
Langley 40" Picture Light in Natural Brass
Height: 3"
Width: 40"
Extension: 8"
Backplate:
3" x 8.25" Rec.

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 30w (2400lm)

RL2783NB-EU
(European Wiring)

RL2782PN
Langley 32" Picture Light in Polished Nickel
Height: 3"
Width: 32"
Extension: 8"
Backplate:
3" x 8.25" Rec.

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 25w (2000lm)

RL2782PN-EU
(European Wiring)



RL2782NB
Langley 32" Picture Light in Natural Brass

RL2782NB-EU
(European Wiring)

RL2781NB
Langley 24" Picture Light in Natural Brass
Height: 3"
Width: 24"
Extension: 8"
Backplate:
3" x 8.25" Rec.

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 25w (2000lm)

RL2781NB-EU
(European Wiring)



RL2781PN
Langley 24" Picture Light in Polished Nickel

RL2781PN-EU
(European Wiring)



RL2780NB
Langley 12" Picture Light in Natural Brass
Height: 2.5"
Width: 13"
Extension: 8"
Backplate:
2.5" x 7" Rec.

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 15w (1200lm)

RL2780NB-EU
(European Wiring)



RL2780PN
Langley 12" Picture Light in Polished Nickel

RL2780PN-EU
(European Wiring)



RL2788NB
Langham Large Picture Light in Natural Brass
Height: 2.5″
Width: 36″
Extension: 5.25″ - 6.75″
Backplate: 24″ x 2.5″ Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb:
27w (2700lm)

RL2788NB-EU
(European Wiring)

RL2788BZ
Langham Large Picture Light in Bronze

RL2788BZ-EU
(European Wiring)

RL2788PN
Langham Large Picture Light in Polished Nickel

RL2788PN-EU
(European Wiring)

RL2787NB
Langham Medium Picture Light in Natural Brass
Height: 2.5″
Width: 24″
Extension: 5.25″ - 6.75″
Backplate: 12″ x 2.5″ Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 18w (1800lm)

RL2787NB-EU
(European Wiring)

RL2787BZ
Langham Medium Picture Light in Bronze

RL2787BZ-EU
(European Wiring)

RL2786NB
Langham Small Picture Light in Natural Brass
Height: 2.5″
Width: 13″
Extension: 5″ - 5.75″
Backplate: 4.75″ x 2.5″ Rec.

Finishes:
BZ, NB, PN

Socket:
Dedicated LED
Bulb: 9w (900lm)

RL2786NB-EU
(European Wiring)

RL2786PN
Langham Small Picture Light in Polished Nickel

RL2786PN-EU
(European Wiring)

RL2724NB
Barrett 24"
Picture Light in
Natural Brass
Height: 4.25"
Width: 24"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 20w (1750lm)

Note:
Requires Smaller
Outlet Box

RL2724NB-EU
(European Wiring)

RL2724PN
Barrett 24"
Picture Light in
Polished Nickel

RL2724PN-EU
(European Wiring)

RL2723NB
Barrett 18"
Picture Light in
Natural Brass
Height: 4.25"
Width: 18"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 16w (1300lm)

Note:
Requires Smaller
Outlet Box

RL2723NB-EU
(European Wiring)

RL2723PN
Barrett 18"
Picture Light in
Polished Nickel

RL2723PN-EU
(European Wiring)

RL2722NB
Barrett 12"
Picture Light in
Natural Brass
Height: 4.25"
Width: 12"
Extension: 8.5"
Backplate:
4.25" Round

Finishes: NB, PN

Socket:
Dedicated LED
Bulb: 12w (1000lm)

Note:
Requires Smaller
Outlet Box

RL2722NB-EU
(European Wiring)

RL2722PN
Barrett 12"
Picture Light in
Polished Nickel

RL2722PN-EU
(European Wiring)

RL2277NB
Anette 24"
Picture Light in
Natural Brass
Height: 2.25"
Width: 24"
Extension: 12.25"
Backplate:
2.375" x 19.5" Rec.

Finishes:
BZ, NB, PN

Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

Note:
Requires Smaller
Outlet Box

RL2277NB-EU
(European Wiring)



RL2277BZ
Anette 24"
Picture Light
in Bronze

RL2277BZ-EU
(European Wiring)



RL2277PN
Anette 24"
Picture Light in
Polished Nickel

RL2277PN-EU
(European Wiring)



RL2276NB
Anette 16"
Picture Light in
Natural Brass
Height: 2.25"
Width: 16"
Extension: 12.25"
Backplate:
2.375" x 11.25" Rec.

Finishes: BZ, NB, PN

Socket:
2 - E26 Keyless
Bulb: 2 - 40 T10

Note:
Requires Smaller
Outlet Box

RL2276NB-EU
(European Wiring)



RL2276BZ
Anette 16"
Picture Light
in Bronze

RL2276BZ-EU
(European Wiring)

RL2275NB
Anette 9"
Picture Light in
Natural Brass
Height: 2.25"
Width: 9"
Extension: 12.25"
Backplate:
2.375" x 3.5" Rec.

Finishes: BZ, NB, PN

Socket: E26 Keyless
Bulb: 40 T10

Note:
Requires Smaller
Outlet Box

RL2275NB-EU
(European Wiring)



RL2275PN
Anette 9"
Picture Light in
Polished Nickel

RL2275PN-EU
(European Wiring)



OUTDOOR

RL5733WVG-CG
Carrington Small Lantern in Weathered Verdigris with Clear Glass
Height: 34.5″
Width: 16″
Canopy: 5.25″ Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5733WVG-CG-EU
(European Wiring)

RL5733FR-CG
Carrington Small Lantern in French Rust with Clear Glass

RL5733FR-CG-EU
(European Wiring)

RL5735WVG-CG
Carrington Large Lantern in Weathered Verdigris with Clear Glass
Height: 48.5″
Width: 22.5″
Canopy: 6.75″ Square

Finishes: FR, WVG
Glass Options: CG

Socket:
4 - E12 Candelabra
Bulb: 4 - 60 C11

RL5735WVG-CG-EU
(European Wiring)

RL5735FR-CG
Carrington Large Lantern in French Rust with Clear Glass

RL5735FR-CG-EU
(European Wiring)

RL 2732WVG-CG
Carrington Small Wall Lantern in Weathered Verdigris with Clear Glass
Height: 18.5″
Width: 10.25″
Extension: 7.25″
Backplate:
9″ x 11″ Rec.

Finishes: FR, WVG
Glass Options: CG

Socket:
E12 Candelabra
Bulb: 60 C11

RL 2732WVG-CG-EU
(European Wiring)

RL 2732FR-CG
Carrington Small Wall Lantern in French Rust with Clear Glass

RL 2732FR-CG-EU
(European Wiring)

RL2733WVG-CG
Carrington Medium Sconce in Weathered Verdigris with Clear Glass
Height: 24.25″
Width: 13.5″
Extension: 9.25″
Backplate:
8.5″ x 13.5″ Trapezoid

Finishes: FR, WVG
Glass Options: CG

Socket:
3 - E12 Candelabra
Bulb: 3 - 60 C11

RL2733WVG-CG-EU
(European Wiring)

RL2733FR-CG
Carrington Medium Sconce in French Rust with Clear Glass

RL2733FR-CG-EU
(European Wiring)

INDEX

INDEX

RL1090 53
RL11094 28, 29
RL11165 38, 39
RL11167 15
RL11170 42, 43
RL11173 33
RL11180 46
RL1250 36, 37
RL1320 45
RL1388 55
RL14021 135
RL14028 40, 41
RL14029 142, 143
RL14030 32, 33
RL14040 14
RL14042 25
RL1450 44
RL1491 50
RL1493 49
RL15032 11
RL1522 52
RL1533 48
RL1560 54
RL1680 51
RL1702 47
RL19022 129
RL19023 129
RL19024 125
RL19025 125
RL19026 125
RL2003 137
RL2004 137
RL2005 132
RL2007 136
RL2008 134
RL2009 134
RL2010 137
RL2025 161
RL2026 161
RL2027 160
RL2031 179
RL2032 179
RL2033 178
RL2034 178
RL2035 179
RL2042 164
RL2043 164
RL2064 153
RL2066 152, 153
RL2080 168
RL2082 168
RL2084 169
RL2085 169
RL2086 169
RL2092 165
RL2093 165
RL2120 149
RL2162 154
RL2164 159
RL2165 158
RL2170 145
RL2180 151
RL2181 150, 151
RL2220 138
RL2231 133
RL2250 140
RL2252 141
RL2260 140
RL2270 141
RL2275 187
RL2276 187
RL2277 186
RL2280 133
RL2321 172
RL2329 148
RL2330 135
RL2370 149
RL2400 166
RL2401 166
RL2403 167
RL2452 144
RL2454 144
RL2500 143
RL2530 154
RL2534 163
RL2535 162
RL2550 155
RL2551 155
RL2560 157
RL2565 157
RL2566 156
RL2570 146
RL2590 147
RL2611 145
RL2680 146
RL2721 139
RL2722 185
RL2723 185
RL2724 184
RL2729 139
RL2732 191
RL2733 191
RL2760 170, 171
RL2761 171
RL2762 171
RL2768 177
RL2769 176
RL2780 181
RL2781 181
RL2782 180
RL2783 180
RL2786 183
RL2787 183
RL2788 182
RL2790 148
RL2791 148
RL2810 149
RL2815 175
RL2816 175
RL2817 174
RL2969 173
RL3031 20, 21
RL3040 22, 23
RL3082 16, 17
RL3092 27
RL3094 18, 19
RL3127 27
RL3183 23
RL3345 31
RL3346 19
RL3450 30, 31
RL3491 24
RL3493 25
RL3522 26
RL3533 24
RL3542 10
RL3560 21
RL3593 10
RL3622 8, 9
RL3625 6, 7
RL3627 7
RL3633 4, 5
RL3634 5
RL3649 12, 13
RL3651 13
RL3652 13
RL3653 13
RL3660 10
RL3677 8
RL3682 28
RL3728 26
RL3805 28
RL3920 15
RL3936 15
RL3965 16
RL3966 16
RL4072 127
RL4090 128
RL4127 129
RL4128 129
RL4460 124
RL4461 124
RL4462 124
RL4720 128
RL4721 128
RL4722 128
RL4800 126
RL4801 127

INDEX

RL4802 126
RL4803 127
RL4804 126
RL4967 129
RL5005 81
RL5006 81
RL5007 81
RL5008 80
RL5010 80
RL5041 113
RL5042 113
RL5060 97
RL5064 98, 99
RL5067 100, 101
RL5080 105
RL5082 105
RL5086 104
RL5089 102
RL5094 82
RL5098 96
RL5101 120, 121
RL5103 121
RL5114 75
RL5120 119
RL5121 119
RL5122 118
RL5131 59
RL5132 59
RL5133 58
RL5147 109
RL5148 109
RL5156 110
RL5161 117
RL5162 117
RL5175 106
RL5177 106
RL5180 107
RL5181 73
RL5183 73
RL5184 72
RL5205 83
RL5220 110
RL5224 67
RL5225 68, 69
RL5231 77
RL5233 76
RL5252 114
RL5262 78, 79
RL5311 79
RL5321 62
RL5322 62
RL5341 74
RL5400 123
RL5402 123
RL5415 122
RL5461 123
RL5470 63
RL5528 84, 85
RL5529 85
RL5530 87
RL5531 86
RL5532 115
RL5533 116
RL5534 116
RL5540 90
RL5542 90
RL5545 91
RL5571 66
RL5572 66
RL5610 71
RL5612 71
RL5614 70
RL5642 97
RL5643 97
RL5652 108
RL5653 108
RL5670 61
RL5671 61
RL5672 60
RL5673 60
RL5685 64, 65
RL5722 105
RL5724 103
RL5728 88
RL5729 88
RL5730 88
RL5733 190
RL5735 190
RL5742 94
RL5752 89
RL5753 89
RL5770 112
RL5773 112
RL5781 95
RL5782 95
RL5783 95
RL5785 92
RL5788 93
RL5790 92
RL5792 93
RL5810 111
RL5811 111

FINISH CODES

Aged Iron	**AI**	Industrial Steel	**IS**
Aged Iron and Alabaster	**AI/ALB**	Light Silt	**LTS**
Antique Nickel	**AN**	Mahogany	**MHG**
Antique Silver Leaf	**ASL**	Matte Bronze	**MBZ**
Antiqued Gild	**AG**	Natural Bone	**BN**
Black	**BLK**	Natural Brass	**NB**
Black and Gold	**BLK**	Natural Brass and Aged Iron	**NB/AI**
Black Ceramic	**BLK**	Natural Brass and Natural Rift Oak	**NB/NRO**
Black Faux Croc with Polished Nickel	**BK**	Natural Brass and Navy Leather	**NB/NVY**
Black Nickel	**BLK**	Natural Brass and Plaster White	**NB/PW**
Black Porcelain	**BLK**	Natural Brass and Teak	**NB/TK**
Black Rattan	**BRT**	Natural Brass with Navy Leather	**NB/NVY**
Blue and White Porcelain	**BLW**	Natural Brass with Saddle Leather	**NB/SDL**
Blue and White Porcelain	**BW**	Natural Oak	**NO**
Blue Ceramic	**BC**	Natural Rift Oak	**NRO**
Blue Ceramic	**BLC**	Natural Rusted Iron	**NR**
Bronze	**BZ**	Polished Nickel	**PN**
Bronze and Teak	**BZ/TK**	Polished Nickel and Black Ebony	**PN/BKE**
Butler's Silver	**BS**	Polished Nickel and Chocolate Leather	**NB/CHC**
Chocolate Leather	**CHC**	Polished Nickel and Chocolate Leather	**PN/CHC**
Clear Glass	**CG**	Polished Nickel and Plaster White	**PN/PW**
Clear Soda Glass	**CG**	Polished Nickel and Teak	**PN/TK**
Coconut	**ICO**	Polished Silver	**PS**
Coconut Porcelain	**ICO**	Saddle Leather	**SDL**
Crystal	**CG**	Waxed Bamboo and Natural Brass	**WB/NB**
Crystal Bronze	**CBZ**	Waxed Bamboo and Polished Nickel	**WB/PN**
Crystal with Brass	**CG/NB**	Weathered Verdigris	**WVG**
Crystal with Polished Nickel	**CG/PN**	Weathered Zinc	**WZ**
Ebonized Oak	**EBO**	White	**WHT**
French Rust	**FR**	White Leather Ceramic	**WLC**
Gilded Iron	**GI**	White Stoneware	**WHT**

CHANDELIER AND SCONCE OPTIONS

RLS201L
5" Linen Candle
Clip Shade

Shade Details:
3" x 5" x 5"
Linen

RLS201SB
5" Silk Bell Candle
Clip Shade

Shade Details:
3" x 5" x 5"
Silk Bell

RLS201SP
5" Silk Pleated
Candle Clip Shade

Shade Details:
3" x 5" x 5"
Silk Pleat

RLS202L
6" Linen Candle
Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Linen

RLS202SB
6" Silk Bell Candle
Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Bell

RLS202SP
6" Silk Pleated
Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Silk Pleat

RLS202WF
6" Wire Frame
Candle Clip Shade

Shade Details:
3.25" x 6" x 5.25"
Wire Frame

Note: Use 40 Watt Frosted Type "B" With Clip on Shade

EU INDEX

RL1090NB-L-EU
H: 160.7cm | W: 53.3cm
Base: 30.5cm Round
Socket: 2 - E27 Keyless w/Line Switch
Bulb: 2 - 60 A
Shade Details: 50.8cm x 53.3cm x 34.3cm
IP Rating: IP20 Class II

RL1090PN-L-EU
H: 160.7cm | W: 53.3cm
Base: 30.5cm Round
Socket: 2 - E27 Keyless w/Line Switch
Bulb: 2 - 60 A
Shade Details: 50.8cm x 53.3cm x 34.3cm
IP Rating: IP20 Class II

RL11094BN-EU
H: 58.4cm - 76.2cm | W: 31.1cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class II

RL11094PN-EU
H: 58.4cm - 76.2cm | W: 31.1cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class II

RL11165BN-EU
H: 104.1cm - 142.2cm | W: 25.4cm | Ext.: 38.1cm
Base: 25.4cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class II

RL11165PN-EU
H: 104.1cm - 142.2cm | W: 25.4cm | Ext.: 38.1cm
Base: 25.4cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class II

RL11167BN-P-EU
H: 76.2cm - 83.8cm | W: 66cm
Base: 23.5cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 17.8cm x 66cm x 36.8cm
IP Rating: IP20 Class I

RL11167BZ-P-EU
H: 76.2cm - 83.8cm | W: 66cm
Base: 23.5cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 17.8cm x 66cm x 36.8cm
IP Rating: IP20 Class I

RL11167PS-P-EU
H: 76.2cm - 83.8cm | W: 66cm
Base: 23.5cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 17.8cm x 66cm x 36.8cm
IP Rating: IP20 Class I

RL11170BLK-EU
H: 111.8cm - 167.6cm | W: 28.6cm | Ext.: 83.8cm
Base: 28.6cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class II

RL11170PN-EU
H: 111.8cm - 167.6cm | W: 28.6cm | Ext.: 83.8cm
Base: 28.6cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class II

RL11173BLK-EU
H: 114.3cm | W: 20.3cm | Ext.: 96.5cm
Base: 20.3cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class I

RL11173PN-EU
H: 114.3cm | W: 20.3cm | Ext.: 96.5cm
Base: 20.3cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class I

RL11180EBO-EU
H: 165.1cm - 196.8cm | W: 61cm
Base: 61cm Tripod
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class I

EU INDEX

RL11180PN-EU
H: 165.1cm - 196.8cm | W: 61cm
Base: 61cm Tripod
Socket: E27 Keyless w/Line Switch
Bulb: 15 LED A
IP Rating: IP20 Class I

RL1250NB-EU
H: 134.6cm - 160cm | W: 20.3cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 40 B
IP Rating: IP20 Class II

RL1250PN-EU
H: 134.6cm - 160cm | W: 20.3cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 40 B
IP Rating: IP20 Class II

RL1320NB-CA-EU
H: 112.4cm - 145.4cm | W: 27.9cm | Ext.: 67.3cm
Base: 27.9cm Round
Socket: Dedicated LED
w/Memory Dimmer Switch
Bulb: 9w (750lm)
IP Rating: IP20 Class III

RL1320PN-CA-EU
H: 112.4cm - 145.4cm | W: 27.9cm | Ext.: 67.3cm
Base: 27.9cm Round
Socket: Dedicated LED
w/Memory Dimmer Switch
Bulb: 9w (750lm)
IP Rating: IP20 Class III

RL1388BZ-EU
H: 182.9cm | W: 61cm | Ext.: 40cm
Base: 35.6cm x 61cm Rec.
Socket: Dedicated LED w/Dimmer on Cord
Bulb: 9w (650lm)
IP Rating: IP20 Class III

RL1388NB-EU
H: 182.9cm | W: 61cm | Ext.: 40cm
Base: 35.6cm x 61cm Rec.
Socket: Dedicated LED w/Dimmer on Cord
Bulb: 9w (650lm)
IP Rating: IP20 Class III

RL1388PN-EU
H: 182.9cm | W: 61cm | Ext.: 40cm
Base: 35.6cm x 61cm Rec.
Socket: Dedicated LED w/Dimmer on Cord
Bulb: 9w (650lm)
IP Rating: IP20 Class III

RL14021BN-EU
H: 27.9cm | W: 15.2cm | Ext.: 17.8cm
Backplate: 6.4cm x 12.7cm Rec.
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 10.2cm x 15.2cm x 13.3cm
IP Rating: IP20 Class I

RL14021BZ-EU
H: 27.9cm | W: 15.2cm | Ext.: 17.8cm
Backplate: 6.4cm x 12.7cm Rec.
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 10.2cm x 15.2cm x 13.3cm
IP Rating: IP20 Class I

RL14021PN-EU
H: 27.9cm | W: 15.2cm | Ext.: 17.8cm
Backplate: 6.4cm x 12.7cm Rec.
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 10.2cm x 15.2cm x 13.3cm
IP Rating: IP20 Class I

RL14028BN-EU
H: 113cm - 168.9cm | W: 25.4cm | Ext.: 77.5cm
Base: 25.4cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 9 LED B
IP Rating: IP20 Class II

RL14028BZ-EU
H: 113cm - 168.9cm | W: 25.4cm | Ext.: 77.5cm
Base: 25.4cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 9 LED B
IP Rating: IP20 Class II

RL14028PN-EU
H: 113cm - 168.9cm | W: 25.4cm | Ext.: 77.5cm
Base: 25.4cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 9 LED B
IP Rating: IP20 Class II

EU INDEX

RL14029BN-EU
H: 22.9cm - 43.2cm | W: 78.7cm
Backplate: 12.7cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 40 A
IP Rating: IP20 Class II

RL14029BZ-EU
H: 22.9cm - 43.2cm | W: 78.7cm
Backplate: 12.7cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 40 A
IP Rating: IP20 Class II

RL14029PN-EU
H: 22.9cm - 43.2cm | W: 78.7cm
Backplate: 12.7cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 40 A
IP Rating: IP20 Class II

RL14030BN-EU
H: 88.9cm | W: 20.3cm | Ext.: 71.1cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 8 LED B
IP Rating: IP20 Class II

RL14030BZ-EU
H: 88.9cm | W: 20.3cm | Ext.: 71.1cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 8 LED B
IP Rating: IP20 Class II

RL14030PN-EU
H: 88.9cm | W: 20.3cm | Ext.: 71.1cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 8 LED B
IP Rating: IP20 Class II

RL14040PN-S-EU
H: 71.1cm - 81.3cm | W: 53.3cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 25.4cm x 53.3cm x 33.7cm
IP Rating: IP20 Class II

RL14042BK-L-EU
H: 58.4cm - 64.8cm | W: 38.1cm
Base: 21.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 35.6cm x 38.1cm x 25.4cm
IP Rating: IP20 Class I

RL14042PNCH-L-EU
H: 58.4cm - 64.8cm | W: 38.1cm
Base: 21.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 35.6cm x 38.1cm x 25.4cm
IP Rating: IP20 Class I

RL14042PN-L-EU
H: 58.4cm - 64.8cm | W: 38.1cm
Base: 21.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 35.6cm x 38.1cm x 25.4cm
IP Rating: IP20 Class I

RL1450NB-NVY-EU
H: 135.3cm | W: 25.4cm | Ext.: 43.2cm - 50.8cm
Base: 25.4cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 40 A
IP Rating: IP20 Class II

RL1450NB-SDL-EU
H: 135.3cm | W: 25.4cm | Ext.: 43.2cm - 50.8cm
Base: 25.4cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 40 A
IP Rating: IP20 Class II

RL1450PN-CHC-EU
H: 135.3cm | W: 25.4cm | Ext.: 43.2cm - 50.8cm
Base: 25.4cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 40 A
IP Rating: IP20 Class II

RL1491NB/NVY-P-EU
H: 137.2cm - 177.8cm | W: 55.9cm
Base: 25.4cm Round
Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
Shade Details: 17.1cm x 55.9cm x 31.1cm
IP Rating: IP20 Class II

EU INDEX

RL1491NB/SDL-P-EU
H: 137.2cm - 177.8cm | W: 55.9cm
Base: 25.4cm Round
Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
Shade Details: 17.1cm x 55.9cm x 31.1cm
IP Rating: IP20 Class II

RL1491PN/CHC-P-EU
H: 137.2cm - 177.8cm | W: 55.9cm
Base: 25.4cm Round
Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
Shade Details: 17.1cm x 55.9cm x 31.1cm
IP Rating: IP20 Class II

RL1493NB/NVY-L-EU
H: 168.9cm | W: 55.9cm
Base: 27.9cm Round
Socket: E27 w/Floor Pedal | Bulb: 15 LED A19
Shade Details: 50.8cm x 55.9cm x 34.3cm

RL1493NB/SDL-L-EU
H: 168.9cm | W: 55.9cm
Base: 27.9cm Round
Socket: E27 w/Floor Pedal | Bulb: 15 LED A19
Shade Details: 50.8cm x 55.9cm x 34.3cm

RL1493PN/CHC-L-EU
H: 168.9cm | W: 55.9cm
Base: 27.9cm Round
Socket: E27 w/Floor Pedal | Bulb: 15 LED A19
Shade Details: 50.8cm x 55.9cm x 34.3cm

RL15032BKP-EU
H: 86.4cm | W: 53.3cm
Base: 24.8cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 150 A
Shade Details: 25.4cm x 53.3cm x 33cm
IP Rating: IP20 Class II

RL1522BS-SBP-EU
H: 167.6cm | W: 53.3cm
Base: 30.5cm Round
Socket: E27 w/Floor Pedal | Bulb: 15 LED A19
Shade Details: 50.8cm x 53.3cm x 34.3cm

RL1522NB-SBP-EU
H: 167.6cm | W: 53.3cm
Base: 30.5cm Round
Socket: E27 w/Floor Pedal | Bulb: 15 LED A19
Shade Details: 50.8cm x 53.3cm x 34.3cm

RL1560BZ/TK-WG-EU
H: 90.2cm | W: 17.8cm
Base: 15.9cm Square
Socket: Dedicated LED
Bulb: 40w (3200lm)

RL1560NB/TK-WG-EU
H: 90.2cm | W: 17.8cm
Base: 15.9cm Square
Socket: Dedicated LED
Bulb: 40w (3200lm)

RL1560PN/TK-WG-EU
H: 90.2cm | W: 17.8cm
Base: 15.9cm Square
Socket: Dedicated LED
Bulb: 40w (3200lm)

RL1680WB/NB-NB-EU
H: 133.4cm | W: 26cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 9.5cm x 26cm x 21cm
IP Rating: IP20 Class II

RL1680WB/NB-WP-EU
H: 133.4cm | W: 26cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 9.5cm x 26cm x 21cm
IP Rating: IP20 Class II

RL1680WB/PN-PN-EU
H: 133.4cm | W: 26cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 9.5cm x 26cm x 21cm
IP Rating: IP20 Class II

EU INDEX

RL1680WB/PN-WP-EU
H: 133.4cm | W: 26cm
Base: 20.3cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 9.5cm x 26cm x 21cm
IP Rating: IP20 Class II

RL1702NO-WP-EU
H: 184.2cm | W: 71.1cm
Base: 61.6cm Tri-Leg
Socket: 2 - E27 Keyless | Bulb: 2 - 15 LED A
Shade Details: 68.6cm x 71.1cm x 43.8cm
IP Rating: IP20 Class II

RL1702NRO-WP-EU
H: 184.2cm | W: 71.1cm
Base: 61.6cm Tri-Leg
Socket: 2 - E27 Keyless | Bulb: 2 - 15 LED A
Shade Details: 68.6cm x 71.1cm x 43.8cm
IP Rating: IP20 Class II

RL19022PN-EU
H: 10.8cm | W: 32.4cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL19023PN-EU
H: 11.4cm | W: 45.7cm
Socket: 3 - E27 Keyless
Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL19024BN-EU
H: 14cm | W: 40.6cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL19024PN-EU
H: 14cm | W: 40.6cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL19025BN-EU
H: 12.7cm | W: 31.8cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL19025PN-EU
H: 12.7cm | W: 31.8cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL19026BN-EU
H: 11.4cm | W: 24.1cm
Socket: E27 Keyless
Bulb: 60 A
IP Rating: IP20 Class I

RL19026PN-EU
H: 11.4cm | W: 24.1cm
Socket: E27 Keyless
Bulb: 60 A
IP Rating: IP20 Class I

RL2003AN-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 10.8cm Square
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL2003BZ-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 10.8cm Square
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL2003NB-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 10.8cm Square
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

EU INDEX

RL2003PN-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 10.8cm Square
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL2004AN-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2004BZ-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2004NB-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2004PN-P-EU
H: 24.1cm | W: 12.7cm | Ext.: 18.4cm
Backplate: 6.4cm x 10.8cm Rec.
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2005CG-EU
H: 59.7cm | W: 47cm | Ext.: 31.8cm
Backplate: 14cm Round
Socket: 2 - E14 Candelabra
Bulb: 2 - 60 B
IP Rating: IP20 Class I

RL2007AN-P-EU
H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2007BZ-P-EU
H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2007NB-P-EU
H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2007PN-P-EU
H: 24.1cm | W: 32.4cm | Ext.: 17.1cm
Backplate: 10.8cm Square
Socket: 2 - E14 Candelabra | Bulb: 2 - 25 B
Shade Details: 7.6cm x 12.7cm x 11.4cm
IP Rating: IP20 Class I

RL2008BS-EU
H: 29.8cm | W: 13.3cm | Ext.: 24.8cm
Backplate: 12.1cm x 20.3cm Rec.
Socket: E14 Candelabra
Bulb: 5.5 LED C11

RL2008NB-EU
H: 29.8cm | W: 13.3cm | Ext.: 24.8cm
Backplate: 12.1cm x 20.3cm Rec.
Socket: E14 Candelabra
Bulb: 5.5 LED C11

RL2009BS-EU
H: 31.1cm | W: 34.3cm | Ext.: 22.9cm
Backplate: 12.7cm x 19cm Rec.
Socket: 2 - E14 Candelabra
Bulb: 2 - 5.5 LED C11

RL2009NB-EU
H: 31.1cm | W: 34.3cm | Ext.: 22.9cm
Backplate: 12.7cm x 19cm Rec.
Socket: 2 - E14 Candelabra
Bulb: 2 - 5.5 LED C11

EU INDEX

RL2010AN-P-EU
H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 Keyless | Bulb: 60 A
Shade Details: 20.3cm x 25.4cm x 19cm Nordy
IP Rating: IP20 Class I

RL2010BZ-P-EU
H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 Keyless | Bulb: 60 A
Shade Details: 20.3cm x 25.4cm x 19cm Nordy
IP Rating: IP20 Class I

RL2010NB-P-EU
H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 Keyless | Bulb: 60 A
Shade Details: 20.3cm x 25.4cm x 19cm Nordy
IP Rating: IP20 Class I

RL2010PN-P-EU
H: 32.4cm | W: 25.4cm | Ext.: 27.9cm - 49.5cm
Backplate: 10.8cm Square
Socket: E27 Keyless | Bulb: 60 A
Shade Details: 20.3cm x 25.4cm x 19cm Nordy
IP Rating: IP20 Class I

RL2025BZ-WG-EU
H: 43.2cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 33cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2025NB-WG-EU
H: 43.2cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 33cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2025PN-WG-EU
H: 43.2cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 33cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2026BZ-WG-EU
H: 66cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 55.9cm Rec.
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL2026NB-WG-EU
H: 66cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 55.9cm Rec.
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL2026PN-WG-EU
H: 66cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 55.9cm Rec.
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL2027BZ-WG-EU
H: 86.4cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 77.5cm Rec.
Socket: 4 - E27 Keyless | Bulb: 4 - 60 A
IP Rating: IP20 Class I

RL2027NB-WG-EU
H: 86.4cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 77.5cm Rec.
Socket: 4 - E27 Keyless | Bulb: 4 - 60 A
IP Rating: IP20 Class I

RL2027PN-WG-EU
H: 86.4cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 10.2cm x 77.5cm Rec.
Socket: 4 - E27 Keyless | Bulb: 4 - 60 A
IP Rating: IP20 Class I

RL2031BZ-EC-EU
H: 33cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 35.6cm Rec.
Socket: Dedicated LED | Bulb: 12w (1600lm)
IP Rating: IP20 Class I

EU INDEX

RL2031NB-EC-EU
H: 33cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 35.6cm Rec.
Socket: Dedicated LED | Bulb: 12w (1600lm)
IP Rating: IP20 Class I

RL2031PN-EC-EU
H: 33cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 35.6cm Rec.
Socket: Dedicated LED | Bulb: 12w (1600lm)
IP Rating: IP20 Class I

RL2032BZ-EC-EU
H: 40.6cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 33.7cm Rec.
Socket: Dedicated LED | Bulb: 18w (2000lm)
IP Rating: IP20 Class I

RL2032NB-EC-EU
H: 40.6cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 33.7cm Rec.
Socket: Dedicated LED | Bulb: 18w (2000lm)
IP Rating: IP20 Class I

RL2032PN-EC-EU
H: 40.6cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 33.7cm Rec.
Socket: Dedicated LED | Bulb: 18w (2000lm)
IP Rating: IP20 Class I

RL2033BZ-EC-EU
H: 61cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 52.7cm Rec.
Socket: Dedicated LED | Bulb: 24w (2400lm)
IP Rating: IP20 Class I

RL2033NB-EC-EU
H: 61cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 52.7cm Rec.
Socket: Dedicated LED | Bulb: 24w (2400lm)
IP Rating: IP20 Class I

RL2033PN-EC-EU
H: 61cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 52.7cm Rec.
Socket: Dedicated LED | Bulb: 24w (2400lm)
IP Rating: IP20 Class I

RL2034BZ-EC-EU
H: 76.2cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 66.7cm Rec.
Socket: Dedicated LED | Bulb: 24w (2800lm)
IP Rating: IP20 Class I

RL2034NB-EC-EU
H: 76.2cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 66.7cm Rec.
Socket: Dedicated LED | Bulb: 24w (2800lm)
IP Rating: IP20 Class I

RL2034PN-EC-EU
H: 76.2cm | W: 7cm | Ext.: 10.2cm
Backplate: 6.4cm x 66.7cm Rec.
Socket: Dedicated LED | Bulb: 24w (2800lm)
IP Rating: IP20 Class I

RL2042NB-WG-EU
H: 29.2cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 12.7cm Round
Socket: Dedicated LED | Bulb: 11w (1000lm)
IP Rating: IP20 Class I

RL2042PN-WG-EU
H: 29.2cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 12.7cm Round
Socket: Dedicated LED | Bulb: 11w (1000lm)
IP Rating: IP20 Class I

RL2043NB-WG-EU
H: 45.7cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 12.7cm Round
Socket: Dedicated LED | Bulb: 18w (1500lm)
IP Rating: IP20 Class I

EU INDEX

RL2043PN-WG-EU
H: 45.7cm | W: 12.7cm | Ext.: 10.2cm
Backplate: 12.7cm Round
Socket: Dedicated LED | Bulb: 18w (1500lm)
IP Rating: IP20 Class I

RL2064BZ-EU
H: 31.1cm | W: 25.4cm | Ext.: 12.7cm
Backplate: 10.8cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2064NB-EU
H: 31.1cm | W: 25.4cm | Ext.: 12.7cm
Backplate: 10.8cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2064PN-EU
H: 31.1cm | W: 25.4cm | Ext.: 12.7cm
Backplate: 10.8cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2066BZ-EU
H: 31.8cm | W: 15.2cm | Ext.: 19cm
Backplate: 12.7cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2066NB-EU
H: 31.8cm | W: 15.2cm | Ext.: 19cm
Backplate: 12.7cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2066PN-EU
H: 31.8cm | W: 15.2cm | Ext.: 19cm
Backplate: 12.7cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2080NB-EU
H: 27.9cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL2080PN-EU
H: 27.9cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL2082NB-EU
H: 44.4cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 40 A
IP Rating: IP20 Class I

RL2082PN-EU
H: 44.4cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 40 A
IP Rating: IP20 Class I

RL2084NB-EU
H: 30.5cm | W: 15.2cm | Ext.: 12.7cm
Backplate: x 53.3cm
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2084PN-EU
H: 30.5cm | W: 15.2cm | Ext.: 12.7cm
Backplate: x 53.3cm
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2085NB-EU
H: 47cm | W: 15.2cm | Ext.: 12.7cm
Backplate: 10.8cm x 45.7cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

EU INDEX

RL2085PN-EU
H: 47cm | W: 15.2cm | Ext.: 12.7cm
Backplate: 10.8cm x 45.7cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2086NB-EU
H: 69.8cm | W: 15.2cm | Ext.: 12.7cm
Backplate: 10.8cm x 53.3cm Rec.
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL2086PN-EU
H: 69.8cm | W: 15.2cm | Ext.: 12.7cm
Backplate: 10.8cm x 53.3cm Rec.
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL2092NB-EU
H: 28.6cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Bulb: 40 B
IP Rating: IP20 Class I

RL2092PN-EU
H: 28.6cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Bulb: 40 B
IP Rating: IP20 Class I

RL2093NB-EU
H: 45.1cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL2093PN-EU
H: 45.1cm | W: 11.4cm | Ext.: 12.7cm
Backplate: 11.4cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL2120IS-BK-EU
H: 21cm | W: 17.1cm | Ext.: 23.5cm
Backplate: 10.8cm Round
Socket: E27 Keyless | Bulb: 25 A
IP Rating: IP20 Class I

RL2120IS-IS-EU
H: 21cm | W: 17.1cm | Ext.: 23.5cm
Backplate: 10.8cm Round
Socket: E27 Keyless | Bulb: 25 A
IP Rating: IP20 Class I

RL2120PN-PN-EU
H: 21cm | W: 17.1cm | Ext.: 23.5cm
Backplate: 10.8cm Round
Socket: E27 Keyless | Bulb: 25 A
IP Rating: IP20 Class I

RL2120PN-WT-EU
H: 21cm | W: 17.1cm | Ext.: 23.5cm
Backplate: 10.8cm Round
Socket: E27 Keyless | Bulb: 25 A
IP Rating: IP20 Class I

RL2162BZ-WG-EU
H: 30.5cm | W: 15.2cm | Ext.: 9.5cm
Backplate: 11.4cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL2162NB-WG-EU
H: 30.5cm | W: 15.2cm | Ext.: 9.5cm
Backplate: 11.4cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL2162PN-WG-EU
H: 30.5cm | W: 15.2cm | Ext.: 9.5cm
Backplate: 11.4cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

EU INDEX

RL2164BZ-WG-EU
H: 60.3cm | W: 12.7cm
Backplate: 8.3cm x 53.3cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP44 Class I

RL2164NB-WG-EU
H: 60.3cm | W: 12.7cm
Backplate: 8.3cm x 53.3cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP44 Class I

RL2164PN-WG-EU
H: 60.3cm | W: 12.7cm
Backplate: 8.3cm x 53.3cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP44 Class I

RL2165BZ-WG-EU
H: 90.8cm | W: 12.7cm
Backplate: 8.3cm x 83.8cm Rec.
Socket: 4 - E27 Keyless | Bulb: 4 - 25 A
IP Rating: IP44 Class I

RL2165NB-WG-EU
H: 90.8cm | W: 12.7cm
Backplate: 8.3cm x 83.8cm Rec.
Socket: 4 - E27 Keyless | Bulb: 4 - 25 A
IP Rating: IP44 Class I

RL2165PN-WG-EU
H: 90.8cm | W: 12.7cm
Backplate: 8.3cm x 83.8cm Rec.
Socket: 4 - E27 Keyless | Bulb: 4 - 25 A
IP Rating: IP44 Class I

RL2180BZ-EU
H: 19cm | W: 13.3cm | Ext.: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 Candelabra | Bulb: 60 G
IP Rating: IP20 Class I

RL2180NB-EU
H: 19cm | W: 13.3cm | Ext.: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 Candelabra | Bulb: 60 G
IP Rating: IP20 Class I

RL2180PN-EU
H: 19cm | W: 13.3cm | Ext.: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 Candelabra | Bulb: 60 G
IP Rating: IP20 Class I

RL2180WZ-EU
H: 19cm | W: 13.3cm | Ext.: 12.1cm
Backplate: 13.3cm x 17.8cm Triangle
Socket: E14 Candelabra | Bulb: 60 G
IP Rating: IP20 Class I

RL2181BZ-EU
H: 26.7cm | W: 19cm | Ext.: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2181NB-EU
H: 26.7cm | W: 19cm | Ext.: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2181PN-EU
H: 26.7cm | W: 19cm | Ext.: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2181WZ-EU
H: 26.7cm | W: 19cm | Ext.: 15.9cm
Backplate: 25.4cm x 19cm Triangle
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

EU INDEX

RL2220NB-EU
H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 Candelabra | Bulb: 40 B
IP Rating: IP20 Class I

RL2220NB-NB-EU
H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 Candelabra | Bulb: 40 B
IP Rating: IP20 Class I

RL2220PN-EU
H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 Candelabra | Bulb: 40 B
IP Rating: IP20 Class I

RL2220PN-PN-EU
H: 31.8cm | W: 11.4cm | Ext.: 22.9cm
Backplate: 11.4cm x 2.5cm Round
Socket: E14 Candelabra | Bulb: 40 B
IP Rating: IP20 Class I

RL2231AG-S-EU
H: 63.5cm | W: 35.6cm | Ext.: 25.4cm
Backplate: 14cm x 19cm Oval
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL2231ASL-S-EU
H: 63.5cm | W: 35.6cm | Ext.: 25.4cm
Backplate: 14cm x 19cm Oval
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL2231GI-S-EU
H: 63.5cm | W: 35.6cm | Ext.: 25.4cm
Backplate: 14cm x 19cm Oval
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL2250NB-EU
H: 25.4cm | W: 17.1cm
Backplate: 12.1cm Round
Socket: E14 Candelabra | Bulb: 8 LED B
IP Rating: IP20 Class I

RL2250PN-EU
H: 25.4cm | W: 17.1cm
Backplate: 12.1cm Round
Socket: E14 Candelabra | Bulb: 8 LED B
IP Rating: IP20 Class I

RL2252NB-EU
H: 25.4cm | W: 15 - 47cm | Ext.: 17.8cm - 26cm
Backplate: 12.1cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 8 LED B
IP Rating: IP20 Class I

RL2252PN-EU
H: 25.4cm | W: 15 - 47cm | Ext.: 17.8cm - 26cm
Backplate: 12.1cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 8 LED B
IP Rating: IP20 Class I

RL2260NB-EU
H: 25.4cm | W: 17.1cm | Ext.: 44.5cm - 59cm
Backplate: 12.1cm Round
Socket: E14 Candelabra | Bulb: 8 LED B
IP Rating: IP20 Class I

RL2260PN-EU
H: 25.4cm | W: 17.1cm | Ext.: 44.5cm - 59cm
Backplate: 12.1cm Round
Socket: E14 Candelabra | Bulb: 8 LED B
IP Rating: IP20 Class I

RL2270NB-EU
H: 30.5cm | W: 17.1cm
Backplate: 12.1cm Round
Socket: E14 Candelabra | Bulb: 8 LED B
IP Rating: IP20 Class I

EU INDEX

RL2270PN-EU
H: 30.5cm | W: 17.1cm
Backplate: 12.1cm Round
Socket: E14 Candelabra | Bulb: 8 LED B
IP Rating: IP20 Class I

RL2275BZ-EU
H: 5.7cm | W: 22.9cm | Ext.: 31.1cm
Backplate: 5.1cm x 8.9cm Rec.
Socket: E27 Keyless | Bulb: 25 T
IP Rating: IP20 Class I

RL2275NB-EU
H: 5.7cm | W: 22.9cm | Ext.: 31.1cm
Backplate: 5.1cm x 8.9cm Rec.
Socket: E27 Keyless | Bulb: 25 T
IP Rating: IP20 Class I

RL2275PN-EU
H: 5.7cm | W: 22.9cm | Ext.: 31.1cm
Backplate: 5.1cm x 8.9cm Rec.
Socket: E27 Keyless | Bulb: 25 T
IP Rating: IP20 Class I

RL2276BZ-EU
H: 5.7cm | W: 40.6cm | Ext.: 31.1cm
Backplate: 5.1cm x 28.6cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
IP Rating: IP20 Class I

RL2276NB-EU
H: 5.7cm | W: 40.6cm | Ext.: 31.1cm
Backplate: 5.1cm x 28.6cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
IP Rating: IP20 Class I

RL2276PN-EU
H: 5.7cm | W: 40.6cm | Ext.: 31.1cm
Backplate: 5.1cm x 28.6cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
IP Rating: IP20 Class I

RL2277BZ-EU
H: 5.7cm | W: 61cm | Ext.: 31.1cm
Backplate: 5.1cm x 49.5cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
IP Rating: IP20 Class I

RL2277NB-EU
H: 5.7cm | W: 61cm | Ext.: 31.1cm
Backplate: 5.1cm x 49.5cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
IP Rating: IP20 Class I

RL2277PN-EU
H: 5.7cm | W: 61cm | Ext.: 31.1cm
Backplate: 5.1cm x 49.5cm Rec.
Socket: 2 - E27 Keyless | Bulb: 2 - 25 T
IP Rating: IP20 Class I

RL2280AG-CG-EU
H: 61.6cm | W: 31.8cm | Ext.: 20.3cm
Backplate: 12.7cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL2280ASL-CG-EU
H: 61.6cm | W: 31.8cm | Ext.: 20.3cm
Backplate: 12.7cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL2280GI-CG-EU
H: 61.6cm | W: 31.8cm | Ext.: 20.3cm
Backplate: 12.7cm Round
Socket: 2 - E14 Candelabra | Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL2329AI-L-EU
H: 88.9cm | W: 33cm | Ext.: 19.7cm
Backplate: 12.7cm x 13.3cm Rec.
Socket: E27 Keyless | Bulb: 60 A
Shade Details: 19.7cm x 31.8cm x 22.2cm Shield
IP Rating: IP20 Class I

EU INDEX

RL2330CG/NB-L-EU
H: 38.7cm | W: 12.7cm | Ext.: 17.8cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm
IP Rating: IP20 Class I

RL2330CG/PN-L-EU
H: 38.7cm | W: 12.7cm | Ext.: 17.8cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 9.5cm x 12.7cm x 12.1cm
IP Rating: IP20 Class I

RL2370AI-CG-EU
H: 58.4cm | W: 24.1cm | Ext.: 27.9cm
Backplate: 12.7cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP22 Class I

RL2400NB-EU
H: 26.7cm | W: 10.8cm | Ext.: 12.7cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP22 Class I

RL2400PN-EU
H: 26.7cm | W: 10.8cm | Ext.: 12.7cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP22 Class I

RL2401NB-EU
H: 42.5cm | W: 10.8cm | Ext.: 12.7cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 18w (1500lm)
IP Rating: IP22 Class I

RL2401PN-EU
H: 42.5cm | W: 10.8cm | Ext.: 12.7cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 18w (1500lm)
IP Rating: IP22 Class I

RL2403NB-EU
H: 76.2cm | W: 8.9cm | Ext.: 12.7cm
Backplate: 6.4cm x 76.2cm Rec.
Socket: Dedicated LED | Bulb: 20w (1600lm)
IP Rating: IP22 Class I

RL2403PN-EU
H: 76.2cm | W: 8.9cm | Ext.: 12.7cm
Backplate: 6.4cm x 76.2cm Rec.
Socket: Dedicated LED | Bulb: 20w (1600lm)
IP Rating: IP22 Class I

RL2452NB-NVY-EU
H: 17.8cm - 34.3cm | W: 12.7cm
Ext.: 35.6cm - 45.7cm
Backplate: 12.1cm Round
Socket: E27 On/Off | Bulb: 40 A
IP Rating: IP20 Class I

RL2452NB-SDL-EU
H: 17.8cm - 34.3cm | W: 12.7cm
Ext.: 35.6cm - 45.7cm
Backplate: 12.1cm Round
Socket: E27 On/Off | Bulb: 40 A
IP Rating: IP20 Class I

RL2452PN-CHC-EU
H: 17.8cm - 34.3cm | W: 12.7cm
Ext.: 35.6cm - 45.7cm
Backplate: 12.1cm Round
Socket: E27 On/Off | Bulb: 40 A
IP Rating: IP20 Class I

RL2454NB-NVY-EU
H: 17.8cm - 36.8cm | W: 12.7cm
Ext.: 27.9cm - 69.2cm
Backplate: 12.1cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL2454NB-SDL-EU
H: 17.8cm - 36.8cm | W: 12.7cm
Ext.: 27.9cm - 69.2cm
Backplate: 12.1cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

EU INDEX

RL2454PN-CHC-EU
H: 17.8cm - 36.8cm | W: 12.7cm
Ext.: 27.9cm - 69.2cm
Backplate: 12.1cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL2500BZ-L-EU
H: 47.6cm | W: 35.6cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 75 A
Shade Details: 15.2cm x 35.6cm x 22.9cm
IP Rating: IP20 Class II

RL2500NB-L-EU
H: 47.6cm | W: 35.6cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 75 A
Shade Details: 15.2cm x 35.6cm x 22.9cm
IP Rating: IP20 Class II

RL2500PN-L-EU
H: 47.6cm | W: 35.6cm
Backplate: 7.6cm x 30.5cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 75 A
Shade Details: 15.2cm x 35.6cm x 22.9cm
IP Rating: IP20 Class II

RL2530BZ-EU
H: 33cm | W: 15.2cm | Ext.: 19cm
Backplate: 10.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2530NB-EU
H: 33cm | W: 15.2cm | Ext.: 19cm
Backplate: 10.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2530PN-EU
H: 33cm | W: 15.2cm | Ext.: 19cm
Backplate: 10.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2534NB-WG-EU
H: 59.1cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 59.1cm Rec.
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP20 Class I

RL2534PN-WG-EU
H: 59.1cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 59.1cm Rec.
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP20 Class I

RL2535NB-WG-EU
H: 87.6cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 86.4cm Rec.
Socket: Dedicated LED | Bulb: 18w (1250lm)
IP Rating: IP20 Class I

RL2535PN-WG-EU
H: 87.6cm | W: 13.3cm | Ext.: 11.4cm
Backplate: 10.2cm x 86.4cm Rec.
Socket: Dedicated LED | Bulb: 18w (1250lm)
IP Rating: IP20 Class I

RL2550BZ-WG-EU
H: 50.8cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2550NB-WG-EU
H: 50.8cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL2550PN-WG-EU
H: 50.8cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: 2 - E27 Keyless | Bulb: 2 - 60 A
IP Rating: IP20 Class I

EU INDEX

RL2551BZ-WG-EU
H: 38.7cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2551NB-WG-EU
H: 38.7cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2551PN-WG-EU
H: 38.7cm | W: 20.3cm | Ext.: 27.9cm
Backplate: 13.3cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL2560BZ/TK-WG-EU
H: 34.3cm | W: 12.7cm | Ext.: 15.2cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 25w (2000lm)

RL2560NB/TK-WG-EU
H: 34.3cm | W: 12.7cm | Ext.: 15.2cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 25w (2000lm)

RL2560PN/TK-WG-EU
H: 34.3cm | W: 12.7cm | Ext.: 15.2cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 25w (2000lm)

RL2565BZ/TK-WG-EU
H: 61cm | W: 10.2cm | Ext.: 13.3cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 35w (2800lm)

RL2565NB/TK-WG-EU
H: 61cm | W: 10.2cm | Ext.: 13.3cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 35w (2800lm)

RL2565PN/TK-WG-EU
H: 61cm | W: 10.2cm | Ext.: 13.3cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 35w (2800lm)

RL2566BZ/TK-WG-EU
H: 81.3cm | W: 10.2cm | Ext.: 13.3cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 40w (3200lm)

RL2566NB/TK-WG-EU
H: 81.3cm | W: 10.2cm | Ext.: 13.3cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 40w (3200lm)

RL2566PN/TK-WG-EU
H: 81.3cm | W: 10.2cm | Ext.: 13.3cm
Backplate: 7.6cm x 10.2cm Rec.
Socket: Dedicated LED
Bulb: 40w (3200lm)

RL2570NB/NRO-L-EU
H: 34.9cm | W: 19.7cm | Ext.: 21cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 19.7cm x 12.1cm
IP Rating: IP20 Class I

RL2570PN/BKE-L-EU
H: 34.9cm | W: 19.7cm | Ext.: 21cm
Backplate: 11.4cm Round
Socket: E14 Candelabra | Bulb: 25 B
Shade Details: 7.6cm x 19.7cm x 12.1cm
IP Rating: IP20 Class I

EU INDEX

RL2590NB/NRO-L-EU
H: 76.2cm | W: 31.8cm | Ext.: 20.3cm
Backplate: 10.8cm Square
Socket: E27 Keyless | Bulb: 40 A
Shade Details: 29.8cm x 31.8cm x 21cm
IP Rating: IP20 Class I

RL2590PN/BKE-L-EU
H: 76.2cm | W: 31.8cm | Ext.: 20.3cm
Backplate: 10.8cm Square
Socket: E27 Keyless | Bulb: 40 A
Shade Details: 29.8cm x 31.8cm x 21cm
IP Rating: IP20 Class I

RL2611NB/NVY-L-EU
H: 31.1cm | W: 15.2cm | Ext.: 19.7cm
Backplate: 13.3cm Round
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL2611NB/SDL-L-EU
H: 31.1cm | W: 15.2cm | Ext.: 19.7cm
Backplate: 13.3cm Round
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL2611PN/CHC-L-EU
H: 31.1cm | W: 15.2cm | Ext.: 19.7cm
Backplate: 13.3cm Round
Socket: E14 Candelabra | Bulb: 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL2680WB/NB-NB-EU
H: 30.5cm | W: 21cm | Ext.: 31.8cm
Backplate: 12.7cm Round
Socket: E14 Candelabra | Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

RL2680WB/NB-WP-EU
H: 30.5cm | W: 21cm | Ext.: 31.8cm
Backplate: 12.7cm Round
Socket: E14 Candelabra | Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

RL2680WB/PN-PN-EU
H: 30.5cm | W: 21cm | Ext.: 31.8cm
Backplate: 12.7cm Round
Socket: E14 Candelabra | Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

RL2680WB/PN-WP-EU
H: 30.5cm | W: 21cm | Ext.: 31.8cm
Backplate: 12.7cm Round
Socket: E14 Candelabra | Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

RL2721NB-EU
H: 17.8cm - 22.9cm | W: 7.6cm
Ext.: 16.5cm - 47cm
Backplate: 7.6cm x 12.1cm Rec.
Socket: Dedicated LED | Bulb: 9w (900lm)
IP Rating: IP20 Class II

RL2721PN-EU
H: 17.8cm - 22.9cm | W: 7.6cm
Ext.: 16.5cm - 47cm
Backplate: 7.6cm x 12.1cm Rec.
Socket: Dedicated LED | Bulb: 9w (900lm)
IP Rating: IP20 Class II

RL2722NB-EU
H: 10.8cm | W: 30.5cm | Ext.: 21.6cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 14w (1300lm)
IP Rating: IP20 Class I

RL2722PN-EU
H: 10.8cm | W: 30.5cm | Ext.: 21.6cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 14w (1300lm)
IP Rating: IP20 Class I

RL2723NB-EU
H: 10.8cm | W: 45.7cm | Ext.: 21.6cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 23w (2200lm)
IP Rating: IP20 Class I

EU INDEX

RL2723PN-EU
H: 10.8cm | W: 45.7cm | Ext.: 21.6cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 23w (2200lm)
IP Rating: IP20 Class I

RL2724NB-EU
H: 10.8cm | W: 61cm | Ext.: 21.6cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 32w (3000lm)
IP Rating: IP20 Class I

RL2724PN-EU
H: 10.8cm | W: 61cm | Ext.: 21.6cm
Backplate: 10.8cm Round
Socket: Dedicated LED | Bulb: 32w (3000lm)
IP Rating: IP20 Class I

RL2729NB-EU
H: 14.6cm - 21cm | W: 7.6cm
Ext.: 21.6cm - 23.5cm
Backplate: 7.6cm x 12.1cm Rec.
Socket: Dedicated LED | Bulb: 9w (900lm)
IP Rating: IP20 Class II

RL2729PN-EU
H: 14.6cm - 21cm | W: 7.6cm
Ext.: 21.6cm - 23.5cm
Backplate: 7.6cm x 12.1cm Rec.
Socket: Dedicated LED | Bulb: 9w (900lm)
IP Rating: IP20 Class II

RL2733FR-CG-EU
H: 61.6cm | W: 34.3cm | Ext.: 23.5cm
Backplate: 21.6cm x 34.3cm Trapezoid
Socket: 3 - E14 Keyless | Bulb: 3 - 60 B
IP Rating: IP20 Class I

RL2733WVG-CG-EU
H: 61.6cm | W: 34.3cm | Ext.: 23.5cm
Backplate: 21.6cm x 34.3cm Trapezoid
Socket: 3 - E14 Keyless | Bulb: 3 - 60 B
IP Rating: IP20 Class I

RL2760BZ-EU
H: 37.5cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 37.5cm Rec.
Socket: Dedicated LED | Bulb: 12w (960lm)
IP Rating: IP44 Class I

RL2760NB-EU
H: 37.5cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 37.5cm Rec.
Socket: Dedicated LED | Bulb: 12w (960lm)
IP Rating: IP44 Class I

RL2760PN-EU
H: 37.5cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 37.5cm Rec.
Socket: Dedicated LED | Bulb: 12w (960lm)
IP Rating: IP44 Class I

RL2761BZ-EU
H: 50.2cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 50.2cm Rec.
Socket: Dedicated LED | Bulb: 18w (1500lm)
IP Rating: IP44 Class I

RL2761NB-EU
H: 50.2cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 50.2cm Rec.
Socket: Dedicated LED | Bulb: 18w (1500lm)
IP Rating: IP44 Class I

RL2761PN-EU
H: 50.2cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 50.2cm Rec.
Socket: Dedicated LED | Bulb: 18w (1500lm)
IP Rating: IP44 Class I

RL2762BZ-EU
H: 70.5cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 70.5cm Rec.
Socket: Dedicated LED | Bulb: 24w (1900lm)
IP Rating: IP44 Class I

EU INDEX

RL2762NB-EU
H: 70.5cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 70.5cm Rec.
Socket: Dedicated LED | Bulb: 24w (1900lm)
IP Rating: IP44 Class I

RL2762PN-EU
H: 70.5cm | W: 13.3cm | Ext.: 13.3cm
Backplate: 11.4cm x 70.5cm Rec.
Socket: Dedicated LED | Bulb: 24w (1900lm)
IP Rating: IP44 Class I

RL2768BZ-WG-EU
H: 66cm | W: 11.4cm | Ext.: 5.7cm
Backplate: 11.4cm x 66cm Rec.
Socket: Dedicated LED
Bulb: 21w (1900lm)

RL2768NB-WG-EU
H: 66cm | W: 11.4cm | Ext.: 5.7cm
Backplate: 11.4cm x 66cm Rec.
Socket: Dedicated LED
Bulb: 21w (1900lm)

RL2768PN-WG-EU
H: 66cm | W: 11.4cm | Ext.: 5.7cm
Backplate: 11.4cm x 66cm Rec.
Socket: Dedicated LED
Bulb: 21w (1900lm)

RL2769BZ-WG-EU
H: 81.3cm | W: 11.4cm | Ext.: 5.7cm
Backplate: 11.4cm x 81.3cm Rec.
Socket: Dedicated LED
Bulb: 28w (2100lm)

RL2769NB-WG-EU
H: 81.3cm | W: 11.4cm | Ext.: 5.7cm
Backplate: 11.4cm x 81.3cm Rec.
Socket: Dedicated LED
Bulb: 28w (2100lm)

RL2769PN-WG-EU
H: 81.3cm | W: 11.4cm | Ext.: 5.7cm
Backplate: 11.4cm x 81.3cm Rec.
Socket: Dedicated LED
Bulb: 28w (2100lm)

RL2780NB-EU
H: 6.4cm | W: 33cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP20 Class I

RL2780PN-EU
H: 6.4cm | W: 33cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 12w (1000lm)
IP Rating: IP20 Class I

RL2781NB-EU
H: 6.4cm | W: 61cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 36w (3000lm)
IP Rating: IP20 Class I

RL2781PN-EU
H: 6.4cm | W: 61cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 36w (3000lm)
IP Rating: IP20 Class I

RL2782NB-EU
H: 6.4cm | W: 81.3cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 36w (3000lm)
IP Rating: IP20 Class I

RL2782PN-EU
H: 6.4cm | W: 81.3cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 36w (3000lm)
IP Rating: IP20 Class I

EU INDEX

RL2783NB-EU
H: 6.4cm | W: 101.6cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 36w (3000lm)
IP Rating: IP20 Class I

RL2783PN-EU
H: 6.4cm | W: 101.6cm | Ext.: 20.3cm
Backplate: 7.6cm x 21cm Rec.
Socket: Dedicated LED | Bulb: 36w (3000lm)
IP Rating: IP20 Class I

RL2786BZ-EU
H: 6.4cm | W: 33cm | Ext.: 12.7cm - 14.6cm
Backplate: 12.1cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 9w (650lm)
IP Rating: IP20 Class I

RL2786NB-EU
H: 6.4cm | W: 33cm | Ext.: 12.7cm - 14.6cm
Backplate: 12.1cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 9w (650lm)
IP Rating: IP20 Class I

RL2786PN-EU
H: 6.4cm | W: 33cm | Ext.: 12.7cm - 14.6cm
Backplate: 12.1cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 9w (650lm)
IP Rating: IP20 Class I

RL2787BZ-EU
H: 6.4cm | W: 61cm | Ext.: 12.7cm - 14.6cm
Backplate: 30.5cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 18w (1250lm)
IP Rating: IP20 Class I

RL2787NB-EU
H: 6.4cm | W: 61cm | Ext.: 12.7cm - 14.6cm
Backplate: 30.5cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 18w (1250lm)
IP Rating: IP20 Class I

RL2787PN-EU
H: 6.4cm | W: 61cm | Ext.: 12.7cm - 14.6cm
Backplate: 30.5cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 18w (1250lm)
IP Rating: IP20 Class I

RL2788BZ-EU
H: 6.4cm | W: 91.4cm | Ext.: 12.7cm - 14.6cm
Backplate: 61cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 27 w (1850lm)
IP Rating: IP20 Class I

RL2788NB-EU
H: 6.4cm | W: 91.4cm | Ext.: 12.7cm - 14.6cm
Backplate: 61cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 27 w (1850lm)
IP Rating: IP20 Class I

RL2788PN-EU
H: 6.4cm | W: 91.4cm | Ext.: 12.7cm - 14.6cm
Backplate: 61cm x 6.4cm Rec.
Socket: Dedicated LED | Bulb: 27 w (1850lm)
IP Rating: IP20 Class I

RL2790NB/AI-EU
H: 27.3cm | W: 19cm | Ext.: 17.8cm
Backplate: 19cm x 26.7cm Oval
Socket: E14 Candelabra | Bulb: 5.5 LED B11
IP Rating: IP20 Class I

RL2791NB/AI-EU
H: 31.8cm | W: 28.6cm | Ext.: 19.7cm
Backplate: 19cm x 26.7cm Oval
Socket: 2 - E14 Candelabra | Bulb: 2 - 5.5 LED B11
IP Rating: IP20 Class I

RL2815BZ-WG-EU
H: 43.2cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 36.8cm Rec.
Socket: Dedicated LED
Bulb: 13w (1000lm)

EU INDEX

RL2815NB-WG-EU
H: 43.2cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 36.8cm Rec.
Socket: Dedicated LED
Bulb: 13w (1000lm)

RL2815PN-WG-EU
H: 43.2cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 36.8cm Rec.
Socket: Dedicated LED
Bulb: 13w (1000lm)

RL2816BZ-WG-EU
H: 66cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 59.7cm Rec.
Socket: Dedicated LED
Bulb: 18w (1800lm)

RL2816NB-WG-EU
H: 66cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 59.7cm Rec.
Socket: Dedicated LED
Bulb: 18w (1800lm)

RL2816PN-WG-EU

H: 66cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 59.7cm Rec.
Socket: Dedicated LED
Bulb: 18w (1800lm)

RL2817BZ-WG-EU
H: 86.4cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 80cm Rec.
Socket: Dedicated LED
Bulb: 31w (2500lm)

RL2817NB-WG-EU
H: 86.4cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 80cm Rec.
Socket: Dedicated LED
Bulb: 31w (2500lm)

RL2817PN-WG-EU
H: 86.4cm | W: 12.7cm | Ext.: 8.9cm
Backplate: 11.4cm x 80cm Rec.
Socket: Dedicated LED
Bulb: 31w (2500lm)

RL2969NB/Q-EU
H: 47.6cm | W: 12.7cm | Ext.: 7.6cm
Backplate: 12.7cm x 47.6cm Rec.
Socket: Dedicated LED
Bulb: 18w (1500lm)
IP Rating: IP20 Class I

RL2969PN/Q-EU
H: 47.6cm | W: 12.7cm | Ext.: 7.6cm
Backplate: 12.7cm x 47.6cm Rec.
Socket: Dedicated LED
Bulb: 18w (1500lm)
IP Rating: IP20 Class I

RL3031BZ/EC-BZ-EU
H: 51.4cm | W: 39.4cm | Base: 20.3cm Round
Socket: Dedicated LED | Bulb: 11w (1000lm)
Shade Details: 39.4cm x 39.4cm x 19cm
IP Rating: IP20 Class I

RL3031NB/EC-NB-EU
H: 51.4cm | W: 39.4cm | Base: 20.3cm Round
Socket: Dedicated LED | Bulb: 11w (1000lm)
Shade Details: 39.4cm x 39.4cm x 19cm
IP Rating: IP20 Class I

RL3031PN/EC-PN-EU
H: 51.4cm | W: 39.4cm | Base: 20.3cm Round
Socket: Dedicated LED | Bulb: 11w (1000lm)
Shade Details: 39.4cm x 39.4cm x 19cm
IP Rating: IP20 Class I

RL3082NB-WP-EU
H: 76.2cm | W: 45.7cm | Base: 21.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 40.6cm x 45.7cm x 30.5cm
IP Rating: IP20 Class II

EU INDEX

RL3082PN-WP-EU
H: 76.2cm | W: 45.7cm | Base: 21.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 40.6cm x 45.7cm x 30.5cm
IP Rating: IP20 Class II

RL3092BS-SBP-EU
H: 85.7cm | W: 55.9cm | Base: 23.5cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 22.9cm x 55.9cm x 38.7cm

RL3092NB-SBP-EU
H: 85.7cm | W: 55.9cm | Base: 23.5cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 22.9cm x 55.9cm x 38.7cm

RL3094NB-L-EU
H: 72.4cm | W: 44.4cm
Base: 22.9cm Round
Socket: 2 - E27 Keyless w/Line Switch
Bulb: 2 - 60 A
Shade Details: 42.5cm x 44.4cm x 28.6cm
IP Rating: IP20 Class II

RL3094PN-L-EU
H: 72.4cm | W: 44.4cm
Base: 22.9cm Round
Socket: 2 - E27 Keyless w/Line Switch
Bulb: 2 - 60 A
Shade Details: 42.5cm x 44.4cm x 28.6cm
IP Rating: IP20 Class II

RL3127BS-SBP-EU
H: 64cm | W: 30.5cm | Base: 14cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 20.3cm x 30.5cm x 22.9cm

RL3127NB-SBP-EU
H: 64cm | W: 30.5cm | Base: 14cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 20.3cm x 30.5cm x 22.9cm

RL3183NB-L-EU
H: 64.8cm | W: 42.5cm
Base: 16.5cm x 25.4cm Oval
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 38.1cm x 42.5cm x 26.7cm Oval
IP Rating: IP20 Class II

RL3183PN-L-EU
H: 64.8cm | W: 42.5cm
Base: 16.5cm x 25.4cm Oval
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 38.1cm x 42.5cm x 26.7cm Oval
IP Rating: IP20 Class II

RL3346NB-EU
H: 24.1cm - 44.4cm | W: 14.6cm
Ext.: 19.7cm - 27.3cm
Base: 12.7cm Round
Socket: Dedicated LED
Bulb: 9w (900lm)
IP Rating: IP20 Class II

RL3346PN-EU
H: 24.1cm - 44.4cm | W: 14.6cm
Ext.: 19.7cm - 27.3cm
Base: 12.7cm Round
Socket: Dedicated LED
Bulb: 9w (900lm)
IP Rating: IP20 Class II

RL3450NB-NVY-EU
H: 48.3cm - 74.3cm | W: 17.8cm
Ext.: 43.2cm - 58.4cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 40 A
IP Rating: IP20 Class II

RL3450NB-SDL-EU
H: 48.3cm - 74.3cm | W: 17.8cm
Ext.: 43.2cm - 58.4cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 40 A
IP Rating: IP20 Class II

RL3450PN-CHC-EU
H: 48.3cm - 74.3cm | W: 17.8cm
Ext.: 43.2cm - 58.4cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch
Bulb: 40 A
IP Rating: IP20 Class II

EU INDEX

RL3491NB/NVY-P-EU
H: 75.6cm - 78.7cm | W: 50.8cm
Base: 19cm Round
Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
Shade Details: 15.2cm x 50.8cm x 28.6cm
IP Rating: IP20 Class II

RL3491NB/SDL-P-EU
H: 75.6cm - 78.7cm | W: 50.8cm
Base: 19cm Round
Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
Shade Details: 15.2cm x 50.8cm x 28.6cm
IP Rating: IP20 Class II

RL3491PN/CHC-P-EU
H: 75.6cm - 78.7cm | W: 50.8cm
Base: 19cm Round
Socket: 2 - E27 Pull Chain | Bulb: 2 - 40 B
Shade Details: 15.2cm x 50.8cm x 28.6cm
IP Rating: IP20 Class II

RL3493NB/NVY-L-EU
H: 74.3cm | W: 48.3cm
Base: 22.9cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 43.2cm x 48.3cm x 31.1cm

RL3493NB/SDL-L-EU
H: 74.3cm | W: 48.3cm
Base: 22.9cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 43.2cm x 48.3cm x 31.1cm

RL3493PN/CHC-L-EU
H: 74.3cm | W: 48.3cm
Base: 22.9cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 43.2cm x 48.3cm x 31.1cm

RL3522BS-SBP-EU
H: 78.7cm | W: 44.4cm | Base: 22.9cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 42.5cm x 44.4cm x 28.6cm

RL3522NB-SBP-EU
H: 78.7cm | W: 44.4cm | Base: 22.9cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 42.5cm x 44.4cm x 28.6cm

RL3542BRT-WP-EU
H: 68.6cm | W: 53.3cm
Base: 21.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details:
40.6cm x 53.3cm x 38.1cm Closed Top
IP Rating: IP20 Class II

RL3560BZ/TK-WG-EU
H: 34.3cm | W: 15.2cm
Base: 12.7cm Square
Socket: Dedicated LED
Bulb: 20w (1600lm)

RL3560NB/TK-WG-EU
H: 34.3cm | W: 15.2cm
Base: 12.7cm Square
Socket: Dedicated LED
Bulb: 20w (1600lm)

RL3560PN/TK-WG-EU
H: 34.3cm | W: 15.2cm
Base: 12.7cm Square
Socket: Dedicated LED
Bulb: 20w (1600lm)

RL3593MHG-SBP-EU
H: 78.7cm | W: 55.9cm
Base: 22.9cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 22.9cm x 55.9cm x 38.7cm

RL3622CBZ-L-EU
H: 71.1cm | W: 48.3cm
Base: 19cm Square
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 43.2cm x 48.3cm x 30.5cm
IP Rating: IP20 Class II

EU INDEX

RL3622WLC-L-EU
H: 71.1cm | W: 48.3cm
Base: 19cm Square
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 43.2cm x 48.3cm x 30.5cm
IP Rating: IP20 Class II

RL3625BLK-WP-EU
H: 71.1cm | W: 48.3cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 150 A
Shade Details: 35.6cm x 48.3cm x 33cm
IP Rating: IP20 Class II

RL3625WT-WP-EU
H: 71.1cm | W: 48.3cm
Base: 17.8cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 150 A
Shade Details: 35.6cm x 48.3cm x 33cm
IP Rating: IP20 Class II

RL3627BLK-WP-EU
H: 92.7cm | W: 55.9cm
Base: 30.5cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 150 A
Shade Details: 48.3cm x 55.9cm x 38.1cm
IP Rating: IP20 Class II

RL3627WT-WP-EU
H: 92.7cm | W: 55.9cm
Base: 30.5cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 150 A
Shade Details: 48.3cm x 55.9cm x 38.1cm
IP Rating: IP20 Class II

RL3633BC-WP-EU
H: 69.8cm | W: 48.3cm
Base: 27.3cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 35.6cm x 48.3cm x 33cm
IP Rating: IP20 Class II

RL3633BLK-WP-EU
H: 69.8cm | W: 48.3cm
Base: 27.3cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 35.6cm x 48.3cm x 33cm
IP Rating: IP20 Class II

RL3633ICO-WP-EU
H: 69.8cm | W: 48.3cm
Base: 27.3cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 35.6cm x 48.3cm x 33cm
IP Rating: IP20 Class II

RL3634BC-WP-EU
H: 91.4cm | W: 63.5cm
Base: 35.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 48.3cm x 63.5cm x 45.7cm
IP Rating: IP20 Class II

RL3634BLK-WP-EU
H: 91.4cm | W: 63.5cm
Base: 35.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 48.3cm x 63.5cm x 45.7cm
IP Rating: IP20 Class II

RL3634ICO-WP-EU
H: 91.4cm | W: 63.5cm
Base: 35.6cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 48.3cm x 63.5cm x 45.7cm
IP Rating: IP20 Class II

RL3649BW-S-EU
H: 68.6cm | W: 53.3cm
Base: 22.9cm Round
Socket: 2 - E27 Keyless w/Line Switch
Bulb: 2 - 60 A
Shade Details: 17.8cm x 53.3cm x 33cm
IP Rating: IP20 Class II

RL3651BW-S-EU
H: 68.6cm | W: 42.5cm
Base: 19cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 21.6cm x 42.5cm x 33cm
IP Rating: IP20 Class II

RL3652BW-S-EU
H: 91.4cm | W: 55.2cm
Base: 25.4cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 29.8cm x 55.2cm x 40.6cm
IP Rating: IP20 Class II

EU INDEX

RL3653BW-S-EU
H: 81.3cm | W: 48.9cm
Base: 20.3cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 24.8cm x 48.9cm x 38.1cm
IP Rating: IP20 Class II

RL3660LTS-L-EU
H: 81.3cm | W: 54.6cm
Base: 17.1cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 41.9cm x 54.6cm x 35.6cm
IP Rating: IP20 Class II

RL3660MBZ-L-EU
H: 81.3cm | W: 54.6cm
Base: 17.1cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 100 A
Shade Details: 41.9cm x 54.6cm x 35.6cm
IP Rating: IP20 Class II

RL3682WB/NB-NB-EU
H: 66.7cm | W: 21cm
Base: 14cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class II

RL3682WB/NB-WP-EU
H: 66.7cm | W: 21cm
Base: 14cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class II

RL3682WB/PN-PN-EU
H: 66.7cm | W: 21cm
Base: 14cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class II

RL3682WB/PN-WP-EU
H: 66.7cm | W: 21cm
Base: 14cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 6.5 LED B
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class II

RL3728BS-WP-EU
H: 67.3cm | W: 48.3cm
Base: 16.5cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 35.6cm x 48.3cm x 33cm

RL3728NB-WP-EU
H: 67.3cm | W: 48.3cm
Base: 16.5cm Round
Socket: E27 w/Line Switch | Bulb: 15 LED A19
Shade Details: 35.6cm x 48.3cm x 33cm

RL3805NB-EU
H: 41.3cm - 51.4cm | W: 22.2cm | Base: 12.1cm Round
Socket: E14 Candelabra w/Line Switch | Bulb: 8 LED B

IP Rating: IP20 Class II

RL3805PN-EU
H: 41.3cm - 51.4cm | W: 22.2cm
Base: 12.1cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 8 LED B
IP Rating: IP20 Class II

RL3920CG-WP-EU
H: 41.3cm - 51.4cm | W: 22.2cm
Base: 12.1cm Round
Socket: E14 Candelabra w/Line Switch
Bulb: 8 LED B
IP Rating: IP20 Class II

RL3936CG-S-EU
H: 73.7cm | W: 53.3cm
Base: 20.3cm Round
Socket: E27 Keyless w/Line Switch | Bulb: 60 A
Shade Details: 17.8cm x 53.3cm x 33cm
IP Rating: IP20 Class II

RL3965NB/Q-P-EU
H: 57.2cm | W: 38.1cm
Base: 16.5cm x 24.1cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 60 A
Shade Details: 35.6cm x 38.1cm x 25.4cm Rec.
IP Rating: IP20 Class II

EU INDEX

RL3965PN/Q-P-EU
H: 57.2cm | W: 38.1cm
Base: 16.5cm x 24.1cm Rec.
Socket: E27 Keyless w/Line Switch | Bulb: 60 A
Shade Details: 35.6cm x 38.1cm x 25.4cm Rec.
IP Rating: IP20 Class II

RL3966NB/Q-P-EU
H: 77.5cm | W: 43.2cm
Base: 15.2cm Square
Socket: E27 Keyless w/Line Switch | Bulb: 60 A
Shade Details:
40.6cm x 43.2cm x 30.5cm Square
IP Rating: IP20 Class II

RL3966PN/Q-P-EU
H: 77.5cm | W: 43.2cm
Base: 15.2cm Square
Socket: E27 Keyless w/Line Switch | Bulb: 60 A
Shade Details:
40.6cm x 43.2cm x 30.5cm Square
IP Rating: IP20 Class II

RL4072NB-FA-EU
H: 10.2cm | W: 35.6cm
Socket: 2 - E27 Keyless
Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL4072PN-FA-EU
H: 10.2cm | W: 35.6cm
Socket: 2 - E27 Keyless
Bulb: 2 - 40 B
IP Rating: IP20 Class I

RL4090NB-WG-EU
H: 15.2cm | W: 35.6cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL4090PN-WG-EU
H: 15.2cm | W: 35.6cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL4127BZ-EU
H: 3.8cm | W: 11.4cm
Canopy: 11.4cm Round
Socket: Dedicated LED
Bulb: 12w (1100lm)
IP Rating: IP22 Class I

RL4127NB-EU
H: 3.8cm | W: 11.4cm
Canopy: 11.4cm Round
Socket: Dedicated LED
Bulb: 12w (1100lm)
IP Rating: IP22 Class I

RL4127PN-EU
H: 3.8cm | W: 11.4cm
Canopy: 11.4cm Round
Socket: Dedicated LED
Bulb: 12w (1100lm)
IP Rating: IP22 Class I

RL4128BZ-EU
H: 4.4cm | W: 15.9cm
Canopy: 15.9cm Round
Socket: Dedicated LED
Bulb: 15w (1300lm)
IP Rating: IP22 Class I

RL4128NB-EU
H: 4.4cm | W: 15.9cm
Canopy: 15.9cm Round
Socket: Dedicated LED
Bulb: 15w (1300lm)
IP Rating: IP22 Class I

RL4128PN-EU
H: 4.4cm | W: 15.9cm
Canopy: 15.9cm Round
Socket: Dedicated LED
Bulb: 15w (1300lm)
IP Rating: IP22 Class I

RL4460BZ-WG-EU
H: 29.8cm | W: 20.3cm
Canopy: 16.5cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

EU INDEX

RL4460NB-WG-EU
H: 29.8cm | W: 20.3cm
Canopy: 16.5cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4460PN-WG-EU
H: 29.8cm | W: 20.3cm
Canopy: 16.5cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4461BZ-WG-EU
H: 40.6cm | W: 30.5cm
Canopy: 16.5cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4461NB-WG-EU
H: 40.6cm | W: 30.5cm
Canopy: 16.5cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4461PN-WG-EU
H: 40.6cm | W: 30.5cm
Canopy: 16.5cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4462BZ-WG-EU
H: 52.7cm | W: 41.3cm
Canopy: 19.7cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4462NB-WG-EU
H: 52.7cm | W: 41.3cm
Canopy: 19.7cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4462PN-WG-EU
H: 52.7cm | W: 41.3cm
Canopy: 19.7cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL4720BZ-EU
H: 15.9cm | W: 30.5cm
Socket: Dedicated LED
Bulb: 18w (1500lm)
IP Rating: IP20 Class I

RL4720NB-EU
H: 15.9cm | W: 30.5cm
Socket: Dedicated LED
Bulb: 18w (1500lm)
IP Rating: IP20 Class I

RL4720PN-EU
H: 15.9cm | W: 30.5cm
Socket: Dedicated LED
Bulb: 18w (1500lm)
IP Rating: IP20 Class I

RL4721BZ-EU
H: 15.9cm | W: 45.7cm
Socket: Dedicated LED
Bulb: 36w (2800lm)
IP Rating: IP20 Class I

RL4721NB-EU
H: 15.9cm | W: 45.7cm
Socket: Dedicated LED
Bulb: 36w (2800lm)
IP Rating: IP20 Class I

RL4721PN-EU
H: 15.9cm | W: 45.7cm
Socket: Dedicated LED
Bulb: 36w (2800lm)
IP Rating: IP20 Class I

EU INDEX

RL4722BZ-EU
H: 15.9cm | W: 61cm
Socket: Dedicated LED
Bulb: 60w (4800lm)
IP Rating: IP20 Class I

RL4722NB-EU
H: 15.9cm | W: 61cm
Socket: Dedicated LED
Bulb: 60w (4800lm)
IP Rating: IP20 Class I

RL4722PN-EU
H: 15.9cm | W: 61cm
Socket: Dedicated LED
Bulb: 60w (4800lm)
IP Rating: IP20 Class I

RL4800NB-EU
H: 19cm | W: 31.1cm
Socket: 3 - E27 Keyless
Bulb: 3 - 40 A
IP Rating: IP20 Class I

RL4800PN-EU
H: 19cm | W: 31.1cm
Socket: 3 - E27 Keyless
Bulb: 3 - 40 A
IP Rating: IP20 Class I

RL4801NB-EU
H: 11.4cm | W: 30.5cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL4801PN-EU
H: 11.4cm | W: 30.5cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL4802NB-EU
H: 17.8cm | W: 45.7cm
Socket: 3 - E27 Keyless
Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL4802PN-EU
H: 17.8cm | W: 45.7cm
Socket: 3 - E27 Keyless
Bulb: 3 - 60 A
IP Rating: IP20 Class I

RL4803NB-EU
H: 11.4cm | W: 31.1cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL4803PN-EU
H: 11.4cm | W: 31.1cm
Socket: 2 - E27 Keyless
Bulb: 2 - 60 A
IP Rating: IP20 Class I

RL4804NB-EU
H: 23.5cm | W: 61cm
Socket: 6 - E27 Keyless
Bulb: 6 - 40 A
IP Rating: IP20 Class I

RL4804PN-EU
H: 23.5cm | W: 61cm
Socket: 6 - E27 Keyless
Bulb: 6 - 40 A
IP Rating: IP20 Class I

RL4967NB/Q-EU
H: 7.6cm | W: 12.7cm
Socket: Dedicated LED
Bulb: 6w (500lm)
IP Rating: IP20 Class I

EU INDEX

RL4967PN/Q-EU
H: 7.6cm | W: 12.7cm
Socket: Dedicated LED
Bulb: 6w (500lm)
IP Rating: IP20 Class I

RL5005CG-EU
H: 104.1cm | W: 69.2cm
Canopy: 19cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 40 C11
IP Rating: IP20 Class I

RL5006CG-EU
H: 127.6cm | W: 79.4cm
Canopy: 19cm Round
Socket: 12 - E14 Candelabra | Bulb: 12 - 40 C11
IP Rating: IP20 Class I

RL5007CG-EU
H: 104.1cm | W: 79.4cm
Canopy: 19cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 40 C11
IP Rating: IP20 Class I

RL5008CG-EU
Fixture H: 127.6cm | W: 115.6cm
Canopy: 19cm Round
Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
IP Rating: IP20 Class I

RL5010CG-EU
H: 153.7cm | W: 127cm
Canopy: 19cm Round
Socket: 24 - E14 Candelabra | Bulb: 24 - 60 B
IP Rating: IP20 Class I

RL5060BZ-WG-EU
H: 77.5cm | W: 55.9cm
Canopy: 15.2cm Oct.
Socket: 4 - E27 Keyless | Bulb: 4 - 40 A
IP Rating: IP20 Class I

RL5060PN-WG-EU
H: 77.5cm | W: 55.9cm
Canopy: 15.2cm Oct.
Socket: 4 - E27 Keyless | Bulb: 4 - 40 A
IP Rating: IP20 Class I

RL5064BZ-AM-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5064BZ-CG-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5064BZ-WG-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5064NB-AM-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5064NB-CG-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5064NB-WG-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

EU INDEX

RL5064PN-CG-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5064PN-MG-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5064PN-WG-EU
O/A H: 95.2cm | Fixture H: 31.8cm | W: 80.6cm
Canopy: 17.8cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5067BZ-AM-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067BZ-CG-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067BZ-WG-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067NB-AM-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067NB-CG-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067NB-WG-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067PN-CG-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067PN-MG-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5067PN-WG-EU
O/A H: 118.1cm | Fixture H: 59.7cm | W: 142.9cm
Canopy: 19cm x 76.8cm Rec.
Socket: 7 - E27 Keyless | Bulb: 7 - 40 A
IP Rating: IP20 Class I

RL5080NB-EU
O/A H: 114.3cm | Fixture H: 27.9cm | W: 8.3cm
Canopy: 11.4cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL5080PN-EU
O/A H: 114.3cm | Fixture H: 27.9cm | W: 8.3cm
Canopy: 11.4cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

EU INDEX

RL5082NB-EU
O/A H: 111.8cm | Fixture H: 40.6cm | W: 45.7cm
Canopy: 11.4cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5082PN-EU
O/A H: 111.8cm | Fixture H: 40.6cm | W: 45.7cm
Canopy: 11.4cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 40 A
IP Rating: IP20 Class I

RL5086NB-EU
O/A H: 122.6cm | Fixture H: 33cm | W: 81.3cm
Canopy: 31.1cm Round
Socket: 20 - E14 Candelabra | Bulb: 20 - 25 B
IP Rating: IP20 Class I

RL5086PN-EU
O/A H: 122.6cm | Fixture H: 33cm | W: 81.3cm
Canopy: 31.1cm Round
Socket: 20 - E14 Candelabra | Bulb: 20 - 25 B
IP Rating: IP20 Class I

RL5089NB-EU
O/A H: 106.7cm | Fixture H: 20.3cm
W: 122.6cm x 20.3cm
Canopy: 11.4cm x 51.4cm Oval
Socket: 6 - E27 Keyless | Bulb: 6 - 40 A
IP Rating: IP20 Class I

RL5089PN-EU
O/A H: 106.7cm | Fixture H: 20.3cm
W: 122.6cm x 20.3cm
Canopy: 11.4cm x 51.4cm Oval
Socket: 6 - E27 Keyless | Bulb: 6 - 40 A
IP Rating: IP20 Class I

RL5094BS-EU
H: 148cm | W: 167.6cm
Canopy: 15.2cm Round
Socket: 24 - E14 Candelabra
Bulb: 24 - 5.5 LED C11

RL5094NB-EU
H: 148cm | W: 167.6cm
Canopy: 15.2cm Round
Socket: 24 - E14 Candelabra
Bulb: 24 - 5.5 LED C11

RL5098BS-CG-EU
H: 139.7cm | W: 75.6cm
Canopy: 15.2cm Round
Socket: 5 - E14 Candelabra
Bulb: 5 - 5.5 LED C11

RL5098NB-CG-EU
H: 139.7cm | W: 75.6cm
Canopy: 15.2cm Round
Socket: 5 - E14 Candelabra
Bulb: 5 - 5.5 LED C11

RL5101BS-CG-EU
H: 40.6cm | W: 36.2cm
Canopy: 12.7cm Round
Socket: 3 - E14 Keyless | Bulb: 3 - 60 B
IP Rating: IP20 Class I

RL5101NB-CG-EU
H: 40.6cm | W: 36.2cm
Canopy: 12.7cm Round
Socket: 3 - E14 Keyless | Bulb: 3 - 60 B
IP Rating: IP20 Class I

RL5103BS-CG-EU
H: 97.8cm | W: 48.9cm
Canopy: 17.8cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 60 B
IP Rating: IP20 Class I

RL5103NB-CG-EU
H: 97.8cm | W: 48.9cm
Canopy: 17.8cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 60 B
IP Rating: IP20 Class I

EU INDEX

RL5114BS-EU
H: 120.6cm | W: 91.4cm
Canopy: 10.2cm Round
Socket: 12 - E14 Candelabra | Bulb: 12 - 60 B
IP Rating: IP20 Class I

RL5120IS-BK-EU
O/A H: 124.5cm | Fixture H: 33cm | W: 33cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5120IS-IS-EU
O/A H: 124.5cm | Fixture H: 33cm | W: 33cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5120PN-PN-EU
O/A H: 124.5cm | Fixture H: 33cm | W: 33cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5120PN-WT-EU
O/A H: 124.5cm | Fixture H: 33cm | W: 33cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5121IS-BK-EU
O/A H: 144.8cm | Fixture H: 45.7cm | W: 43.2cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5121IS-IS-EU
O/A H: 144.8cm | Fixture H: 45.7cm | W: 43.2cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5121PN-PN-EU
O/A H: 144.8cm | Fixture H: 45.7cm | W: 43.2cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5121PN-WT-EU
O/A H: 144.8cm | Fixture H: 45.7cm | W: 43.2cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5122IS-BK-EU
O/A H: 158.8cm | Fixture H: 58.4cm | W: 55.9cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5122IS-IS-EU
O/A H: 158.8cm | Fixture H: 58.4cm | W: 55.9cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5122PN-PN-EU
O/A H: 158.8cm | Fixture H: 58.4cm | W: 55.9cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5122PN-WT-EU
O/A H: 158.8cm | Fixture H: 58.4cm | W: 55.9cm
Canopy: 15.9cm Round
Socket: E27 Keyless | Bulb: 75 A
IP Rating: IP20 Class I

RL5131AI-EU
H: 54.6cm | W: 76.2cm
Canopy: 16.5cm Round
Socket: 16 - E27 Keyless | Bulb: 16 - 40 A
IP Rating: IP20 Class I

EU INDEX

RL5131NB-EU
H: 54.6cm | W: 76.2cm
Canopy: 16.5cm Round
Socket: 16 - E27 Keyless | Bulb: 16 - 40 A
IP Rating: IP20 Class I

RL5131PN-EU
H: 54.6cm | W: 76.2cm
Canopy: 16.5cm Round
Socket: 16 - E27 Keyless | Bulb: 16 - 40 A
IP Rating: IP20 Class I

RL5132AI-EU
H: 62.2cm | W: 101.6cm
Canopy: 16.5cm Round
Socket: 20 - E27 Keyless | Bulb: 20 - 40 A
IP Rating: IP20 Class I

RL5132NB-EU
H: 62.2cm | W: 101.6cm
Canopy: 16.5cm Round
Socket: 20 - E27 Keyless | Bulb: 20 - 40 A
IP Rating: IP20 Class I

RL5132PN-EU
H: 62.2cm | W: 101.6cm
Canopy: 16.5cm Round
Socket: 20 - E27 Keyless | Bulb: 20 - 40 A
IP Rating: IP20 Class II

RL5133AI-EU
H: 80cm | W: 127cm
Canopy: 16.5cm Round
Socket: 24 - E27 Keyless | Bulb: 24 - 40 A
IP Rating: IP20 Class I

RL5133NB-EU
H: 80cm | W: 127cm
Canopy: 16.5cm Round
Socket: 24 - E27 Keyless | Bulb: 24 - 40 A
IP Rating: IP20 Class I

RL5133PN-EU
H: 80cm | W: 127cm
Canopy: 16.5cm Round
Socket: 24 - E27 Keyless | Bulb: 24 - 40 A
IP Rating: IP20 Class I

RL5147BZ-CG-EU
O/A H: 111.8cm | Fixture H: 32.4cm | W: 33.7cm
Canopy: 14.6cm Round
Socket: E27 Keyless | Bulb: 60 T
IP Rating: IP20 Class I

RL5147NB-CG-EU
O/A H: 111.8cm | Fixture H: 32.4cm | W: 33.7cm
Canopy: 14.6cm Round
Socket: E27 Keyless | Bulb: 60 T
IP Rating: IP20 Class I

RL5147PN-CG-EU
O/A H: 111.8cm | Fixture H: 32.4cm | W: 33.7cm
Canopy: 14.6cm Round
Socket: E27 Keyless | Bulb: 60 T
IP Rating: IP20 Class I

RL5148BZ-CG-EU
O/A H: 111.8cm | Fixture H: 43.2cm | W: 47cm
Canopy: 17.8cm Round
Socket: E27 Keyless | Bulb: 60 T
IP Rating: IP20 Class I

RL5148NB-CG-EU
O/A H: 111.8cm | Fixture H: 43.2cm | W: 47cm
Canopy: 17.8cm Round
Socket: E27 Keyless | Bulb: 60 T
IP Rating: IP20 Class I

RL5148PN-CG-EU
O/A H: 111.8cm | Fixture H: 43.2cm | W: 47cm
Canopy: 17.8cm Round
Socket: E27 Keyless | Bulb: 60 T
IP Rating: IP20 Class I

EU INDEX

RL5156BZ-EU
O/A H: 198.1cm | Fixture H: 72.4cm | W: 35.6cm
Canopy: 20.3cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL5156PN-EU
O/A H: 198.1cm | Fixture H: 72.4cm | W: 35.6cm
Canopy: 20.3cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL5161NB-L-EU
H: 56.5cm | W: 61cm
Canopy: 19cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 75 A
Shade Details: 61cm x 61cm x 27.9cm
IP Rating: IP20 Class I

RL5161PN-L-EU
H: 56.5cm | W: 61cm
Canopy: 19cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 75 A
Shade Details: 61cm x 61cm x 27.9cm
IP Rating: IP20 Class I

RL5162NB-L-EU
H: 71.8cm | W: 81.3cm
Canopy: 19cm Round
Socket: 4 - E27 Keyless | Bulb: 4 - 75 A
Shade Details: 81.3cm x 81.3cm x 35.6cm
IP Rating: IP20 Class I

RL5162PN-L-EU
H: 71.8cm | W: 81.3cm
Canopy: 19cm Round
Socket: 4 - E27 Keyless | Bulb: 4 - 75 A
Shade Details: 81.3cm x 81.3cm x 35.6cm
IP Rating: IP20 Class I

RL5175BZ-EU
O/A H: 140.3cm | Fixture H: 43.2cm | W: 22.9cm
Canopy: 15.2cm Round
Socket: 3 - E14 Keyless | Bulb: 3 - 60 C
IP Rating: IP20 Class I

RL5175NB-EU
O/A H: 140.3cm | Fixture H: 43.2cm | W: 22.9cm
Canopy: 15.2cm Round
Socket: 3 - E14 Keyless | Bulb: 3 - 60 C
IP Rating: IP20 Class I

RL5175PN-EU
O/A H: 140.3cm | Fixture H: 43.2cm | W: 22.9cm
Canopy: 15.2cm Round
Socket: 3 - E14 Keyless | Bulb: 3 - 60 C
IP Rating: IP20 Class I

RL5177BZ-EU
O/A H: 181.6cm | Fixture H: 78.7cm | W: 38.7cm
Canopy: 17.8cm Round
Socket: 4 - E14 Candelabara | Bulb: 4 - 60 C
IP Rating: IP20 Class I

RL5177NB-EU
O/A H: 181.6cm | Fixture H: 78.7cm | W: 38.7cm
Canopy: 17.8cm Round
Socket: 4 - E14 Candelabara | Bulb: 4 - 60 C
IP Rating: IP20 Class I

RL5177PN-EU
O/A H: 181.6cm | Fixture H: 78.7cm | W: 38.7cm
Canopy: 17.8cm Round
Socket: 4 - E14 Candelabara | Bulb: 4 - 60 C
IP Rating: IP20 Class I

RL5180NB-EU
H: 91.4cm | W: 40.6cm
Canopy: 19cm Round
Socket: 4 - E14 Candelabara | Bulb: 4 - 60 C
IP Rating: IP20 Class I

RL5180PN-EU
H: 91.4cm | W: 40.6cm
Canopy: 19cm Round
Socket: 4 - E14 Candelabara | Bulb: 4 - 60 C
IP Rating: IP20 Class I

EU INDEX

RL5181NB-L-EU
H: 78.7cm | W: 76.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL5181PN-L-EU
H: 78.7cm | W: 76.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL5183NB-L-EU
H: 114.3cm | W: 109.2cm
Canopy: 16.5cm Round
Socket: 14 - E14 Candelabra | Bulb: 14 - 40 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL5183PN-L-EU
H: 114.3cm | W: 109.2cm
Canopy: 16.5cm Round
Socket: 14 - E14 Candelabra | Bulb: 14 - 40 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL5184NB-L-EU
H: 144.8cm | W: 144.8cm
Canopy: 16.5cm Round
Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL5184PN-L-EU
H: 144.8cm | W: 144.8cm
Canopy: 16.5cm Round
Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
Shade Details: 7.6cm x 15.2cm x 12.7cm
IP Rating: IP20 Class I

RL5205BS-EU
H: 87.6cm | W: 111.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 Candelabra
Bulb: 8 - 40 B
IP Rating: IP20 Class I

RL5205NB-EU
H: 87.6cm | W: 111.8cm
Canopy: 16.5cm Round
Socket: 8 - E14 Candelabra
Bulb: 8 - 40 B
IP Rating: IP20 Class I

RL5220NB-CG-EU
O/A H: 142.2cm | Fixture H: 53.3cm | W: 33cm
Canopy: 15.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL5220PN-CG-EU
O/A H: 142.2cm | Fixture H: 53.3cm | W: 33cm
Canopy: 15.2cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL5224NB-EU
O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
Canopy: 15.2cm Round
Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
IP Rating: IP20 Class I

RL5224NB-NB-EU
O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
Canopy: 15.2cm Round
Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
IP Rating: IP20 Class I

RL5224PN-EU
O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
Canopy: 15.2cm Round
Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
IP Rating: IP20 Class I

RL5224PN-PN-EU
O/A H: 118.7cm | Fixture H: 67.9cm | W: 78.7cm
Canopy: 15.2cm Round
Socket: 9 - E14 Candelabra | Bulb: 9 - 40 B
IP Rating: IP20 Class I

EU INDEX

RL5231AG-S-EU
H: 111.8cm | W: 95.9cm
Canopy: 17.1cm Round
Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL5231ASL-S-EU
H: 111.8cm | W: 95.9cm
Canopy: 17.1cm Round
Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL5231GI-S-EU
H: 111.8cm | W: 95.9cm
Canopy: 17.1cm Round
Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL5233AG-S-EU
H: 137.2cm | W: 111.8cm
Canopy: 17.1cm Round
Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL5233ASL-S-EU
H: 137.2cm | W: 111.8cm
Canopy: 17.1cm Round
Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL5233GI-S-EU
H: 137.2cm | W: 111.8cm
Canopy: 17.1cm Round
Socket: 24 - E14 Candelabra | Bulb: 24 - 40 B
Shade Details: 7.6cm x 12.7cm x 10.2cm
IP Rating: IP20 Class I

RL5252BZ-SP-EU
H: 40.6cm | W: 76.2cm
Canopy: 17.8cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 60 B
IP Rating: IP20 Class I

RL5252NB-SP-EU
H: 40.6cm | W: 76.2cm
Canopy: 17.8cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 60 B
IP Rating: IP20 Class I

RL5252PN-SP-EU
H: 40.6cm | W: 76.2cm
Canopy: 17.8cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 60 B
IP Rating: IP20 Class I

RL5262CG-L-EU
H: 101.6cm | W: 104.8cm
Canopy: 14.6cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
Shade Details: 10.2cm x 15.2cm x 14cm
IP Rating: IP20 Class I

RL5311NB-EU
Fixture H: 95.9cm | W: 88.9cm
Canopy: 12.7cm Round
Socket: 18 - E14 Candelabra | Bulb: 18 - 40 B
IP Rating: IP20 Class I

RL5322NB-CA-EU
O/A H: 135.9cm | Fixture H: 40.6cm | W: 101.6cm
Canopy: 20.3cm Round
Socket: Dedicated LED | Bulb: 33w (3000lm)
IP Rating: IP20 Class I

RL5322PN-CA-EU
O/A H: 135.9cm | Fixture H: 40.6cm | W: 101.6cm
Canopy: 20.3cm Round
Socket: Dedicated LED | Bulb: 33w (3000lm)
IP Rating: IP20 Class I

RL5400NB-WG-EU
O/A H: 124.5cm | Fixture H: 41.9cm | W: 30.5cm
Canopy: 17.1cm Round
Socket: 4 - E14 Candelabara | Bulb: 4 - 60 B
IP Rating: IP20 Class I

EU INDEX

RL5400PN-WG-EU
O/A H: 124.5cm | Fixture H: 41.9cm | W: 30.5cm
Canopy: 17.1cm Round
Socket: 4 - E14 Candelabara | Bulb: 4 - 60 B
IP Rating: IP20 Class I

RL5402NB-WG-EU
O/A H: 139.7cm | Fixture H: 58.4cm | W: 45.7cm
Canopy: 17.1cm Round
Socket: 4 - E27 Keyless | Bulb: 4 - 60 B
IP Rating: IP20 Class I

RL5402PN-WG-EU
O/A H: 139.7cm | Fixture H: 58.4cm | W: 45.7cm
Canopy: 17.1cm Round
Socket: 4 - E27 Keyless | Bulb: 4 - 60 B
IP Rating: IP20 Class I

RL5415BS-WG-EU
H: 59.7cm | W: 35.6cm
Canopy: 12.1cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL5415BZ-WG-EU
H: 59.7cm | W: 35.6cm
Canopy: 12.1cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL5415NB-WG-EU
H: 59.7cm | W: 35.6cm
Canopy: 12.1cm Round
Socket: E27 Keyless | Bulb: 40 A
IP Rating: IP20 Class I

RL5461BZ-WG-EU
O/A H: 127.6cm | Fixture H: 54.6cm | W: 41.3cm
Canopy: 14cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL5461NB-WG-EU
O/A H: 127.6cm | Fixture H: 54.6cm | W: 41.3cm
Canopy: 14cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL5461PN-WG-EU
O/A H: 127.6cm | Fixture H: 54.6cm | W: 41.3cm
Canopy: 14cm Round
Socket: E27 Keyless | Bulb: 60 A
IP Rating: IP20 Class I

RL5470BZ-WG-EU
O/A H: 140.3cm | Fixture H: 74.9cm | W: 91.4cm
Canopy: 14cm Round
Socket: 5 - E27 Keyless | Bulb: 5 - 60 A
IP Rating: IP20 Class I

RL5470NB-WG-EU
O/A H: 140.3cm | Fixture H: 74.9cm | W: 91.4cm
Canopy: 14cm Round
Socket: 5 - E27 Keyless | Bulb: 5 - 60 A
IP Rating: IP20 Class I

RL5470PN-WG-EU
O/A H: 140.3cm | Fixture H: 74.9cm | W: 91.4cm
Canopy: 14cm Round
Socket: 5 - E27 Keyless | Bulb: 5 - 60 A
IP Rating: IP20 Class I

RL5528BN-CG-EU
H: 114.3cm | W: 91.4cm
Canopy: 17.1cm Round
Socket: 8 - E14 Candelabra
Bulb: 8 - 60 C

RL5528BN-EU
H: 114.3cm | W: 91.4cm
Canopy: 17.1cm Round
Socket: 8 - E14 Candelabra
Bulb: 8 - 60 C

EU INDEX

RL5529BN-CG-EU
H: 111.8cm | W: 106.7cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C

RL5529BN-EU
H: 111.8cm | W: 106.7cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C

RL5530BN-CG-EU
H: 142.2cm | W: 134.6cm
Canopy: 17.1cm Round
Socket: 18 - E14 Candelabra
Bulb: 18 - 40 C

RL5530BN-EU
H: 142.2cm | W: 134.6cm
Canopy: 17.1cm Round
Socket: 18 - E14 Candelabra
Bulb: 18 - 40 C

RL5531BN-CG-EU
H: 88.9cm | W: 144.8cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C

RL5531BN-EU
H: 88.9cm | W: 144.8cm
Canopy: 17.1cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C

RL5532NB-SDL-EU
H: 129.5cm | W: 76.8cm
Canopy: 14.6cm Round
Socket: 3 - E27 Keyless
Bulb: 3 - 40 B
IP Rating: IP20 Class I

RL5532PN-CHC-EU
H: 129.5cm | W: 76.8cm
Canopy: 14.6cm Round
Socket: 3 - E27 Keyless
Bulb: 3 - 40 B
IP Rating: IP20 Class I

RL5533NB/NVY-L/NVY-EU
O/A H: 105.4cm | W: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm
IP Rating: IP20 Class I

RL5533NB/SDL-L/SDL-EU
O/A H: 105.4cm | W: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm
IP Rating: IP20 Class I

RL5533PN/CHC-L/CHC-EU
O/A H: 105.4cm | W: 61cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 57.2cm x 61cm x 30.5cm
IP Rating: IP20 Class I

RL5534NB/NVY-L/NVY-EU
H: 52.7cm | W: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm
IP Rating: IP20 Class I

RL5534NB/SDL-L/SDL-EU
H: 52.7cm | W: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm
IP Rating: IP20 Class I

RL5534PN/CHC-L/CHC-EU
H: 52.7cm | W: 81.3cm
Canopy: 16.5cm Round
Socket: 3 - E27 Keyless | Bulb: 3 - 60 A
Shade Details: 76.2cm x 81.3cm x 37.5cm
IP Rating: IP20 Class I

EU INDEX

RL5540NR-EU
H: 69.8cm | W: 109.2cm
Canopy: 20.3cm Oct.
Socket: 8 - E14 Candelabra | Bulb: 8 - 60 C
IP Rating: IP20 Class I

RL5542NR-EU
Fixture H: 102.2cm | W: 167cm
Canopy: 20.3cm Oct.
Socket: 16 - E14 Candelabra | Bulb: 16 - 60 C
IP Rating: IP20 Class I

RL5545NR-EU
H: 66cm | W: 137.2cm
Canopy: 19cm Round
Socket: 10 - E14 Candelabra | Bulb: 10 - 40 C
IP Rating: IP20 Class I

RL5571NB/NRO-L-EU
H: 61cm | W: 76.2cm
Canopy: 14cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 25 B
Shade Details: 7.6cm x 19.7cm x 12.1cm
IP Rating: IP20 Class I

RL5571PN/BKE-L-EU
H: 61cm | W: 76.2cm
Canopy: 14cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 25 B
Shade Details: 7.6cm x 19.7cm x 12.1cm
IP Rating: IP20 Class I

RL5610NB/NVY-L-EU
Fixture H: 99.1cm | W: 91.4cm
Canopy: 16.5cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5610NB/SDL-L-EU
Fixture H: 99.1cm | W: 91.4cm
Canopy: 16.5cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5610PN/CHC-L-EU
Fixture H: 99.1cm | W: 91.4cm
Canopy: 16.5cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5612NB/NVY-L-EU
Fixture H: 101.6cm | W: 121.3cm
Canopy: 16.5cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5612NB/SDL-L-EU
Fixture H: 101.6cm | W: 121.3cm
Canopy: 16.5cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5612PN/CHC-L-EU
Fixture H: 101.6cm | W: 121.3cm
Canopy: 16.5cm Round
Socket: 8 - E14 Candelabra | Bulb: 8 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5614NB/NVY-L-EU
Fixture H: 137.2cm | W: 121.9cm
Canopy: 16.5cm Round
Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5614NB/SDL-L-EU
Fixture H: 137.2cm | W: 121.9cm
Canopy: 16.5cm Round
Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

RL5614PN/CHC-L-EU
Fixture H: 137.2cm | W: 121.9cm
Canopy: 16.5cm Round
Socket: 12 - E14 Candelabra | Bulb: 12 - 40 B
Shade Details: 10.2cm x 15.2cm x 14.6cm
IP Rating: IP20 Class I

EU INDEX

RL5642BZ-CG-EU
H: 87.6cm | W: 60.3cm
Canopy: 17.8cm Oct.
Socket: 4 - E27 Candelabra
Bulb: 4 - 60 C
IP Rating: IP20 Class I

RL5642NB-CG-EU
H: 87.6cm | W: 60.3cm
Canopy: 17.8cm Oct.
Socket: 4 - E27 Candelabra
Bulb: 4 - 60 C
IP Rating: IP20 Class I

RL5642PN-CG-EU
H: 87.6cm | W: 60.3cm
Canopy: 17.8cm Oct.
Socket: 4 - E27 Candelabra
Bulb: 4 - 60 C
IP Rating: IP20 Class I

RL5643BZ-CG-EU
H: 110.5cm | W: 77.5cm
Canopy: 17.8cm Oct.
Socket: 6 - E14 Candelabra
Bulb: 6 - 60 C
IP Rating: IP20 Class I

RL5643NB-CG-EU
H: 110.5cm | W: 77.5cm
Canopy: 17.8cm Oct.
Socket: 6 - E14 Candelabra
Bulb: 6 - 60 C
IP Rating: IP20 Class I

RL5643PN-CG-EU
H: 110.5cm | W: 77.5cm
Canopy: 17.8cm Oct.
Socket: 6 - E14 Candelabra
Bulb: 6 - 60 C
IP Rating: IP20 Class I

RL5652NB/SDL-CG-EU
H: 64.8cm | W: 35.6cm
Canopy: 15.2cm Round
Socket: 3 - E14 Keyless
Bulb: 3 - 60 B
IP Rating: IP20 Class I

RL5652PN/CHC-CG-EU
H: 64.8cm | W: 35.6cm
Canopy: 15.2cm Round
Socket: 3 - E14 Keyless
Bulb: 3 - 60 B
IP Rating: IP20 Class I

RL5653NB/SDL-CG-EU
H: 85.1cm | W: 47cm
Canopy: 15.2cm Round
Socket: 3 - E27 Keyless
Bulb: 3 - 60 T
IP Rating: IP20 Class I

RL5653PN/CHC-CG-EU
H: 85.1cm | W: 47cm
Canopy: 15.2cm Round
Socket: 3 - E27 Keyless
Bulb: 3 - 60 T
IP Rating: IP20 Class I

RL5685WB/NB-NB-EU
H: 58.4cm | W: 120cm
Canopy: 12.7cm Round
Socket: 5 - E14 Candelabra
Bulb: 5 - 6.5 LED B11
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

RL5685WB/NB-WP-EU
H: 58.4cm | W: 120cm
Canopy: 12.7cm Round
Socket: 5 - E14 Candelabra
Bulb: 5 - 6.5 LED B11
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

RL5685WB/PN-PN-EU
H: 58.4cm | W: 120cm
Canopy: 12.7cm Round
Socket: 5 - E14 Candelabra
Bulb: 5 - 6.5 LED B11
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

RL5685WB/PN-WP-EU
H: 58.4cm | W: 120cm
Canopy: 12.7cm Round
Socket: 5 - E14 Candelabra
Bulb: 5 - 6.5 LED B11
Shade Details: 8.3cm x 21cm x 16.5cm
IP Rating: IP20 Class I

EU INDEX

RL5722BZ-EU
O/A H: 145.4cm | Fixture H: 58.4cm | W: 25.4cm
Canopy: 11.4cm Round
Socket: Dedicated LED | Bulb: 60w (4800 lm)
IP Rating: IP20 Class I

RL5722NB-EU
O/A H: 145.4cm | Fixture H: 58.4cm | W: 25.4cm
Canopy: 11.4cm Round
Socket: Dedicated LED | Bulb: 60w (4800 lm)
IP Rating: IP20 Class I

RL5722PN-EU
O/A H: 145.4cm | Fixture H: 58.4cm | W: 25.4cm
Canopy: 11.4cm Round
Socket: Dedicated LED | Bulb: 60w (4800 lm)
IP Rating: IP20 Class I

RL5724BZ-EU
O/A H: 106cm | Fixture H: 16.5cm
W: 125.1cm x 15.2cm
Canopy: 11.4cm x 72.4cm Oval
Socket: Dedicated LED | Bulb: 50w (4000lm)
IP Rating: IP20 Class I

RL5724NB-EU
O/A H: 106cm | Fixture H: 16.5cm
W: 125.1cm x 15.2cm
Canopy: 11.4cm x 72.4cm Oval
Socket: Dedicated LED | Bulb: 50w (4000lm)
IP Rating: IP20 Class I

RL5724PN-EU
O/A H: 106cm | Fixture H: 16.5cm
W: 125.1cm x 15.2cm
Canopy: 11.4cm x 72.4cm Oval
Socket: Dedicated LED | Bulb: 50w (4000lm)
IP Rating: IP20 Class I

RL5728AI-EU
H: 66.7cm | W: 84.5cm
Canopy: 14cm Round
Socket: 6 - E14 Candelabra
Bulb: 6 - 40 C
IP Rating: IP20 Class I

RL5729AI-EU
H: 88.9cm | W: 111.8cm
Canopy: 14cm Round
Socket: 6 - E14 Candelabra
Bulb: 6 - 40 C
IP Rating: IP20 Class I

RL5730AI-EU
H: 95.2cm | W: 175.3cm
Canopy: 14cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C
IP Rating: IP20 Class I

RL5733FR-CG-EU
Fixture H: 87.6cm | W: 40.6cm
Canopy: 13.3cm Square
Socket: 4 - E14 Candelabara
Bulb: 4 - 60 B
IP Rating: IP20 Class I

RL5733WVG-CG-EU
Fixture H: 87.6cm | W: 40.6cm
Canopy: 13.3cm Square
Socket: 4 - E14 Candelabara
Bulb: 4 - 60 B
IP Rating: IP20 Class I

RL5735FR-CG-EU
Fixture H: 123.2cm | W: 57.2cm
Canopy: 17.1cm Square
Socket: 4 - E14 Candelabara
Bulb: 4 - 60 B
IP Rating: IP20 Class I

RL5735WVG-CG-EU
Fixture H: 123.2cm | W: 57.2cm
Canopy: 17.1cm Square
Socket: 4 - E14 Candelabara
Bulb: 4 - 60 B
IP Rating: IP20 Class I

RL5742AI-RG-EU
H: 105.4cm | W: 61cm
Canopy: 20.3cm Round
Socket: 4 - E14 Candelabara
Bulb: 4 - 40 B
IP Rating: IP20 Class I

EU INDEX

RL5742GI-RG-EU
H: 105.4cm | W: 61cm
Canopy: 20.3cm Round
Socket: 4 - E14 Candelabara
Bulb: 4 - 40 B
IP Rating: IP20 Class I

RL5752AI-EU
H: 138.4cm | W: 123.2cm
Canopy: 19cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C
IP Rating: IP20 Class I

RL5753AI-EU
H: 97.2cm | W: 173.4cm
Canopy: 19cm Round
Socket: 12 - E14 Candelabra
Bulb: 12 - 40 C
IP Rating: IP20 Class I

RL5770AI/ALB-EU
H: 52.1cm | W: 45.7cm
Canopy: 15.2cm Square
Socket: Dedicated LED
Bulb: 27w (2200lm)
IP Rating: IP20 Class I

RL5773AI/ALB-EU
H: 99.1cm | W: 71.1cm
Canopy: 15.2cm Square
Socket: Dedicated LED
Bulb: 36w (2800lm)
IP Rating: IP20 Class I

RL5781AI-EU
H: 79.4cm | W: 43.8cm | Canopy: 14.6cm Round
Socket: 4 - E27 Candelabra | Bulb: 4 - 60 B

IP Rating: IP20 Class I

RL5782AI-EU
H: 104.1cm | W: 58.4cm
Canopy: 14.6cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 60 B
IP Rating: IP20 Class I

RL5783AI-EU
H: 154.9cm | W: 88.3cm
Canopy: 14.6cm Round
Socket: 8 - E14 Candelabra
Bulb: 8 - 60 B
IP Rating: IP20 Class I

RL5785NB/AI-EU
O/A H: 123.8cm | Fixture H: 26cm | W: 62.9cm
Canopy: 12.1cm Round
Socket: 6 - E27 Keyless | Bulb: 6 - 12 LED A19
IP Rating: IP20 Class I



RL5788NB/AI-EU
O/A H: 122.6cm | Fixture H: 29.2cm | W: 88.3cm
Canopy: 12.7cm Round
Socket: 8 - E27 Keyless | Bulb: 8 - 12 LED A19
IP Rating: IP20 Class I

RL5790NB/AI-EU
O/A H: 123.2cm | Fixture H: 24.1cm | W: 86.4cm
Canopy: 12.7cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 5.5 LED B11
IP Rating: IP20 Class I

RL5792NB/AI-EU
O/A H: 137.2cm | Fixture H: 36.2cm | W: 104.8cm
Canopy: 11.4cm Round
Socket: 6 - E14 Candelabra | Bulb: 6 - 5.5 LED B11
IP Rating: IP20 Class I

NOTES

VISUAL COMFORT & CO.
22400 Northwest Lake Drive
Houston, Texas 77095
TEL: (713) 686-5999
FAX: (713) 686-7444
info@visualcomfort.com